



US009836731B2

(12) **United States Patent
Fisher**

(10) **Patent No.:** US 9,836,731 B2

(45) **Date of Patent:** *Dec. 5, 2017

(54) **INDUCTION BASED TRANSACTION AT A TRANSACTION SERVER**

(71) Applicant: **Michelle Fisher**, Marina Del Rey, CA (US)

(72) Inventor: **Michelle Fisher**, Marina Del Rey, CA (US)

(73) Assignee: **Michelle Fisher**, Berkley, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **14/686,695**

(22) Filed: **Apr. 14, 2015**

(65) **Prior Publication Data**

US 2015/0310420 A1 Oct. 29, 2015

Related U.S. Application Data

(63) Continuation of application No. 13/710,646, filed on Dec. 11, 2012, now Pat. No. 9,015,064, which is a (Continued)

(51) **Int. Cl.**
G06Q 20/00 (2012.01)
G06F 17/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **G06Q 20/20** (2013.01); **G06Q 20/00** (2013.01); **G06Q 20/108** (2013.01); **G06Q 20/16** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC G06Q 20/00-20/20; G06Q 20/32; G06Q 20/102; G06Q 20/105;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,687 A * 7/1844 Hoe H04L 63/08 235/380

36,870 A * 7/1844 Hoe G06Q 10/101 705/14.1

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2006095212 A1 9/2006

OTHER PUBLICATIONS

Green, J. (2006). Cell phones move into POS payments. Cards & Payments, 19(1), 18(4). Retrieved from <http://dialog.proquest.com/professional/docview/676019469?accountid=142257>.*


(Continued)

Primary Examiner — Olusegun Goyea

(57) **ABSTRACT**

A method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

26 Claims, 4 Drawing Sheets



Related U.S. Application Data

continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.

(51) **Int. Cl.**

G06K 15/00 (2006.01)
H04B 7/00 (2006.01)
H04B 7/24 (2006.01)
G06Q 20/20 (2012.01)
G06Q 40/00 (2012.01)
G06Q 20/32 (2012.01)
G06Q 30/02 (2012.01)
G06Q 30/06 (2012.01)
G06Q 20/38 (2012.01)
G06Q 20/40 (2012.01)
G06Q 20/36 (2012.01)
G06Q 20/16 (2012.01)
H04W 4/20 (2009.01)
H04W 8/20 (2009.01)
H04M 1/725 (2006.01)
H04W 4/18 (2009.01)
H04B 5/00 (2006.01)
G06Q 20/10 (2012.01)
H04W 4/00 (2009.01)
H04N 21/81 (2011.01)
G07F 7/10 (2006.01)
H04W 88/02 (2009.01)
H04W 4/02 (2009.01)

(52) **U.S. Cl.**

CPC *G06Q 20/202* (2013.01); *G06Q 20/204* (2013.01); *G06Q 20/206* (2013.01); *G06Q 20/32* (2013.01); *G06Q 20/322* (2013.01); *G06Q 20/325* (2013.01); *G06Q 20/3223* (2013.01); *G06Q 20/3226* (2013.01); *G06Q 20/3227* (2013.01); *G06Q 20/3278* (2013.01); *G06Q 20/3674* (2013.01); *G06Q 20/382* (2013.01); *G06Q 20/3821* (2013.01); *G06Q 20/40* (2013.01); *G06Q 20/409* (2013.01); *G06Q 20/4012* (2013.01); *G06Q 20/4014* (2013.01); *G06Q 30/02* (2013.01); *G06Q 30/0222* (2013.01); *G06Q 30/0238* (2013.01); *G06Q 30/0251* (2013.01); *G06Q 30/0253* (2013.01); *G06Q 30/0255* (2013.01); *G06Q 30/0267* (2013.01); *G06Q 30/0268* (2013.01); *G06Q 30/06* (2013.01); *G06Q 30/0613* (2013.01); *G06Q 30/0635* (2013.01); *G06Q 40/10* (2013.01); *G06Q 40/12* (2013.12); *H04B 5/0025* (2013.01); *H04M 1/72561* (2013.01); *H04W 4/18* (2013.01); *H04W 4/206* (2013.01); *H04W 8/205* (2013.01); *G06Q 20/10* (2013.01); *G06Q 20/105* (2013.01); *G06Q 40/00* (2013.01); *G07F 7/1008* (2013.01); *H04N 21/812* (2013.01); *H04W 4/008* (2013.01); *H04W 4/02* (2013.01); *H04W 88/02* (2013.01)

(58) **Field of Classification Search**

CPC *G06Q 40/00-40/10*; *G06Q 99/00*; *G06Q 20/04*; *G06K 5/00*; *G06K 7/08*; *G06K 7/10237*; *G06K 15/00*; *H04W 12/12*; *H04W 4/24*; *H04L 63/08*
 USPC 455/41.1, 406-410, 556.1, 558; 705/16, 705/18, 30, 40, 41, 44, 64; 235/375-385, 235/451, 462, 492

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,038,367 A 3/2000 Abecassis
 6,101,477 A * 8/2000 Hohle G06Q 10/02 235/380
 6,101,483 A * 8/2000 Petrovich G06Q 20/202 705/21
 6,115,601 A * 9/2000 Ferreira H04M 15/47 379/114.2
 6,123,259 A * 9/2000 Ogasawara G06K 17/0022 235/380
 6,128,655 A 10/2000 Fields
 6,141,666 A 10/2000 Tobin
 6,199,082 B1 3/2001 Ferrel
 6,250,557 B1 * 6/2001 Forslund G06K 17/0022 235/375
 6,415,156 B1 7/2002 Stadelmann
 6,450,407 B1 * 9/2002 Freeman G06K 19/0723 235/376
 6,587,835 B1 * 7/2003 Treyz G06Q 20/12 705/14.64
 6,605,120 B1 8/2003 Fields
 6,771,981 B1 8/2004 Zalewski
 6,772,396 B1 8/2004 Cronin
 6,886,017 B1 4/2005 Jackson
 6,950,939 B2 9/2005 Tobin
 7,031,945 B1 * 4/2006 Donner G06Q 10/02 235/382
 7,069,248 B2 6/2006 Huber
 7,096,003 B2 8/2006 Joao
 7,110,744 B2 9/2006 Freeny
 7,110,792 B2 * 9/2006 Rosenberg G06Q 20/085 235/380
 7,127,236 B2 10/2006 Khan
 7,155,411 B1 * 12/2006 Blinn G06Q 20/02 705/1.1
 7,163,153 B2 * 1/2007 Blossom G06K 19/06187 235/380
 7,200,578 B2 * 4/2007 Paltenghe G06F 21/6209 705/1.1
 7,289,810 B2 10/2007 Jagadeesan
 7,308,254 B1 12/2007 Rissanen
 7,357,312 B2 4/2008 Gangi
 7,374,082 B2 * 5/2008 Van de Velde G06Q 20/18 235/380
 7,376,583 B1 * 5/2008 Rolf G06Q 20/20 705/17
 7,379,920 B2 5/2008 Leung
 7,383,226 B2 * 6/2008 Kight G06Q 20/04 705/40
 7,392,226 B1 6/2008 Sasaki
 7,472,829 B2 1/2009 Brown
 7,482,925 B2 1/2009 Hammad
 7,512,567 B2 * 3/2009 Bommel G06Q 20/20 705/64
 7,522,905 B2 4/2009 Hammad
 7,681,788 B2 * 3/2010 Van de Velde G06Q 20/18 235/380
 7,717,334 B1 * 5/2010 Rolf G06Q 20/14 235/380
 7,783,532 B2 * 8/2010 Hsu G06Q 10/087 705/14.11
 7,784,684 B2 * 8/2010 Labrou G06Q 20/32 235/375
 7,818,284 B1 * 10/2010 Walker G06Q 20/387 705/26.2
 7,827,056 B2 * 11/2010 Walker G06Q 10/101 705/14.1
 7,870,077 B2 * 1/2011 Woo G06Q 20/02 235/379
 7,979,519 B2 * 7/2011 Shigeta H04L 67/2823 370/349
 8,005,426 B2 * 8/2011 Huomo G06Q 20/20 235/441

(56)	References Cited		2003/0172028 A1 *	9/2003	Abell	G06Q 20/102 705/40
	U.S. PATENT DOCUMENTS		2004/0006497 A1	1/2004	Nestor	
			2004/0030658 A1	2/2004	Cruz	
8,019,362 B2 *	9/2011	Sweatman	2004/0034544 A1	2/2004	Fields	
		H04W 4/12 455/455	2004/0064407 A1 *	4/2004	Kight	G06Q 20/04 705/40
8,073,424 B2 *	12/2011	Sun	2004/0064408 A1 *	4/2004	Kight	G06Q 20/04 705/40
		G06Q 20/085 455/406	2004/0064409 A1 *	4/2004	Kight	G06Q 20/04 705/40
8,086,534 B2 *	12/2011	Powell	2004/0064410 A1 *	4/2004	Kight	G06Q 20/04 705/40
		G06Q 20/32 705/44	2004/0065734 A1 *	4/2004	Piikivi	G05B 19/00 235/451
8,109,444 B2 *	2/2012	Jain	2004/0073497 A1 *	4/2004	Hayes	G06Q 30/02 705/26.1
		G06K 19/07739 235/487	2004/0078329 A1 *	4/2004	Kight	G06Q 20/04 705/40
8,121,945 B2	2/2012	Rackley	2004/0083167 A1 *	4/2004	Kight	G06Q 20/04 705/40
8,127,984 B2 *	3/2012	Zatloukal	2004/0093271 A1 *	5/2004	Walker	G06Q 30/02 705/14.17
		G06K 7/0008 235/375	2004/0111320 A1 *	6/2004	Schlieffers	A47F 9/047 705/16
8,196,818 B2 *	6/2012	Van de Velde	2004/0127256 A1 *	7/2004	Goldthwaite	G06K 7/0004 455/558
		G06Q 20/045 235/380	2004/0235450 A1 *	11/2004	Rosenberg	G06Q 20/085 455/406
8,214,454 B1 *	7/2012	Barnes	2004/0243519 A1	12/2004	Perttila	
		G06F 17/30876 709/217	2004/0254836 A1 *	12/2004	Emoke Barabas	G06Q 30/02 705/14.35
8,429,030 B2 *	4/2013	Walker	2004/0267618 A1	12/2004	Judicibus	
		G06Q 30/02 705/14.38	2004/0267665 A1	12/2004	Nam	
8,429,031 B2 *	4/2013	Walker	2005/0003810 A1	1/2005	Chu	
		G06Q 30/02 705/14.38	2005/0040230 A1 *	2/2005	Swartz	G06K 17/00 235/383
8,438,077 B2 *	5/2013	Walker	2005/0043994 A1 *	2/2005	Walker	B42D 15/00 705/14.19
		G06Q 30/02 705/14.38	2005/0076210 A1	4/2005	Thomas	
8,438,078 B2 *	5/2013	Walker	2005/0077356 A1 *	4/2005	Takayama	G06K 7/10237 235/451
		G06Q 30/02 705/14.38	2005/0165646 A1 *	7/2005	Tedesco	B42D 15/00 705/14.1
8,467,766 B2 *	6/2013	Rackley, III	2005/0187873 A1 *	8/2005	Labrou	G06Q 20/02 705/40
		G06Q 20/042 455/406	2005/0215231 A1	9/2005	Bauchot	
8,489,067 B2 *	7/2013	Rackley, III	2005/0222961 A1 *	10/2005	Staib	G06Q 20/327 705/64
		G06Q 20/102 455/406	2006/0031752 A1 *	2/2006	Surloff	G06F 3/021 715/205
8,510,220 B2 *	8/2013	Rackley, III	2006/0044153 A1 *	3/2006	Dawidowsky	G06K 7/0008 340/4.3
		G06Q 20/102 705/39	2006/0049258 A1 *	3/2006	Piikivi	G05B 19/00 235/451
2001/0011250 A1 *	8/2001	Paltenghe	2006/0065741 A1 *	3/2006	Vayssiere	G06K 19/07703 235/492
		G06F 21/6209 705/41	2006/0089874 A1 *	4/2006	Newman	G06Q 30/02 705/14.32
2001/0044751 A1 *	11/2001	Pugliese, III	2006/0094356 A1 *	5/2006	Dawidowsky	G06K 7/0008 455/41.1
		G06Q 30/02 705/14.1	2006/0143091 A1 *	6/2006	Yuan	G06Q 20/343 705/26.1
2002/0056091 A1 *	5/2002	Bala	2006/0165060 A1 *	7/2006	Dua	G06Q 20/20 370/352
		G06Q 30/02 725/34	2006/0178986 A1 *	8/2006	Giordano	G06Q 20/04 705/40
2002/0059100 A1	5/2002	Shore	2006/0191995 A1 *	8/2006	Stewart	G06F 21/6245 235/379
2002/0063895 A1	5/2002	Agata	2006/0206709 A1 *	9/2006	Labrou	G06Q 20/18 713/167
2002/0065774 A1 *	5/2002	Young	2006/0213972 A1 *	9/2006	Kelley	G06K 7/0008 235/380
		G06Q 20/02 705/41	2006/0218092 A1 *	9/2006	Tedesco	B42D 15/00 705/40
2002/0077918 A1	6/2002	Lerner				
2002/0082879 A1	6/2002	Miller				
2002/0107756 A1	8/2002	Hammons				
2002/0116269 A1 *	8/2002	Ishida				
		G06Q 30/02 705/14.64				
2002/0147907 A1 *	10/2002	Ross				
		G06Q 20/045 713/159				
2002/0160761 A1 *	10/2002	Wolfe				
		G06F 11/1456 455/414.1				
2002/0169664 A1 *	11/2002	Walker				
		G06Q 30/02 705/14.4				
2002/0169984 A1	11/2002	Kumar				
2003/0061113 A1 *	3/2003	Petrovich				
		G06Q 10/087 705/26.43				
2003/0065805 A1	4/2003	Barnes				
2003/0066883 A1 *	4/2003	Yu				
		G06K 7/1095 235/382				
2003/0074259 A1 *	4/2003	Slyman, Jr.				
		G06Q 20/204 705/14.22				
2003/0085286 A1 *	5/2003	Kelley				
		G06K 19/073 235/492				
2003/0087601 A1 *	5/2003	Agam				
		G06F 21/34 455/39				
2003/0088777 A1 *	5/2003	Bae				
		G07C 9/00103 713/181				
2003/0093695 A1	5/2003	Dutta				
2003/0105641 A1	6/2003	Lewis				
2003/0132298 A1 *	7/2003	Swartz				
		G06K 17/00 235/472.02				
2003/0140004 A1	7/2003	O'Leary				
2003/0163359 A1 *	8/2003	Kanesaka				
		G06Q 30/02 705/7.33				

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0219780	A1 *	10/2006	Swartz	G06K 17/00 235/383	2008/0004952	A1 *	1/2008	Koli	G06Q 30/02 705/14.55
2006/0287004	A1 *	12/2006	Fuqua	G06Q 20/0658 455/558	2008/0006685	A1 *	1/2008	Rackley, III	G06Q 20/10 235/379
2006/0287920	A1 *	12/2006	Perkins	G06Q 30/02 705/14.49	2008/0010190	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39
2006/0287964	A1 *	12/2006	Brown	G06Q 20/26 705/64	2008/0010191	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39
2006/0294025	A1 *	12/2006	Mengerink	G06Q 20/085 705/77	2008/0010192	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39
2007/0004391	A1	1/2007	Maffeis		2008/0010193	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39
2007/0011099	A1 *	1/2007	Sheehan	G06Q 20/32 705/65	2008/0010196	A1 *	1/2008	Rackley, III	G06Q 20/102 705/40
2007/0012763	A1 *	1/2007	Van de Velde	G06Q 20/045 235/380	2008/0010204	A1 *	1/2008	Rackley, III	G06Q 20/042 705/45
2007/0021969	A1 *	1/2007	Homeier-Beals	G06Q 20/06 705/1.1	2008/0010215	A1 *	1/2008	Rackley, III	G06Q 20/042 705/70
2007/0022058	A1 *	1/2007	Labrou	G06Q 20/32 705/67	2008/0017703	A1 *	1/2008	Lu	G07F 7/1008 235/379
2007/0026893	A1 *	2/2007	Sakamoto	H04B 1/3816 455/558	2008/0017704	A1 *	1/2008	VanDeburg	G06Q 20/32 235/380
2007/0052517	A1 *	3/2007	Bishop	G06Q 20/10 340/5.2	2008/0027795	A1 *	1/2008	Medlin	G06Q 20/20 705/14.14
2007/0063055	A1 *	3/2007	Graf	G06K 7/0004 235/492	2008/0294556	A1	1/2008	Anderson	
2007/0075133	A1 *	4/2007	Yeager	H04L 63/08 235/380	2008/0040265	A1 *	2/2008	Rackley, III	G06Q 20/02 705/40
2007/0095892	A1 *	5/2007	Lyons	G06Q 20/16 235/379	2008/0045172	A1 *	2/2008	Narayanaswami	G06Q 30/02 455/187.1
2007/0125838	A1 *	6/2007	Law	G06Q 20/04 235/379	2008/0046366	A1	2/2008	Bemmel	
2007/0125840	A1 *	6/2007	Law	G06Q 20/10 235/379	2008/0048022	A1 *	2/2008	Vawter	G06Q 20/32 235/380
2007/0131759	A1 *	6/2007	Cox	G06Q 20/341 235/380	2008/0051059	A1 *	2/2008	Fisher	G06Q 20/20 455/410
2007/0136211	A1 *	6/2007	Brown	G07F 7/1083 705/75	2008/0051142	A1 *	2/2008	Calvet	H04W 88/02 455/558
2007/0138299	A1 *	6/2007	Mitra	G06K 19/0719 235/492	2008/0052192	A1 *	2/2008	Fisher	G06Q 10/02 705/5
2007/0156436	A1 *	7/2007	Fisher	G06Q 20/102 455/552.1	2008/0052233	A1 *	2/2008	Fisher	G06Q 20/102 705/40
2007/0162381	A1 *	7/2007	Petralia	G06Q 40/02 705/38	2008/0059329	A1 *	3/2008	Luchene	G06Q 30/0603 705/26.35
2007/0179883	A1 *	8/2007	Questembert	G06Q 20/06 705/39	2008/0104098	A1 *	5/2008	Li	G06Q 20/341
2007/0194110	A1 *	8/2007	Esplin	G06Q 20/20 235/383	2008/0126145	A1 *	5/2008	Rackley, III	G06Q 20/102 455/406
2007/0198334	A1 *	8/2007	Mebruer	G06Q 30/02 705/14.36	2008/0126260	A1 *	5/2008	Cox	G06Q 20/20 705/67
2007/0203792	A1 *	8/2007	Rao	G06Q 20/20 705/14.35	2008/0133336	A1 *	6/2008	Altman	G06Q 30/0207 455/456.1
2007/0210155	A1 *	9/2007	Swartz	G06K 17/00 235/383	2008/0139155	A1	6/2008	Boireau	
2007/0228164	A1 *	10/2007	Lu	G06F 13/385 235/441	2008/0140520	A1 *	6/2008	Hyder	G06Q 20/342 705/14.1
2007/0235519	A1	10/2007	Jang		2008/0148040	A1 *	6/2008	Machani	G06F 21/6245 713/150
2007/0235539	A1 *	10/2007	Sevanto	G06K 7/10237 235/451	2008/0167017	A1 *	7/2008	Wentker	G06Q 20/10 455/414.1
2007/0254712	A1 *	11/2007	Chitti, Sr.	G06Q 20/045 455/558	2008/0167961	A1 *	7/2008	Wentker	G06Q 20/10 705/14.25
2007/0255662	A1	11/2007	Tumminaro		2008/0167988	A1 *	7/2008	Sun	G06Q 20/085 705/39
2007/0262139	A1 *	11/2007	Fiebiger	G06Q 20/20 235/380	2008/0172274	A1 *	7/2008	Hurowitz	H04W 4/02 455/433
2007/0266131	A1 *	11/2007	Mazur	G06Q 20/32 709/223	2008/0172285	A1 *	7/2008	Hurowitz	G06Q 30/02 455/414.1
2007/0270166	A1 *	11/2007	Hampel	H04L 12/5865 455/456.3	2008/0172291	A1 *	7/2008	Hurowitz	G06Q 30/02 705/14.1
2007/0278291	A1 *	12/2007	Rans	G06Q 20/341 235/380	2008/0172292	A1 *	7/2008	Hurowitz	G06Q 30/02 705/14.14
2007/0293155	A1 *	12/2007	Liao	G06Q 20/32 455/41.2	2008/0177668	A1	7/2008	Delean	
					2008/0207234	A1 *	8/2008	Arthur	G06Q 20/20 455/466
					2008/0208681	A1	8/2008	Hammad	
					2008/0208743	A1 *	8/2008	Arthur	G06Q 20/105 705/41
					2008/0208744	A1 *	8/2008	Arthur	G06Q 20/105 705/41

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0208762	A1 *	8/2008	Arthur	G06Q 20/027	2010/0312694	A1 *	12/2010	Homeier-Beals	G06Q 20/10
					705/79						705/39
2008/0221997	A1 *	9/2008	Wolfe	G06Q 30/02	2011/0055038	A1 *	3/2011	Mengerink	G06Q 20/085
					705/14.26						705/26.1
2008/0227391	A1 *	9/2008	Rosenberg	G06Q 20/3226	2011/0212751	A1 *	9/2011	Havens	G06K 7/10881
					455/41.1						455/556.1
2008/0249938	A1 *	10/2008	Drake-Stoker	G06Q 20/12	2011/0320316	A1 *	12/2011	Randazza	G06Q 20/02
					705/44						705/26.43
2008/0251580	A1 *	10/2008	Van de Velde	G06Q 20/045	2012/0030044	A1 *	2/2012	Hurst	G06Q 20/105
					235/380						705/18
2008/0255947	A1 *	10/2008	Friedman	G06Q 20/20	2012/0150744	A1 *	6/2012	Carlson	G06Q 20/02
					705/35						705/44
2008/0262928	A1 *	10/2008	Michaelis	G06Q 30/02	2012/0215573	A1 *	8/2012	Sussman	G06F 9/50
					705/14.26						705/5
2008/0274794	A1 *	11/2008	Mathieson	G06Q 30/02	2012/0220314	A1 *	8/2012	Altman	G06Q 30/0207
					463/25						455/456.3
2008/0275779	A1 *	11/2008	Lakshminarayanan		G06Q 20/02	2012/0265677	A1 *	10/2012	Rackley, III	G06Q 20/02
					705/39						705/41
2008/0305774	A1	12/2008	Ramakrishna			2013/0013501	A1 *	1/2013	Rackley, III	G06Q 20/02
2009/0018913	A1 *	1/2009	Sarukkai	G06Q 30/02	2013/0054470	A1 *	2/2013	Campos	G06Q 20/36
					705/14.56						705/67
2009/0061884	A1 *	3/2009	Rajan	G06Q 30/02	2013/0212016	A1 *	8/2013	Davis	G06Q 20/10
					455/445						705/42
2009/0063312	A1 *	3/2009	Hurst	G06Q 20/105						
					705/30						
2009/0075592	A1	3/2009	Nystrom								
2009/0076912	A1 *	3/2009	Rajan	G06Q 30/02						
					705/14.64						
2009/0088203	A1 *	4/2009	Havens	G06K 7/10881						
					455/556.1						
2009/0098825	A1	4/2009	Huomo								
2009/0104888	A1 *	4/2009	Cox	G06F 21/31						
					455/410						
2009/0106112	A1 *	4/2009	Dalmia	G06Q 20/04						
					705/14.17						
2009/0112747	A1 *	4/2009	Mullen	G06Q 20/04						
					705/35						
2009/0124234	A1 *	5/2009	Fisher	G06Q 20/32						
					455/406						
2009/0132362	A1 *	5/2009	Fisher	G06Q 10/06						
					705/14.47						
2009/0143104	A1 *	6/2009	Loh	G06Q 20/32						
					455/558						
2009/0144161	A1 *	6/2009	Fisher	G06Q 20/20						
					705/16						
2009/0177587	A1 *	7/2009	Siegal	G06F 21/32						
					705/67						
2009/0227281	A1 *	9/2009	Hammad	G06K 19/07309						
					455/550.1						
2010/0057619	A1 *	3/2010	Weller	G06Q 20/02						
					705/67						
2010/0063895	A1 *	3/2010	Dominguez	G06Q 20/02						
					705/26.1						
2010/0145835	A1 *	6/2010	Davis	G06Q 20/10						
					705/30						
2010/0252624	A1 *	10/2010	Van de Velde	G06Q 20/18						
					235/382						

OTHER PUBLICATIONS

Bull continues roll-out of odyssey java smart card program; java development kit, java-based electronic purse application featured at CardTech/SecurTech. (Apr. 28, 1998). Business Wire Retrieved from <http://dialog.proquest.com/professional/docview/666328347?accountid=142257>.*

Schneider, I. (2003). R.F.I.D. in the U.S.A. Bank Systems + Technology, 40(9), 9(1). Retrieved from <http://dialog.proquest.com/professional/docview/667548714?accountid=142257>.*

U.S. Appl. No. 11/933,337, Office Action dated May 27, 2010, 9 p.

U.S. Appl. No. 11/933,351, Office Action dated Oct. 3, 2008, 5 p.

U.S. Appl. No. 11/933,367, Office Action dated May 27, 2010, 8 p.

U.S. Appl. No. 11/467,441, Office Action dated May 27, 2009, 17 p.

U.S. Appl. No. 12/592,581, Office Action dated Jun. 4, 2010, 20 p.

U.S. Appl. No. 11/933,351, Office Action dated Jul. 8, 2009, 7 p.

U.S. Appl. No. 11/939,821, Office Action dated Aug. 17, 2010, 11 p.

U.S. Appl. No. 11/933,351, Office Action dated Aug. 18, 2010, 16 p.

U.S. Appl. No. 11/933,321, Office Action dated May 27, 2010, 11 p.

Deena, M. Amato, "Mobile Rewards." Chain Store Age 82.5 (2006): 160, 161, 163. Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

"ViVOTech to Demonstrate Industry's First End-to-End Near Field Communication (NFC) Solution at the NRF Show." Business Wire: 1 Jan. 16, 2006. Business Dateline; Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

EMCA Specification Standard, 2002.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

1

INDUCTION BASED TRANSACTION AT A TRANSACTION SERVER

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation and claims priority to U.S. application Ser. No. 13/710,646, filed Dec. 11, 2012, titled UTILIZING SHOPPING LISTS FOR NFC TRANSACTIONS which is a continuation and claims priority to U.S. application Ser. No. 11/948,903, filed Nov. 30, 2007, titled METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE, all of which is incorporated by reference herein in its entirety.

FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled “Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device”, and U.S. patent application Ser. No. 11/467,441, entitled “Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from the point of sale device to a payment entity can include sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of

2

one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system **100**. The communication system **100** includes a hand-held, wireless mobile communication device **102**, a point-of-sale device **104** and a management server **106**. In one implementation, the mobile communication device **102** includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device **102** to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device **104**), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device **102** can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device **104** can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device **104** are sent from the point of sale device **104** to an issuer authorization (e.g., management server **106**) through the mobile communication device **102** (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment transaction. An issuer authorization can be, e.g., a person, computer system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user information (e.g. account numbers, pin numbers, and/or identity information) need only be sent from the mobile

communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. 2 illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received through a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends) associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish applet (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NFC reader present on the PC **404**. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store

application **410**) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to provide a multi-factor authentication and confirms the trans-

action, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

Referring to FIG. 2, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a “buy now” icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. 4 illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication device **402** or personal computer **404**), browses an online store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet **412**) residing on the mobile communication device **402**. The user then goes to, e.g., a checkout of the online store **406**

make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an NFC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accept MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD POS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or

solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500. I/O devices 508A-B may be coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

What is claimed is:

1. A method for processing a Near Field Communication (NFC) transaction, the method comprising:

receiving, at a transaction server, transaction information including a payment method from a management server, wherein the payment method corresponds to an identification code received by the management server from an NFC terminal and further wherein the identification code is received by the NFC terminal from a secure element memory in response to an NFC inductive signal by the NFC terminal which triggers an NFC processor to execute a secure element application and transfer, via an NFC transceiver, the identification code from the secure element memory to the NFC terminal using the secure element application, wherein the NFC processor, the secure element memory, and the NFC transceiver are included in a secure element permanently embedded within the body of a mobile device, the mobile device comprising a mobile device processor, mobile device memory storing a non-browser based mobile application with a graphical user interface, and mobile device transceiver, wherein the mobile device processor, the mobile device memory, and the mobile device transceiver are separate from the secure element; and

processing the NFC transaction at the transaction server using the payment method; and

after the NFC transaction has processed, sending a transaction verification to the management server, wherein the transaction verification indicates that the NFC transaction has processed.

2. A transaction server for processing a Near Field Communication (NFC) transaction, the server comprising:

a transaction server memory;

a transaction server interface coupled to the server memory, the server interface operable to

receive transaction information including a payment method from a management server, wherein the payment method corresponds to an identification code received by the management server from an NFC terminal and further wherein the identification code is received by the NFC terminal from a secure element memory in response to an NFC inductive signal by the NFC terminal which triggers an NFC processor to execute a secure element application and transfer, via an NFC transceiver, the identification code from the secure element memory to the NFC terminal using the secure element application, wherein the NFC processor, the secure element memory, and the NFC transceiver are included in a secure element permanently embedded within the body of a mobile device, the mobile device comprising a mobile device processor, mobile device memory, and mobile device transceiver which are separate from the secure element, wherein the mobile device processor, the mobile device memory storing a non-browser based mobile application with a graphical user interface, and the mobile device transceiver are separate from the secure element; and after the NFC transaction has processed, send a transaction verification to the management server, wherein the transaction verification indicates that the NFC transaction has processed; and

a transaction server processor configured to process the NFC transaction using the transaction information including the payment method.

3. The method of claim 1, wherein the payment method is a credit card.

4. The method of claim 1, wherein the payment method is a debit card.

5. The method of claim 1, further comprising applying a coupon during a near field communication interaction between the secure element and the NFC terminal.

6. The method of claim 1, further wherein, after the NFC transaction has processed, a digital artifact is delivered from the management server to the non-browser based mobile application stored on the mobile device for display by the non-browser based mobile application.

7. The method of claim 6, wherein the digital artifact comprises an advertisement, receipt, ticket, coupon, media, metadata and/or content.

8. The method of claim 6, wherein the digital artifact is available for use by the non-browser based mobile application stored on the mobile device when there is no network connection.

9. The method of claim 1, further wherein data stored on the mobile device is encrypted using a mobile operating system native to the mobile device.

10. The transaction server of claim 2, wherein the payment method is a credit card.

11. The transaction server of claim 2, wherein the payment method is a debit card.

12. The transaction server of claim 2, further comprising applying a coupon during a near field communication interaction between the secure element and the NFC terminal transaction.

13. The transaction server of claim 2, further wherein, after the NFC transaction has processed, a digital artifact is delivered from the management server to the non-browser based mobile application stored on the mobile device for display by the non-browser based mobile application.

14. The transaction server of claim 13, wherein the digital artifact comprises an advertisement, receipt, ticket, coupon, media, metadata and/or content.

15. The transaction server of claim 13, wherein the digital artifact is available for use by the non-browser based mobile application stored on the mobile device when there is no network connection.

16. The transaction server of claim 2, further wherein data stored on the mobile device is encrypted using a mobile operating system native to the mobile device.

17. The method of claim 1, wherein the payment method is a cash card.

18. The transaction server of claim 2, wherein the payment method is a cash card.

19. The method of claim 1, wherein the transaction server receives the transaction information including the payment method from the management server based on the management server associating information related to the transaction server with information related to the identification code.

20. The transaction server of claim 2, wherein the transaction server receives the transaction information including

the payment method from the management server based on the management server associating information related to the transaction server with information to related the identification code.

21. The method of claim 6, further wherein the, non-browser based mobile application sends an alert to the management server if it has not received the digital artifact within a certain period of time.

22. The method of claim 8, wherein the non-browser based mobile application monitors for network availability and automatically reconnects to the management server when the network is available.

23. The method of claim 6, further wherein the management server sends the digital artifact to the non-browser based mobile application based on the geographical location of the mobile device.

24. The transaction server of claim 13, further wherein the, non-browser based mobile application sends an alert to the management server if it has not received the digital artifact within a certain period of time.

25. The transaction server of claim 15, wherein the non-browser based mobile application monitors for network availability and automatically reconnects to the management server when the network is available.

26. The transaction server of claim 13, further wherein the management server sends the digital artifact to the non-browser based mobile application based on the geographical location of the mobile device.

* * * * *