



US010248938B2

(12) **United States Patent**
Fisher

(10) **Patent No.:** **US 10,248,938 B2**

(45) **Date of Patent:** **Apr. 2, 2019**

(54) **REMOTE TRANSACTION PROCESSING AT A SERVER WITH AUTHENTICATION AFTER A PRODUCT LIST**

(71) Applicant: **Michelle T Fisher**, Oakland, CA (US)

(72) Inventor: **Michelle T Fisher**, Oakland, CA (US)

(73) Assignee: **Michelle Fisher**, Berkeley, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 57 days.

(21) Appl. No.: **14/083,703**

(22) Filed: **Nov. 19, 2013**

(65) **Prior Publication Data**

US 2015/0142542 A1 May 21, 2015

(51) **Int. Cl.**

G06Q 20/20 (2012.01)
G06Q 40/00 (2012.01)
H04W 4/21 (2018.01)
G06Q 20/32 (2012.01)
G06Q 30/02 (2012.01)

(Continued)

(52) **U.S. Cl.**

CPC **G06Q 20/20** (2013.01); **G06Q 20/00** (2013.01); **G06Q 20/108** (2013.01); **G06Q 20/16** (2013.01); **G06Q 20/202** (2013.01); **G06Q 20/204** (2013.01); **G06Q 20/206** (2013.01); **G06Q 20/32** (2013.01); **G06Q 20/322** (2013.01); **G06Q 20/325** (2013.01); **G06Q 20/3223** (2013.01); **G06Q 20/3226** (2013.01); **G06Q 20/3227** (2013.01); **G06Q 20/3255** (2013.01); **G06Q 20/3278** (2013.01); **G06Q 20/3674** (2013.01); **G06Q 20/382** (2013.01); **G06Q 20/3821** (2013.01); **G06Q 20/40** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC G06Q 20/00; G06Q 20/10; G06Q 20/20;

G06Q 20/40; G06Q 20/102–20/105; G06Q 20/206; G06Q 30/207; G06Q 40/10; G06Q 20/108; G06Q 20/32; G06Q 10/063; G06Q 10/087; G06Q 20/208; G06Q 30/00–30/06; G06Q 20/04; G06Q 10/10; G01S 1/00–1/08; H04L 29/06; H04L 67/28; H04L 63/10; G06F 21/00; G06F 21/41; G06F 17/16; H04N 7/14
USPC 705/7, 14.1, 16, 18, 30, 35, 26.7, 40, 41, 705/44, 70, 7.29, 23, 14.23, 14.37, 14.51, 705/14.52, 14.64, 26, 39, 65; 455/406, 455/407, 411, 414.1; 348/14.03; 380/201

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,852,775 A * 12/1998 Hidary H04L 12/1859 455/412.1
5,887,266 A * 3/1999 Heinonen G06Q 20/04 455/406

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2006095212 A1 * 9/2006 H04M 11/00
WO WO 2006095212 A1 9/2006

OTHER PUBLICATIONS


U.S. Appl. No. 11/933,337, Office Action dated May 27, 2010, 9 p.
(Continued)

Primary Examiner — Olusegun Goyea

(57) **ABSTRACT**

A method and system for conducting an online payment transaction through a mobile device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; processing the transaction, and sending a digital artifact to the mobile device.

41 Claims, 4 Drawing Sheets



(51)	Int. Cl.		6,487,540 B1 *	11/2002	Smith	G06Q 20/02	705/21
	<i>G06Q 30/06</i>	(2012.01)					
	<i>G06Q 20/38</i>	(2012.01)	6,535,132 B2 *	3/2003	Waters	G09F 3/00	235/383
	<i>G06Q 20/40</i>	(2012.01)					
	<i>G06Q 20/36</i>	(2012.01)	6,587,835 B1 *	7/2003	Treyz	G06Q 20/12	705/14.64
	<i>G06Q 20/16</i>	(2012.01)					
	<i>G06Q 20/00</i>	(2012.01)	6,605,120 B1	8/2003	Fields		
	<i>G06Q 20/10</i>	(2012.01)	6,647,257 B2 *	11/2003	Owensby	H04M 3/42348	455/414.1
	<i>H04W 8/20</i>	(2009.01)					
	<i>H04M 1/725</i>	(2006.01)	6,771,981 B1	8/2004	Zalewski		
	<i>H04W 4/18</i>	(2009.01)	6,772,396 B1	8/2004	Cronin		
	<i>H04B 5/00</i>	(2006.01)	6,775,539 B2 *	8/2004	Deshpande	G06Q 30/02	455/414.4
	<i>H04W 4/80</i>	(2018.01)					
	<i>H04N 21/81</i>	(2011.01)	6,886,017 B1	4/2005	Jackson		
	<i>G07F 7/10</i>	(2006.01)	6,950,939 B2	9/2005	Tobin		
	<i>H04W 88/02</i>	(2009.01)	6,975,856 B2 *	12/2005	Ogasawara	G06Q 20/108	455/411
	<i>H04W 4/02</i>	(2018.01)					
			7,031,945 B1	4/2006	Donner		
			7,069,248 B2	6/2006	Huber		
			7,072,861 B1 *	7/2006	Yamanaka	G06Q 20/04	705/17
(52)	U.S. Cl.		7,092,905 B2 *	8/2006	Behrenbrinker	G06Q 20/04	705/35
	CPC	<i>G06Q 20/409</i> (2013.01); <i>G06Q 20/4012</i> (2013.01); <i>G06Q 20/4014</i> (2013.01); <i>G06Q 30/02</i> (2013.01); <i>G06Q 30/0222</i> (2013.01); <i>G06Q 30/0238</i> (2013.01); <i>G06Q 30/0251</i> (2013.01); <i>G06Q 30/0253</i> (2013.01); <i>G06Q 30/0255</i> (2013.01); <i>G06Q 30/0267</i> (2013.01); <i>G06Q 30/0268</i> (2013.01); <i>G06Q 30/06</i> (2013.01); <i>G06Q 30/0613</i> (2013.01); <i>G06Q 30/0635</i> (2013.01); <i>G06Q 40/10</i> (2013.01); <i>G06Q 40/12</i> (2013.12); <i>H04B 5/0025</i> (2013.01); <i>H04M 1/72561</i> (2013.01); <i>H04W 4/18</i> (2013.01); <i>H04W 4/21</i> (2018.02); <i>H04W 8/205</i> (2013.01); <i>G06Q 20/10</i> (2013.01); <i>G06Q 20/105</i> (2013.01); <i>G06Q 40/00</i> (2013.01); <i>G07F 7/1008</i> (2013.01); <i>H04N 21/812</i> (2013.01); <i>H04W 4/02</i> (2013.01); <i>H04W 4/80</i> (2018.02); <i>H04W 88/02</i> (2013.01)					
			7,096,003 B2	8/2006	Joao		
			7,110,744 B2	9/2006	Freeny		
			7,110,792 B2 *	9/2006	Rosenberg	G06Q 20/085	235/380
			7,127,236 B2	10/2006	Khan		
			7,200,578 B2 *	4/2007	Paltenghe	G06F 21/6209	705/1.1
			7,289,810 B2	10/2007	Jagadeesan		
			7,308,254 B1	12/2007	Rissanen		
			7,357,312 B2	4/2008	Gangi		
			7,374,082 B2 *	5/2008	Van de Velde et al.	235/380	
			7,379,920 B2	5/2008	Leung		
			7,383,226 B2 *	6/2008	Kight	G06Q 20/04	705/40
			7,472,829 B2	1/2009	Brown		
			7,482,925 B2	1/2009	Hammad		
			7,487,912 B2 *	2/2009	Seifert	G06Q 20/0453	235/380
			7,512,567 B2 *	3/2009	Bemmel	G06Q 20/20	705/64
			7,522,905 B2	4/2009	Hammad		
			7,555,284 B2 *	6/2009	Yan	G06Q 20/045	455/411
			7,681,788 B2 *	3/2010	Van de Velde et al.	235/380	
			7,725,369 B2 *	5/2010	Shiftan	G06Q 10/087	705/24
			7,783,532 B2 *	8/2010	Hsu	G06Q 10/087	705/14.11
			7,784,684 B2 *	8/2010	Labrou	G06Q 20/32	235/375
			7,818,284 B1 *	10/2010	Walker	G06Q 20/387	705/26.2
			7,827,056 B2 *	11/2010	Walker	G06Q 10/101	705/14.1
			7,870,077 B2 *	1/2011	Woo	G06Q 20/02	235/379
			7,979,519 B2 *	7/2011	Shigeta	H04L 67/2823	370/349
			8,005,426 B2 *	8/2011	Huomo	G06Q 20/20	235/441
			8,019,362 B2 *	9/2011	Sweatman	H04W 4/12	455/455
			8,073,424 B2 *	12/2011	Sun	G06Q 20/085	455/406
			8,086,534 B2 *	12/2011	Powell	G06Q 20/32	705/44
			8,109,444 B2 *	2/2012	Jain	G06K 19/0739	235/487
			8,121,945 B2	2/2012	Rackley		
			8,127,984 B2 *	3/2012	Zatloukal	G06K 7/0008	235/375
			8,214,454 B1 *	7/2012	Barnes	G06F 17/30876	709/217
(56)	References Cited						
	U.S. PATENT DOCUMENTS						
	5,915,243 A *	6/1999	Smolen	G06Q 30/02			
					379/92.01		
	6,036,086 A *	3/2000	Sizer, II	G06Q 20/32			
					235/375		
	6,038,367 A	3/2000	Abecassis				
	6,075,971 A *	6/2000	Williams	H04N 21/25891			
					348/E7.063		
	6,101,483 A *	8/2000	Petrovich	G06Q 20/202			
					705/21		
	6,115,601 A *	9/2000	Ferreira	H04M 15/47			
					379/114.2		
	6,123,259 A *	9/2000	Ogasawara	G06K 17/0022			
					235/380		
	6,128,655 A	10/2000	Fields				
	6,141,666 A	10/2000	Tobin				
	6,199,082 B1	3/2001	Ferrel				
	6,243,447 B1 *	6/2001	Swartz	G06K 7/0008			
					379/110.01		
	6,250,557 B1 *	6/2001	Forslund	G06K 17/0022			
					235/375		
	6,305,603 B1 *	10/2001	Grunbok, Jr.	G06Q 20/02			
					235/379		
	6,334,109 B1 *	12/2001	Kanevsky	G06Q 30/02			
					705/14.67		
	6,394,341 B1 *	5/2002	Makipaa	G06Q 20/02			
					235/379		
	6,415,156 B1	7/2002	Stadelmann				
	6,450,407 B1 *	9/2002	Freeman	G06K 19/0723			
					235/376		

(56)

References Cited

U.S. PATENT DOCUMENTS

8,396,758 B2 *	3/2013	Paradise	G06Q 30/02	2003/0033272 A1 *	2/2003	Himmel	G06Q 10/02
			705/26.62	2003/0061113 A1 *	3/2003	Petrovich	G06Q 10/087
8,429,030 B2 *	4/2013	Walker	G06Q 30/02				705/26.43
			705/14.38	2003/0065805 A1	4/2003	Barnes	
8,429,031 B2 *	4/2013	Walker	G06Q 30/02	2003/0066883 A1 *	4/2003	Yu	G06K 7/1095
			705/14.38				235/382
8,429,048 B2 *	4/2013	Singh	G06Q 20/20	2003/0074259 A1 *	4/2003	Slyman, Jr.	G06Q 20/204
			705/35				705/14.22
8,438,077 B2 *	5/2013	Walker	G06Q 30/02	2003/0085286 A1 *	5/2003	Kelley	G06K 19/073
			705/14.38				235/492
8,438,078 B2 *	5/2013	Walker	G06Q 30/02	2003/0087601 A1 *	5/2003	Agam	G06F 21/34
			705/14.38				455/39
8,467,766 B2 *	6/2013	Rackley, III	G06Q 20/042	2003/0093311 A1 *	5/2003	Knowlson	G06Q 30/02
			455/406				705/14.66
8,489,067 B2 *	7/2013	Rackley, III	G06Q 20/102	2003/0093695 A1	5/2003	Dutta	
			455/406	2003/0105641 A1	6/2003	Lewis	
8,510,220 B2 *	8/2013	Rackley, III	G06Q 20/102	2003/0132298 A1 *	7/2003	Swartz	G06K 17/00
			705/39				235/472.02
2001/0011250 A1 *	8/2001	Paltenghe	G06F 21/6209	2003/0140004 A1	7/2003	O'Leary	
			705/41	2003/0159040 A1 *	8/2003	Hashimoto	G06F 21/35
2001/0018660 A1 *	8/2001	Sehr	G06Q 10/02				713/168
			705/5	2003/0163359 A1 *	8/2003	Kanesaka	G06Q 30/0204
2001/0044751 A1 *	11/2001	Pugliese, III	G06Q 30/02				705/7.33
			705/14.1	2003/0172028 A1	9/2003	Abell	
2001/0044900 A1 *	11/2001	Uchida	G06F 21/32	2003/0225686 A1 *	12/2003	Mollett	G06Q 20/00
			713/186				705/38
2001/0049636 A1 *	12/2001	Hudda	G06Q 30/06	2004/0002897 A1 *	1/2004	Vishik	G06Q 30/02
			705/26.1				705/14.51
2002/0026423 A1 *	2/2002	Maritzen	G06Q 20/02	2004/0006497 A1	1/2004	Nestor	
			705/56	2004/0030658 A1 *	2/2004	Cruz	G06Q 20/045
2002/0046090 A1 *	4/2002	Stewart	G06Q 10/107				705/65
			705/14.52	2004/0034544 A1	2/2004	Fields	
2002/0056091 A1 *	5/2002	Bala	G06Q 30/02	2004/0039709 A1 *	2/2004	Pirhonen	G06Q 20/16
			725/34				705/72
2002/0059100 A1	5/2002	Shore		2004/0064407 A1 *	4/2004	Kight	G06Q 20/04
2002/0059147 A1 *	5/2002	Ogasawara	G06Q 20/108				705/40
			705/70	2004/0064408 A1 *	4/2004	Kight	G06Q 20/04
2002/0063895 A1	5/2002	Agata					705/40
2002/0065728 A1 *	5/2002	Ogasawara	G06O 20/208	2004/0064409 A1 *	4/2004	Kight	G06Q 20/04
			705/23				705/40
2002/0065774 A1 *	5/2002	Young	G06Q 20/02	2004/0064410 A1 *	4/2004	Kight	G06O 20/04
			705/41				705/40
2002/0072931 A1 *	6/2002	Card	G06Q 20/363	2004/0073497 A1 *	4/2004	Hayes	G06Q 30/0601
			705/1.1				705/26.1
2002/0077918 A1	6/2002	Lerner		2004/0078329 A1 *	4/2004	Kight	G06Q 20/04
2002/0082879 A1	6/2002	Miller					705/40
2002/0101993 A1 *	8/2002	Eskin	G01S 1/68	2004/0083167 A1 *	4/2004	Kight	G06Q 20/04
			380/270				705/40
2002/0106081 A1 *	8/2002	Yang	G06F 21/41	2004/0093271 A1 *	5/2004	Walker	G06Q 30/02
			380/201				705/14.17
2002/0107756 A1	8/2002	Hammons		2004/0111320 A1 *	6/2004	Schlieffers	A47F 9/047
2002/0116269 A1 *	8/2002	Ishida	G06Q 30/02				705/16
			705/14.64	2004/0122768 A1 *	6/2004	Creamer	G06Q 20/105
2002/0160761 A1 *	10/2002	Wolfe	H04M 3/493				705/41
			455/414.1	2004/0127256 A1 *	7/2004	Goldthwaite	G06K 7/0004
2002/0165638 A1 *	11/2002	Bancroft	A47F 10/00				455/558
			700/213	2004/0143545 A1 *	7/2004	Kulakowski	G06O 20/02
2002/0165790 A1 *	11/2002	Bancroft	G06Q 10/063				705/39
			705/7.29	2004/0143550 A1 *	7/2004	Creamer	G06Q 20/04
2002/0169664 A1 *	11/2002	Walker	B42D 15/00				705/41
			705/14.36	2004/0148226 A1 *	7/2004	Shanahan	G06Q 30/0241
2002/0169984 A1	11/2002	Kumar					705/14.73
2002/0174444 A1 *	11/2002	Gatto	G06Q 30/06	2004/0168052 A1 *	8/2004	Clisham	H04L 63/0428
			725/133				713/153
2002/0181710 A1 *	12/2002	Adam	G06O 20/02	2004/0188520 A1 *	9/2004	Kohta	G06K 19/10
			380/270				235/382
2002/0183046 A1 *	12/2002	Joyce	G06Q 20/045	2004/0216108 A1 *	10/2004	Robbin	G06Q 20/04
			455/414.1				718/100
2003/0028426 A1 *	2/2003	Banerjee	G06Q 30/02	2004/0235450 A1 *	11/2004	Rosenberg	G06O 20/085
			705/14.37				455/406
2003/0028458 A1 *	2/2003	Gaillard	G06O 20/04	2004/0243479 A1 *	12/2004	Gross	G06Q 30/02
			705/35				705/26.25
				2004/0243519 A1	12/2004	Pertila	
				2004/0254836 A1 *	12/2004	Emoke Barabas	G06O 30/02
							705/14.35
				2004/0267618 A1	12/2004	Judicibus	

US 10,248,938 B2

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0267665	A1	12/2004	Nam		2006/0174314	A1 *	8/2006	Jacobs	H04L 29/06027
2005/0001711	A1 *	1/2005	Doughty	G06Q 20/327			Gray	725/135
					340/5.74					G06Q 20/24
										235/380
2005/0003810	A1	1/2005	Chu		2006/0190351	A1 *	8/2006	Dennis	G06Q 20/04
2005/0017068	A1 *	1/2005	Zalewski	G06O 20/04			Stewart	379/201.01
					235/380					G06F 21/6245
										235/379
2005/0021478	A1 *	1/2005	Gautier	G06Q 20/12			Labrou	G06Q 20/18
					705/65					713/167
2005/0037735	A1 *	2/2005	Coutts	G06Q 20/227			Tedesco	B42D 15/00
					455/411					705/40
2005/0040230	A1 *	2/2005	Swartz	G06K 17/00			Swartz	G06K 17/00
2005/0043994	A1 *	2/2005	Walker	B42D 15/00					235/383
					705/14.19			Hotelling	G06Q 30/0601
2005/0050345	A1 *	3/2005	Dowdy	G06F 21/10			Posokhow	G06Q 30/06
					713/193					705/26.81
2005/0071780	A1 *	3/2005	Muller	G06Q 20/10			Leffert	G06Q 30/06
					715/825			Anderson	G06Q 30/06
								Raghavendra Tulluri	
										G07F 19/20
										235/379
2005/0076210	A1	4/2005	Thomas		2006/0265637	A1 *	11/2006	Marriott	G11B 27/11
2005/0131837	A1 *	6/2005	Sanctis	G06Q 20/12					715/210
					705/64			Perkins	G06Q 30/0251
2005/0150945	A1 *	7/2005	Choi	G06O 20/108					705/14.49
					235/379			Mengerink	
2005/0165646	A1 *	7/2005	Tedesco	B42D 15/00			Maffeis	
					705/14.1			Sheehan	G06Q 20/32
2005/0177517	A1 *	8/2005	Leung	G06Q 20/20					705/65
					705/64			Van de Velde et al.	235/380
2005/0187873	A1 *	8/2005	Labrou	G06O 20/02			Homeier-Beals	G06Q 20/06
					705/40					705/1.1
2005/0203959	A1 *	9/2005	Muller	G06Q 20/04			Labrou	G06Q 20/32
2005/0210387	A1 *	9/2005	Alagappan	G06O 30/06					705/67
					715/700			Lyons	
2005/0215231	A1	9/2005	Bauchot		2007/0095892	A1	5/2007	Law	G06O 20/04
2005/0222961	A1 *	10/2005	Staib	G06Q 20/327					235/379
					705/64			Law	G06Q 20/10
2005/0240484	A1 *	10/2005	Yan	G06Q 20/045					235/379
					455/411			Mitra	G06K 19/0719
2005/0240494	A1 *	10/2005	Cue	G06Q 10/107					235/492
					705/26.1			Cox	
2005/0278369	A1 *	12/2005	Tokita	H04N 5/23293			Fisher	G06Q 20/102
2005/0283444	A1 *	12/2005	Ekberg	G06O 20/02					455/552.1
					705/67			Ko	H04L 12/2803
2006/0014518	A1 *	1/2006	Huh	H04M 15/06					717/174
					455/406			Stambaugh	G06Q 20/32
2006/0015580	A1 *	1/2006	Gabriel	H04N 7/17309					235/379
					709/219			Questembert	G06Q 20/06
2006/0031160	A1 *	2/2006	Villa	G06Q 20/10					705/39
					705/44			Swartz	G06K 17/00
2006/0031752	A1 *	2/2006	Surloff	G06F 3/021					235/383
					715/205			Jang	
2006/0044153	A1 *	3/2006	Dawidowsky	G06K 19/0723			Sevanto	G06K 7/10237
					340/4.3					235/451
2006/0085271	A1 *	4/2006	Tokita	G06Q 30/06			Blum	G06F 17/30749
					705/26.8					705/51
2006/0085310	A1 *	4/2006	Mylet	G06Q 20/40			Tumminaro	
					705/35			Fiebiger	G06Q 20/20
2006/0085840	A1 *	4/2006	Bruck	G06F 21/10					235/380
					726/3			Hampel	H04L 12/5865
2006/0089874	A1 *	4/2006	Newman		2007/0270166	A1 *	11/2007			455/456.3
2006/0089949	A1 *	4/2006	Robbin	G06Q 30/00			Javid	H04N 7/17318
2006/0095339	A1 *	5/2006	Hayashi	G06Q 30/06					725/46
					705/26.8			Liao	G06Q 20/32
2006/0100924	A1 *	5/2006	Tevanian, Jr.	G06Q 30/02					455/41.2
					705/14.23			Koli	G06Q 20/10
2006/0123052	A1 *	6/2006	Robbin	G06Q 30/0601					235/379
2006/0135156	A1 *	6/2006	Malu	H04W 8/18			Rackley, III	G06Q 20/32
					455/432.3					235/380
2006/0143091	A1 *	6/2006	Yuan	G06Q 20/343			Rackley, III	G06Q 20/042
					705/26.1					705/39
2006/0165060	A1 *	7/2006	Dua	G06Q 20/20			Rackley, III	G06Q 30/02
					370/352					705/14.55
2006/0170759	A1 *	8/2006	Roever	G07F 17/16					
					348/14.03					

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0010192	A1 *	1/2008	Rackley, III	G06Q 20/042	705/39
2008/0010193	A1 *	1/2008	Rackley, III	G06Q 20/042	705/39
2008/0010196	A1 *	1/2008	Rackley, III	705/39	
2008/0010204	A1 *	1/2008	Rackley, III	G06Q 20/042	705/45
2008/0010215	A1 *	1/2008	Rackley, III	G06Q 20/042	705/70
2008/0011825	A1 *	1/2008	Giordano	G06Q 20/04	235/380
2008/0017704	A1 *	1/2008	VanDeburg	G06Q 20/20	705/14.14
2008/0027795	A1 *	1/2008	Medlin	G06Q 40/00	705/40
2008/0040265	A1 *	2/2008	Rackley, III	G06Q 20/02	705/40
2008/0045172	A1 *	2/2008	Narayanaswami	..	G06Q 20/102	705/40
2008/0046366	A1 *	2/2008	Bemmel	G06Q 20/20	705/44
2008/0048022	A1 *	2/2008	Vawter	G06Q 20/32	235/380
2008/0051059	A1 *	2/2008	Fisher	G06Q 20/20	455/410
2008/0051142	A1 *	2/2008	Calvet	H04W 88/02	455/558
2008/0052192	A1 *	2/2008	Fisher	G06Q 10/02	705/5
2008/0052233	A1 *	2/2008	Fisher	G06Q 20/042	705/39
2008/0059329	A1 *	3/2008	Luchene	G06Q 30/0603	705/26.35
2008/0126145	A1 *	5/2008	Rackley, III	G06Q 20/102	455/406
2008/0133336	A1 *	6/2008	Altman	G06Q 30/0207	455/456.1
2008/0139155	A1	6/2008	Boireau			
2008/0140520	A1 *	6/2008	Hyder	G06Q 20/342	705/14.1
2008/0148040	A1 *	6/2008	Machani	G06F 21/6245	713/150
2008/0167017	A1 *	7/2008	Wentker	G06Q 20/10	455/414.1
2008/0167961	A1 *	7/2008	Wentker	G06Q 20/10	705/14.25
2008/0167988	A1 *	7/2008	Sun	G06Q 20/085	705/39
2008/0172274	A1 *	7/2008	Hurowitz	H04W 4/02	455/433
2008/0172285	A1 *	7/2008	Hurowitz	G06Q 30/02	455/414.1
2008/0172291	A1 *	7/2008	Hurowitz	G06Q 30/02	705/14.1
2008/0172292	A1 *	7/2008	Hurowitz	G06Q 30/02	705/14.14
2008/0177668	A1	7/2008	Delean			
2008/0207234	A1 *	8/2008	Arthur	G06Q 20/20	455/466
2008/0208681	A1	8/2008	Hammad			
2008/0208743	A1 *	8/2008	Arthur	G06Q 40/00	705/41
2008/0208744	A1 *	8/2008	Arthur	G06Q 20/105	705/41
2008/0208762	A1 *	8/2008	Arthur	G06Q 20/027	705/79
2008/0221997	A1 *	9/2008	Wolfe	G06Q 30/02	705/14.26
2008/0242274	A1 *	10/2008	Swanburg	G06Q 20/3223	455/414.1
2008/0249938	A1 *	10/2008	Drake-Stoker	G06Q 20/12	705/44
2008/0251580	A1 *	10/2008	Van de Velde et al.	235/380	
2008/0255947	A1 *	10/2008	Friedman	G06Q 20/20	705/35
2008/0262928	A1 *	10/2008	Michaelis	G06Q 30/02	705/14.26
2008/0274794	A1 *	11/2008	Mathieson	G06Q 30/02	463/25
2008/0275779	A1 *	11/2008	Lakshminarayanan	G06Q 20/02	705/39
2008/0294556	A1	11/2008	Anderson			
2008/0305774	A1	12/2008	Ramakrishna			
2008/0319915	A1 *	12/2008	Russell	G06Q 20/00	705/76
2009/0018913	A1 *	1/2009	Sarukkai	G06Q 30/02	705/14.56
2009/0061884	A1 *	3/2009	Rajan	G06Q 30/02	455/445
2009/0063312	A1 *	3/2009	Hurst	G06Q 20/105	705/30
2009/0076912	A1 *	3/2009	Rajan	G06Q 30/0267	705/14.64
2009/0098825	A1	4/2009	Huomo			
2009/0106112	A1 *	4/2009	Dalmia	G06Q 20/04	705/14.17
2009/0112747	A1 *	4/2009	Mullen	G06Q 20/04	705/35
2009/0124234	A1 *	5/2009	Fisher	G06Q 20/32	455/406
2009/0132362	A1 *	5/2009	Fisher	G06Q 10/06	705/14.47
2009/0143104	A1 *	6/2009	Loh	G06Q 20/32	455/558
2009/0144161	A1 *	6/2009	Fisher	G06Q 20/20	705/16
2009/0177587	A1 *	7/2009	Siegal	G06F 21/32	705/67
2009/0227281	A1 *	9/2009	Hammad	G06K 19/07309	455/550.1
2010/0057619	A1 *	3/2010	Weller	G06Q 20/02	705/67
2010/0063895	A1 *	3/2010	Dominguez	G06O 20/02	705/26.1
2010/0145835	A1 *	6/2010	Davis	G06Q 20/10	705/30
2010/0312694	A1 *	12/2010	Homeier-Beals	G06Q 20/10	705/39
2011/0055038	A1 *	3/2011	Mengerink	G06Q 20/085	705/26.1
2011/0320316	A1 *	12/2011	Randazza	G06Q 20/02	705/26.43
2012/0030044	A1 *	2/2012	Hurst	G06Q 20/105	705/18
2012/0150744	A1 *	6/2012	Carlson	G06Q 20/02	705/44
2012/0215573	A1 *	8/2012	Sussman	G06F 9/50	705/5
2012/0220314	A1 *	8/2012	Altman	G06Q 30/0207	455/456.3
2012/0265677	A1 *	10/2012	Rackley, III	G06Q 20/02	705/41
2013/0013501	A1 *	1/2013	Rackley, III	G06Q 20/02	705/41
2013/0054470	A1 *	2/2013	Campos	G06Q 20/36	705/67
2013/0212016	A1 *	8/2013	Davis	G06Q 20/10	705/42

OTHER PUBLICATIONS

U.S. Appl. No. 11/933,351, Office Action dated Oct. 3, 2008, 5 p.
 U.S. Appl. No. 11/933,367, Office Action dated May 27, 2010, 8 p.
 U.S. Appl. No. 11/467,441, Office Action dated May 27, 2009, 17 p.
 U.S. Appl. No. 12/592,581, Office Action dated Jun. 4, 2010, 20 p.

(56)

References Cited

OTHER PUBLICATIONS

U.S. Appl. No. 11/939,821, Office Action dated Aug. 17, 2010, 11 p.

U.S. Appl. No. 11/933,351, Office Action dated Aug. 18, 2010, 16 p.

U.S. Appl. No. 11/933,321, Office Action dated May 27, 2010, 11 p.

Deena, M. Amato, "Mobile Rewards." Chain Store Age 82.5 (2006): 160, 161, 163. Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

"ViVOTech to Demonstrate Industry's First End-to-End Near Field Communication (NFC) Solution at the NRF Show." Business Wire: 1 Jan. 16, 2006. Business Dateline; Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

ECMA NFC-Interface and Protocol (NCFIP-1) standard, 2nd edition published in Dec. 2004.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

REMOTE TRANSACTION PROCESSING AT A SERVER WITH AUTHENTICATION AFTER A PRODUCT LIST

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of application Ser. No. 13/735,337, filed Jan. 7, 2013, titled REMOTE TRANSACTION PROCESSING USING AUTHENTICATION INFORMATION, which is a continuation of application Ser. No. 11/948,903, filed Nov. 30, 2007, titled METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE, now U.S. Pat. No. 8,352,323, issued on Jan. 8, 2013, both of which are incorporated by reference herein in their entirety.

FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled “Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device”, and U.S. patent application Ser. No. 11/467,441, entitled “Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from the point of sale device to a payment entity can include sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include main-

taining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system **100**. The communication system **100** includes a hand-held, wireless mobile communication device **102** a point-of-sale device **104** and a management server **106**. In one implementation, the mobile communication device **102** includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device **102** to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device **104**), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device **102** can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device **104** can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device **104** are sent from the point of sale device **104** to an issuer authorization (e.g., management server **106**) through the mobile communication device **102** (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment transaction. An issuer authorization can be, e.g., a person, computer system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user

information (e.g., account numbers, pin numbers, and/or identity information) need only be sent from the mobile communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. 2 illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received through a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends) associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish applet (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NFC reader present on the

PC **404**. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After

the consumer enters any necessary validation information to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

Referring to FIG. 2, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a “buy now” icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. 4 illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication device **402** or personal computer **404**), browses an online store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet

412) residing on the mobile communication device **402**. The user then goes to, e.g., a checkout of the online store **406** make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an NFC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accept MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD POS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system

(or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk—read only memory (CD-ROM), compact disk—read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

The invention claimed is:

1. A method for processing a transaction comprising: maintaining, at a remote management server, a payment method;

sending a list of products from the remote management server to a non-browser based application generated screen for display using the non-browser based application generated screen, wherein the non-browser based application generated screen is generated by a non-browser based application which is a mobile operating system platform non-browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on a mobile device, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application, the mobile device including the mobile device display, a mobile device processor, a mobile device wireless transceiver configured to support voice and data interactions through a first wireless communication channel including at least one of CDMA and GSM, and a mobile device wireless fidelity (Wi-Fi) transceiver;

receiving, at the remote management server, an identification of one or more products selected from a list of

products, from the non-browser based application generated screen wherein the non-browser based application generated screen device receives the identification of one or more products selected from the list of products through user input via the mobile device display of the mobile device;

receiving, at the remote management server, user input login information including an identification code associated with a user and information related to a password from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the user input login information including the identification code associated with the user and the information related to the password, through the user input via the mobile device display of the mobile device;

upon receipt of the user input login information including the identification code associated with the user and the information related to the password, authenticating, at the remote management server, the user associated with the user input login information;

receiving, at the remote management server, a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request through the user input via the mobile device display of the mobile device;

after receiving the transaction purchase request, transmitting, from the remote management server, the payment method to a transaction server which processes the transaction using the payment method;

receiving, at the remote management server, a transaction verification from the transaction server, wherein the transaction verification indicates that the transaction has been processed; and

after the transaction has been processed, sending, from the remote management server to the non-browser based application generated screen stored on the mobile device, a digital artifact for display within the non-browser based application generated screen using the mobile device display.

2. The method of claim 1, wherein the payment method is a default payment method.

3. The method of claim 1, wherein the payment method is a user selected payment method.

4. The method of claim 1, wherein the digital artifact is a receipt.

5. The method of claim 1, wherein the digital artifact is an advertisement or coupon.

6. The method of claim 1, wherein the digital artifact is content, media, or a ticket.

7. The method of claim 5, further wherein the advertisement or coupon is based on personal information and/or financial transaction related information.

8. The method of claim 7, wherein personal information comprises one or more of location, gender, age, interest, affiliation, userid, pageid, zip code, area code, and occupation.

9. The method of claim 7, wherein financial transaction related information comprises one or more of financial information related to historical payment transactions, financial information related to real-time payment transactions, financial information related to contactless transactions made using the mobile device, financial information related to internet commerce, financial information related to bill pay, financial information related to top spend categories, financial information related to merchants transactions,

financial information related to storage of banking information, financial information related to account balance, financial information related to payment history, financial information related to funds transfer, financial information related to tickets, financial information related to receipts, 5 financial information related to coupons, financial information related to transactions made by the user but not through the mobile device, and financial information related to raw data downloaded from banks.

10. A system for processing a transaction, comprising: 10
- a mobile device including
 - a mobile device display;
 - a mobile device processor;
 - a mobile device memory which maintains a non-browser based application, wherein the non-browser based application is a mobile operating system platform non browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application; 15
 - a mobile device wireless transceiver configured to support voice and data interactions through a first wireless communication channel including at least one of CDMA and GSM, and 20
 - a mobile device wireless fidelity (Wi-Fi) transceiver,
 - a transaction server;
 - a remote management server that includes:
 - a remote management server memory that maintains a payment method; 30
 - a remote management server transceiver that:
 - receives user input login information including an identification code associated with a user and information related to a password from the non-browser based application, wherein the non-browser based application receives the user input login information including the identification code associated with the user and the information related to the password, through user input via the mobile device display of the mobile device, 40
 - sends a list of products to the non-browser based application generated screen for display using the non-browser based application generated screen;
 - receives an identification of one or more products selected from a list of products, from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of one or more products selected from the list of products through the user input via the mobile device display of the mobile device; 50
 - receives a transaction purchase request from the non-browser based application generated screen wherein the non-browser based application generated screen stored receives the transaction purchase request through the user input via the mobile device display of the mobile device; 55
 - after receiving the transaction purchase request, transmits the payment method which corresponds to the identification code associated with the user to the transaction server which processes the transaction using the payment method; 60
 - receives a transaction verification from the transaction server, wherein the transaction verification indicates that the transaction has been processed; 65
 - and

after the transaction has been processed, sends a digital artifact to the non-browser based application generated screen for display within the non-browser based application generated screen using the mobile device display; and

- a remote management server processor that
 - upon receipt of the user input login information, including the identification code associated with the user and the information related to the password, authenticates the user associated with the user input login information.
- 11. A remote management server for processing a transaction comprising:
 - a remote management server memory that maintains a payment method;
 - a remote management transceiver that:
 - sends a list of products to a non-browser based application generated screen for display on a mobile device using the non-browser based application generated screen, wherein the non-browser based application generated screen is generated by a non-browser based application which is a mobile operating system based application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application, the mobile device including a mobile device display, a mobile device processor, a mobile device wireless transceiver that supports voice and data interactions through a first wireless communication channel using at least one of GSM and CDMA, and a mobile device wireless fidelity (Wi-Fi) transceiver;
 - receives an identification of one or more products selected from the list of products from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of one or more products selected from the list of products through the user input via the mobile device display of the mobile device;
 - receives user input login information including an identification code associated with a user and information related to a password from the non-browser based, wherein the non-browser based application receives the user input login information including the identification code associated with the user and the information related to the password, via the mobile device display of the mobile device;
 - receives a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request through the user input via the mobile device display of the mobile device;
 - after receiving the transaction purchase request, receives, a transaction verification from a transaction server which processes the transaction using the payment method that corresponds to the identification code associated with the user, wherein the transaction verification indicates that the transaction has been processed; and
 - after the transaction has been processed, sends a digital artifact to the non-browser based application generated screen for display within the non-browser based application generated screen, and

11

a remote management server processor that
 upon receipt of the user input login information including the identification code associated with the user and the information related to the password, authenticates the user associated with the user input login information.

12. The system of claim 10, wherein the payment method is a default payment method.

13. The system of claim 10, wherein the payment method is a user selected payment method.

14. The system of claim 10, wherein the digital artifact is a receipt.

15. The system of claim 10, wherein the digital artifact is an advertisement or coupon.

16. The system of claim 10, wherein the digital artifact is content, media, or a ticket.

17. The system of claim 15, further wherein the advertisement or coupon is based on personal information and/or transaction related information.

18. The method of claim 1, further wherein the digital artifact can be used by the non-browser based application when there is no network connection.

19. The system of claim 10, further wherein the digital artifact can be used by the non-browser based application when there is no network connection.

20. The method of claim 1, further wherein data stored on the mobile device is encrypted using software tools native to the mobile operating system.

21. The system of claim 10, further wherein data stored on the mobile device is encrypted using software tools native to the mobile operating system.

22. The method of claim 1, wherein the mobile device has a secure element including a secure element processor configured for near field communication transaction processing, a secure element memory configured to maintain a secure element application, and a secure element near field communication transceiver.

23. The system of claim 10, wherein the mobile device has a secure element including a secure element processor configured for near field communication transaction processing, a secure element memory configured to maintain a secure element application, and a secure element near field communication transceiver.

24. The method of claim 1, further wherein the non-browser based application can be used when the mobile device is not connected to a wireless network.

25. The method of claim 24, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

26. The method of claim 1, further wherein no sensitive data is stored on the mobile device.

27. The method of claim 26, wherein the sensitive data comprises at least one of information related to the payment method, information related to the password user input login information, and information related to an expiration dates associated with the payment method.

28. The method of claim 1, further wherein the non-browser based application generated screen receives input to zoom into an image associated with the product which results in a more granular image with more details about the

12

product, wherein the non-browser based application generated screen receives the input to zoom into the image associated with the product through the user input via the mobile device display of the mobile device.

29. The system of claim 10, further wherein the non-browser based application can be used when the mobile device is not connected to a wireless network.

30. The system of claim 29, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

31. The system of claim 10, further wherein no sensitive data is stored on the mobile device.

32. The system of claim 10, wherein the sensitive data comprises at least one of information related to the payment method, information related to the password, and information related to an expiration dates associated with the payment method.

33. The system of claim 10, further wherein the non-browser based application generated screen receives input to zoom into an image associated with a product from the list which results in a more granular image of the product from the list with more details about the product, wherein the non-browser based application generated screen receives the input to zoom into the image associated with the product from the list through the user input via the mobile device display of the mobile device.

34. The method of claim 1, wherein the remote management server sends the digital artifact to the non-browser based application generated screen based on the geographical location of the mobile device.

35. The method of claim 1, further wherein the graphical user interface includes a graphical icon.

36. The method of claim 1, further wherein the remote management server is configured to store a single identification code associated with the payment method for the user for a variety plurality of mobile devices, and further wherein the configuration means the remote management server scales.

37. The method of claim 1, further wherein the, non-browser based application sends a requests to the remote management server to retransmit the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

38. The system of claim 10, wherein the remote management server sends the digital artifact to the non-browser based application generated screen based on the geographical location of the mobile device.

39. The system of claim 10, further wherein the graphical user interface includes aa graphical icon.

40. The system of claim 10, further wherein the remote management server is configured to store a single identification code associated with the payment method for the user for a plurality of mobile devices, and further wherein the configuration means the remote management server scales.

41. The system of claim 10, further wherein the, non-browser based application sends a requests to the remote management server to retransmit the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.