



US010248939B2

(12) **United States Patent**
Fisher

(10) **Patent No.:** **US 10,248,939 B2**

(45) **Date of Patent:** ***Apr. 2, 2019**

(54) **REMOTE TRANSACTION PROCESSING AT A SERVER WITH AUTHENTICATION BEFORE A PRODUCT LIST**

(71) Applicant: **Michelle Fisher**, Oakland, CA (US)

(72) Inventor: **Michelle Fisher**, Oakland, CA (US)

(73) Assignee: **Michelle Fisher**, Berkeley, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **14/253,663**

(22) Filed: **Apr. 15, 2014**

(65) **Prior Publication Data**

US 2014/0310161 A1 Oct. 16, 2014

Related U.S. Application Data

(63) Continuation of application No. 13/736,056, filed on Jan. 7, 2013, now Pat. No. 8,694,380, and a (Continued)

(51) **Int. Cl.**
G06Q 20/20 (2012.01)
G06Q 40/00 (2012.01)

(Continued)

(52) **U.S. Cl.**
CPC **G06Q 20/20** (2013.01); **G06Q 20/00** (2013.01); **G06Q 20/108** (2013.01); **G06Q 20/16** (2013.01);

(Continued)

(58) **Field of Classification Search**
CPC G06Q 20/10; G06Q 20/20; G06Q 20/40; G06Q 20/102-20/105; G06Q 20/206; (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,774,879 A * 6/1998 Custy G06Q 40/02 358/1.11
5,852,775 A * 12/1998 Hidary H04L 12/1859 455/412.1

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2006095212 A1 * 9/2006 H04M 11/00
WO WO 2006095212 A1 9/2006

OTHER PUBLICATIONS


U.S. Appl. No. 11/933,337, Office Action dated May 27, 2010, 9 p. (Continued)

Primary Examiner — Olusegun Goyea

(57) **ABSTRACT**

A method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

43 Claims, 4 Drawing Sheets



Related U.S. Application Data	(56)	References Cited
continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.		U.S. PATENT DOCUMENTS
(51) Int. Cl.		
<i>H04W 4/21</i> (2018.01)	5,887,266 A *	3/1999 Heinonen G06Q 20/04 455/406
<i>G06Q 20/32</i> (2012.01)	5,915,243 A *	6/1999 Smolen G06Q 30/02 379/92.01
<i>G06Q 30/02</i> (2012.01)	6,036,086 A *	3/2000 Sizer, II G06Q 20/32 235/375
<i>G06Q 30/06</i> (2012.01)	6,038,367 A	3/2000 Abecassis
<i>G06Q 20/38</i> (2012.01)	6,052,670 A *	4/2000 Johnson G06F 17/30607 705/26.81
<i>G06Q 20/40</i> (2012.01)	6,075,971 A *	6/2000 Williams H04N 21/25891 348/E7.063
<i>G06Q 20/36</i> (2012.01)	6,101,483 A *	8/2000 Petrovich G06Q 20/202 705/21
<i>G06Q 20/16</i> (2012.01)	6,115,601 A *	9/2000 Ferreira H04M 15/47 379/114.2
<i>G06Q 20/00</i> (2012.01)	6,123,259 A *	9/2000 Ogasawara G06K 17/0022 235/380
<i>G06Q 20/10</i> (2012.01)	6,128,655 A	10/2000 Fields
<i>H04W 8/20</i> (2009.01)	6,141,666 A	10/2000 Tobin
<i>H04M 1/725</i> (2006.01)	6,199,082 B1	3/2001 Ferrel
<i>H04W 4/18</i> (2009.01)	6,243,447 B1 *	6/2001 Swartz G06K 7/0008 379/110.01
<i>H04B 5/00</i> (2006.01)	6,250,557 B1 *	6/2001 Forslund G06K 17/0022 235/375
<i>H04W 4/80</i> (2018.01)	6,305,603 B1 *	10/2001 Grunbok, Jr. G06Q 20/02 235/379
<i>H04N 21/81</i> (2011.01)	6,334,109 B1 *	12/2001 Kanevsky G06Q 30/02 705/14.67
<i>G07F 7/10</i> (2006.01)	6,394,341 B1 *	5/2002 Makipaa G06Q 20/02 235/379
<i>H04W 88/02</i> (2009.01)	6,415,156 B1	7/2002 Stadelmann
<i>H04W 4/02</i> (2018.01)	6,450,407 B1 *	9/2002 Freeman G06K 19/0723 235/376
(52) U.S. Cl.	6,487,540 B1 *	11/2002 Smith G06Q 20/02 705/21
CPC <i>G06Q 20/202</i> (2013.01); <i>G06Q 20/204</i> (2013.01); <i>G06Q 20/206</i> (2013.01); <i>G06Q 20/32</i> (2013.01); <i>G06Q 20/322</i> (2013.01); <i>G06Q 20/325</i> (2013.01); <i>G06Q 20/3223</i> (2013.01); <i>G06Q 20/3226</i> (2013.01); <i>G06Q 20/3227</i> (2013.01); <i>G06Q 20/3255</i> (2013.01); <i>G06Q 20/3278</i> (2013.01); <i>G06Q 20/3674</i> (2013.01); <i>G06Q 20/382</i> (2013.01); <i>G06Q 20/382I</i> (2013.01); <i>G06Q 20/40</i> (2013.01); <i>G06Q 20/409</i> (2013.01); <i>G06Q 20/4012</i> (2013.01); <i>G06Q 20/4014</i> (2013.01); <i>G06Q 30/02</i> (2013.01); <i>G06Q 30/0222</i> (2013.01); <i>G06Q 30/0238</i> (2013.01); <i>G06Q 30/0251</i> (2013.01); <i>G06Q 30/0253</i> (2013.01); <i>G06Q 30/0255</i> (2013.01); <i>G06Q 30/0267</i> (2013.01); <i>G06Q 30/0268</i> (2013.01); <i>G06Q 30/06</i> (2013.01); <i>G06Q 30/0613</i> (2013.01); <i>G06Q 30/0635</i> (2013.01); <i>G06Q 40/10</i> (2013.01); <i>G06Q 40/12</i> (2013.12); <i>H04B 5/0025</i> (2013.01); <i>H04M 1/72561</i> (2013.01); <i>H04W 4/18</i> (2013.01); <i>H04W 4/21</i> (2018.02); <i>H04W 8/205</i> (2013.01); <i>G06Q 20/10</i> (2013.01); <i>G06Q 20/105</i> (2013.01); <i>G06Q 40/00</i> (2013.01); <i>G07F 7/1008</i> (2013.01); <i>H04N 21/812</i> (2013.01); <i>H04W 4/80</i> (2018.02); <i>H04W 88/02</i> (2013.01)	6,535,132 B2 *	3/2003 Waters G09F 3/00 235/383
	6,587,835 B1 *	7/2003 Treyz G06Q 20/12 705/14.64
	6,605,120 B1	8/2003 Fields
	6,647,257 B2 *	11/2003 Owensby H04M 3/42348 455/414.1
	6,650,888 B1 *	11/2003 Cook G06Q 20/32 379/114.14
	6,771,981 B1	8/2004 Zalewski
	6,772,396 B1	8/2004 Cronin
	6,775,539 B2 *	8/2004 Deshpande G06Q 30/02 455/414.4
	6,776,339 B2 *	8/2004 Piikivi G05B 19/00 235/375
	6,886,017 B1	4/2005 Jackson
	6,901,387 B2 *	5/2005 Wells G06Q 20/04 705/35
	6,938,160 B2 *	8/2005 Oono G06F 21/33 705/64
	6,950,939 B2	9/2005 Tobin
	6,954,763 B2 *	10/2005 Nunome G06F 17/30749
	6,975,856 B2 *	12/2005 Ogasawara G06Q 20/108 455/411
(58) Field of Classification Search	7,024,156 B2 *	4/2006 Kawamata H04H 20/24 370/349
CPC G06Q 40/10; G06Q 30/00–30/02; G06Q 10/00; G06Q 20/00–20/04; G06Q 20/32; G06Q 20/3276; G06Q 40/00; G06Q 30/0609; G06Q 10/10; G01S 1/08; G01S 5/02; H04L 29/06; H04L 67/28; H04L 63/0428; G06F 21/00; G06F 21/41	7,031,945 B1	4/2006 Donner
USPC 705/7, 14.1, 16, 18, 30, 35, 26.7, 40, 41, 705/44, 14.67, 14.72, 26.1, 24, 28, 26.62, 705/14.51, 14.52, 26, 39, 65, 26.81, 27.1, 705/64; 455/406, 407, 414.1, 411; 380/201; 713/153	7,047,041 B2 *	5/2006 Vanska G06Q 30/0222 455/403
See application file for complete search history.	7,053,771 B2 *	5/2006 Hussmann B60R 25/24 235/380
	7,069,248 B2	6/2006 Huber
	7,072,861 B1 *	7/2006 Yamanaka G06Q 20/04 705/17
	7,092,905 B2 *	8/2006 Behrenbrinker G06Q 20/04 705/35
	7,096,003 B2	8/2006 Joao

(56)

References Cited

U.S. PATENT DOCUMENTS

7,103,368 B2 *	9/2006	Teshima	G06Q 30/02 455/412.2	2001/0011250 A1 *	8/2001	Paltenghe	G06F 21/6209 705/41
7,110,744 B2	9/2006	Freeny		2001/0018660 A1 *	8/2001	Sehr	G06Q 10/02 705/5
7,110,792 B2 *	9/2006	Rosenberg	G06Q 20/085 235/380	2001/0044751 A1 *	11/2001	Pugliese, III	G06Q 30/02 705/14.1
7,127,236 B2	10/2006	Khan		2001/0044900 A1 *	11/2001	Uchida	G06F 21/32 713/186
7,144,323 B2 *	12/2006	Yamaoka	A63F 9/00 463/42	2001/0049636 A1 *	12/2001	Hudda	G06Q 30/06 705/26.1
7,200,578 B2 *	4/2007	Paltenghe	G06F 21/6209 705/1.1	2002/0026423 A1 *	2/2002	Maritzen	G06Q 20/02 705/56
7,289,810 B2	10/2007	Jagadeesan		2002/0046090 A1 *	4/2002	Stewart	G06Q 10/107 705/14.52
7,308,254 B1	12/2007	Rissanen		2002/0056091 A1 *	5/2002	Bala	G06Q 30/02 725/34
7,357,312 B2	4/2008	Gangi		2002/0059100 A1	5/2002	Shore	
7,379,920 B2	5/2008	Leung		2002/0059147 A1 *	5/2002	Ogasawara	G06Q 20/108 705/70
7,383,226 B2 *	6/2008	Kight	G06Q 20/04 705/40	2002/0063895 A1	5/2002	Agata	
7,472,829 B2	1/2009	Brown		2002/0065774 A1 *	5/2002	Young	G06Q 20/02 705/41
7,482,925 B2	1/2009	Hammad		2002/0072931 A1 *	6/2002	Card	G06Q 20/363 705/1.1
7,487,912 B2 *	2/2009	Seifert	G06Q 20/0453 235/380	2002/0077918 A1	6/2002	Lerner	
7,512,567 B2 *	3/2009	Bemmel	G06Q 20/20 705/64	2002/0082879 A1	6/2002	Miller	
7,522,905 B2	4/2009	Hammad		2002/0101993 A1 *	8/2002	Eskin	G01S 1/68 380/270
7,555,284 B2 *	6/2009	Yan	G06Q 20/045 455/411	2002/0106081 A1 *	8/2002	Yang	G06F 21/41 380/201
7,725,369 B2 *	5/2010	Shiftan	G06Q 10/087 705/24	2002/0107756 A1	8/2002	Hammons	
7,783,532 B2 *	8/2010	Hsu	G06Q 10/087 705/14.11	2002/0116269 A1 *	8/2002	Ishida	G06Q 30/02 705/14.64
7,784,684 B2 *	8/2010	Labrou	G06Q 20/32 235/375	2002/0160761 A1 *	10/2002	Wolfe	H04M 3/493 455/414.1
7,818,284 B1 *	10/2010	Walker	G06Q 20/387 705/26.2	2002/0169664 A1 *	11/2002	Walker	B42D 15/00 705/14.36
7,827,056 B2 *	11/2010	Walker	G06Q 10/101 705/14.1	2002/0169984 A1	11/2002	Kumar	
7,870,077 B2 *	1/2011	Woo	G06Q 20/02 235/379	2002/0174444 A1 *	11/2002	Gatto	G06Q 30/06 725/133
7,979,519 B2 *	7/2011	Shigeta	H04L 69/329 370/349	2002/0183046 A1 *	12/2002	Joyce	G06Q 20/045 455/414.1
8,005,426 B2 *	8/2011	Huomo	G06Q 20/20 455/41.2	2003/0028426 A1 *	2/2003	Banerjee	G06Q 30/02 705/14.37
8,019,362 B2 *	9/2011	Sweatman	H04W 4/12 455/455	2003/0033272 A1 *	2/2003	Himmel	G06Q 10/02
8,073,424 B2 *	12/2011	Sun	G06Q 20/085 455/406	2003/0055787 A1 *	3/2003	Fujii	G06Q 20/00 705/44
8,086,534 B2 *	12/2011	Powell	G06Q 20/32 705/44	2003/0061113 A1 *	3/2003	Petrovich	G06Q 10/087 705/26.43
8,109,444 B2 *	2/2012	Jain	G06K 19/07739 235/492	2003/0065805 A1	4/2003	Barnes	
8,121,945 B2	2/2012	Rackley		2003/0066883 A1 *	4/2003	Yu	G06K 7/1095 235/382
8,127,984 B2 *	3/2012	Zatloukal	G06K 7/0008 235/375	2003/0074259 A1 *	4/2003	Slyman, Jr.	G06Q 20/204 705/14.22
8,214,454 B1 *	7/2012	Barnes	G06F 16/955 709/217	2003/0085286 A1 *	5/2003	Kelley	G06K 19/073 235/492
8,396,758 B2 *	3/2013	Paradise	G06Q 30/02 705/26.62	2003/0087601 A1 *	5/2003	Agam	G06F 21/34 455/39
8,429,030 B2 *	4/2013	Walker	G06Q 30/02 705/14.38	2003/0093311 A1 *	5/2003	Knowlson	G06Q 30/02 705/14.66
8,429,031 B2 *	4/2013	Walker	G06Q 30/02 705/14.38	2003/0093695 A1	5/2003	Dutta	
8,429,048 B2 *	4/2013	Singh	G06Q 20/20 705/35	2003/0105641 A1	6/2003	Lewis	
8,438,077 B2 *	5/2013	Walker	G06Q 30/02 705/14.38	2003/0132298 A1 *	7/2003	Swartz	G06K 17/00 235/472.02
8,438,078 B2 *	5/2013	Walker	G06Q 30/02 705/14.38	2003/0140004 A1	7/2003	O'Leary	
8,467,766 B2 *	6/2013	Rackley, III	G06Q 20/042 455/406	2003/0159040 A1 *	8/2003	Hashimoto	G06F 21/35 713/168
8,489,067 B2 *	7/2013	Rackley, III	G06Q 20/102 455/406	2003/0163359 A1 *	8/2003	Kanesaka	G06Q 30/02 705/7.33
8,510,220 B2 *	8/2013	Rackley, III	G06Q 40/00 705/39	2003/0172028 A1	9/2003	Abell	
				2003/0225686 A1 *	12/2003	Mollett	G06Q 20/00 705/38
				2004/0002897 A1 *	1/2004	Vishik	G06Q 30/02 705/14.51
				2004/0006497 A1	1/2004	Nestor	

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0248113	A1 *	11/2006	Leffert	G06Q 30/06	2008/0010204	A1 *	1/2008	Rackley, III	G06Q 20/042 705/45
2006/0248114	A1 *	11/2006	Anderson	G06Q 30/06	2008/0010215	A1 *	1/2008	Rackley, III	G06Q 20/042 705/70
2006/0261149	A1 *	11/2006	Raghavendra Tulluri	G07F 19/20 235/379	2008/0011825	A1 *	1/2008	Giordano	G06Q 20/04 235/380
2006/0265637	A1 *	11/2006	Marriott	G11B 27/11 715/210	2008/0017704	A1 *	1/2008	VanDeburg	G06Q 20/32 235/380
2006/0287920	A1 *	12/2006	Perkins	G06Q 30/02 705/14.49	2008/0027795	A1 *	1/2008	Medlin	G06Q 20/20 705/14.14
2006/0294025	A1 *	12/2006	Mengerink	G06Q 20/085 705/77	2008/0040265	A1 *	2/2008	Rackley, III	G06Q 20/02 705/40
2007/0004391	A1	1/2007	Maffeis		2008/0045172	A1 *	2/2008	Narayanaswami	G06Q 30/02 455/187.1
2007/0011099	A1 *	1/2007	Sheehan	G06Q 20/32 705/65	2008/0046366	A1 *	2/2008	Bemmel	G06Q 20/20 705/44
2007/0016613	A1 *	1/2007	Foresti	G06Q 10/107	2008/0048022	A1 *	2/2008	Vawter	G06Q 20/32 235/380
2007/0021969	A1 *	1/2007	Homeier-Beals	G06Q 20/06 705/1.1	2008/0051059	A1 *	2/2008	Fisher	G06Q 20/20 455/410
2007/0022058	A1 *	1/2007	Labrou	G06Q 20/32 705/67	2008/0051142	A1 *	2/2008	Calvet	H04W 88/02 455/558
2007/0095892	A1	5/2007	Lyons		2008/0052192	A1 *	2/2008	Fisher	G06Q 10/02 705/5
2007/0125838	A1 *	6/2007	Law	G06Q 20/04 235/379	2008/0052233	A1 *	2/2008	Fisher	G06Q 20/102 705/40
2007/0125840	A1 *	6/2007	Law	G06Q 20/10 235/379	2008/0059329	A1 *	3/2008	Luchene	G06Q 30/0603 705/26.35
2007/0138299	A1 *	6/2007	Mitra	G06K 19/0719 235/492	2008/0126145	A1 *	5/2008	Rackley, III	G06Q 20/102 455/406
2007/0131759	A1	7/2007	Cox		2008/0133336	A1 *	6/2008	Altman	G06Q 30/0207 455/456.1
2007/0156436	A1 *	7/2007	Fisher	G06Q 20/102 455/552.1	2008/0139155	A1	6/2008	Boireau	
2007/0175978	A1 *	8/2007	Stambaugh	G06Q 20/32 235/379	2008/0140520	A1 *	6/2008	Hyder	G06Q 20/342 705/14.1
2007/0179883	A1 *	8/2007	Questembert	G06Q 20/06 705/39	2008/0148040	A1 *	6/2008	Machani	G06F 21/6245 713/150
2007/0180540	A1 *	8/2007	Little	G06F 12/0261 726/34	2008/0167017	A1 *	7/2008	Wentker	G06Q 20/10 455/414.1
2007/0198648	A1 *	8/2007	Allen	G06Q 10/109 709/207	2008/0167961	A1 *	7/2008	Wentker	G06Q 20/10 705/14.25
2007/0203792	A1 *	8/2007	Rao	G06Q 20/20 705/14.35	2008/0167988	A1 *	7/2008	Sun	G06Q 20/085 705/39
2007/0210155	A1 *	9/2007	Swartz	G06K 17/00 235/383	2008/0172274	A1 *	7/2008	Hurowitz	H04W 4/02 455/433
2007/0235519	A1	10/2007	Jang		2008/0172285	A1 *	7/2008	Hurowitz	G06Q 30/02 455/414.1
2007/0235539	A1 *	10/2007	Sevanto	G06K 7/10237 235/451	2008/0172291	A1 *	7/2008	Hurowitz	G06Q 30/02 705/14.1
2007/0240077	A1 *	10/2007	McCarthy	G06F 3/04817 715/802	2008/0172292	A1 *	7/2008	Hurowitz	G06Q 30/02 705/14.14
2007/0255662	A1	11/2007	Tumminaro		2008/0177668	A1	7/2008	Delean	
2007/0270166	A1 *	11/2007	Hampel	H04L 51/20 455/456.3	2008/0207234	A1 *	8/2008	Arthur	G06Q 20/20 455/466
2007/0279187	A1 *	12/2007	Hekmatpour	G06Q 50/22 340/5.83	2008/0208681	A1	8/2008	Hammad	
2007/0288966	A1 *	12/2007	Javid	H04N 7/17318 725/46	2008/0208743	A1 *	8/2008	Arthur	G06Q 20/105 705/41
2007/0293155	A1 *	12/2007	Liao	G06Q 20/32 455/41.2	2008/0208744	A1 *	8/2008	Arthur	G06Q 20/105 705/41
2007/0298767	A1 *	12/2007	Brown	G06F 21/305 455/411	2008/0208762	A1 *	8/2008	Arthur	G06Q 20/027 705/79
2008/0004952	A1 *	1/2008	Koli	G06Q 30/02 705/14.55	2008/0221997	A1 *	9/2008	Wolfe	G06Q 30/02 705/14.26
2008/0006685	A1 *	1/2008	Rackley, III	G06Q 20/10 235/379	2008/0242274	A1 *	10/2008	Swanburg	G06Q 20/3223 455/414.1
2008/0010190	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39	2008/0249938	A1 *	10/2008	Drake-Stoker	G06Q 20/12 705/44
2008/0010191	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39	2008/0255947	A1 *	10/2008	Friedman	G06Q 20/20 705/35
2008/0010192	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39	2008/0262928	A1 *	10/2008	Michaelis	G06Q 30/02 705/14.26
2008/0010193	A1 *	1/2008	Rackley, III	G06Q 20/042 705/39	2008/0274794	A1 *	11/2008	Mathieson	G06Q 30/02 463/25
2008/0010196	A1 *	1/2008	Rackley, III	G06Q 20/102 705/40	2008/0275779	A1 *	11/2008	Lakshminarayanan	G06Q 20/02 705/39

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0294556 A1 11/2008 Anderson
 2008/0305774 A1 12/2008 Ramakrishna
 2008/0319915 A1* 12/2008 Russell G06Q 20/00
 705/76
 2009/0018913 A1* 1/2009 Sarukkai G06Q 30/02
 705/14.56
 2009/0061884 A1* 3/2009 Rajan G06Q 30/0225
 455/445
 2009/0063312 A1* 3/2009 Hurst G06Q 20/105
 705/30
 2009/0076912 A1* 3/2009 Rajan G06Q 30/02
 705/14.64
 2009/0098825 A1 4/2009 Huomo
 2009/0106112 A1* 4/2009 Dalmia G06Q 20/04
 705/14.17
 2009/0112747 A1* 4/2009 Mullen G06Q 20/04
 705/35
 2009/0124234 A1* 5/2009 Fisher G06Q 20/32
 455/406
 2009/0132362 A1* 5/2009 Fisher G06Q 10/06
 705/14.47
 2009/0143104 A1* 6/2009 Loh G06Q 20/32
 455/558
 2009/0144161 A1* 6/2009 Fisher H04W 4/21
 705/16
 2009/0177587 A1* 7/2009 Siegal G06F 21/32
 705/67
 2009/0227281 A1* 9/2009 Hammad G06K 19/07309
 455/550.1
 2010/0057619 A1* 3/2010 Weller G06Q 20/02
 705/67
 2010/0063895 A1* 3/2010 Dominguez G06Q 20/02
 705/26.1
 2010/0145835 A1* 6/2010 Davis G06Q 20/10
 705/30
 2010/0312694 A1* 12/2010 Homeier-Beals G06Q 20/10
 705/39
 2011/0055038 A1* 3/2011 Mengerink G06Q 20/085
 705/26.1

2011/0320316 A1* 12/2011 Randazza G06Q 20/02
 705/26.43
 2012/0030044 A1* 2/2012 Hurst G06Q 20/105
 705/18
 2012/0150744 A1* 6/2012 Carlson G06Q 20/02
 705/44
 2012/0215573 A1* 8/2012 Sussman G06F 9/50
 705/5
 2012/0220314 A1* 8/2012 Altman G06Q 30/0207
 455/456.3
 2012/0265677 A1* 10/2012 Rackley, III G06Q 20/02
 705/41
 2013/0013501 A1* 1/2013 Rackley, III G06Q 20/02
 705/41
 2013/0054470 A1* 2/2013 Campos G06Q 20/36
 705/67
 2013/0212016 A1* 8/2013 Davis G06Q 20/10
 705/42

OTHER PUBLICATIONS

U.S. Appl. No. 11/933,351, Office Action dated Oct. 3, 2008, 5 p.
 U.S. Appl. No. 11/933,367, Office Action dated May 27, 2010, 8 p.
 U.S. Appl. No. 11/467,441, Office Action dated May 27, 2009, 17 p.
 U.S. Appl. No. 12/592,581, Office Action dated Jun. 4, 2010, 20 p.
 U.S. Appl. No. 11/933,351, Office Action dated Jul. 8, 2009, 7 p.
 U.S. Appl. No. 11/939,821, Office Action dated Aug. 17, 2010, 11 p.
 U.S. Appl. No. 11/933,351, Office Action dated Aug. 18, 2010, 16 p.
 U.S. Appl. No. 11/933,321, Office Action dated May 27, 2010, 11 p.
 Deena, M. Amato, "Mobile Rewards." Chain Store Age 82.5 (2006): 160, 161, 163. Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.
 "ViVOtech to Demonstrate Industry's First End-to-End Near Field Communication (NFC) Solution at the NRF Show." Business Wire: Jan. 16, 2006. Business Dateline; Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

1

REMOTE TRANSACTION PROCESSING AT A SERVER WITH AUTHENTICATION BEFORE A PRODUCT LIST

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation and claims priority to application Ser. No. 14/083,344, filed Nov. 18, 2013, titled REMOTE TRANSACTION PROCESSING AT A SERVER BASED ON USER CONFIRMATION AND A DEFAULT PAYMENT METHOD, which is a continuation and claims priority to application Ser. No. 13/735,337, filed Jan. 7, 2013, titled REMOTE TRANSACTION PROCESSING USING AUTHENTICATION INFORMATION, which is a continuation and claims priority to application Ser. No. 11/948,903, filed Nov. 30, 2007, titled METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE, now U.S. Pat. No. 8,352,323, issued on Jan. 8, 2013, all of which are incorporated by reference herein in their entirety.

FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled “Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device”, and U.S. patent application Ser. No. 11/467,441, entitled “Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending

2

payment authorization for the total purchase amount from the point of sale device to a payment entity can include sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system **100**. The communication system **100** includes a hand-held, wireless mobile communication device **102** a point-of-sale device **104** and a management server **106**. In one implementation, the mobile communication device **102** includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device **102** to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device **104**), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device **102** can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device **104** can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device **104** are sent from the point of sale device **104** to an issuer authorization (e.g., management server **106**) through the mobile communication device **102** (as shown in FIG. 1). In one implementation, an issuer authorization is a payment

entity that either approves or disapproves a payment transaction. An issuer authorization can be, e.g., a person, computer system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user information (e.g. account numbers, pin numbers, and/or identity information) need only be sent from the mobile communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. 2 illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received through a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends) associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish applet (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products,

the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NFC reader present on the PC **404**. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been

selected already, this step is not necessary. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

Referring to FIG. 2, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a “buy now” icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. 4 illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or

customer), using a phone (e.g., mobile communication device **402** or personal computer **404**), browses an online store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet **412**) residing on the mobile communication device **402**. The user then goes to, e.g., a checkout of the online store **406** make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an NFC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accept MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD POS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable

medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500. I/O devices 508A-B may be coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

What is claimed is:

1. A method for processing a transaction, comprising: maintaining, at the remote management server, a payment method;

receiving, at the remote management server, user input login information including an identification code associated with a user and information related to a PIN from a non-browser based application, wherein the non-browser based application is a mobile operating system platform non-browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on a mobile device, wherein the non-browser based application stored on the mobile device receives the user input login information including the identification code associated with a user and the information related to the PIN through user input via a mobile device display of the mobile device, the mobile device including the mobile device display, a mobile device processor, a mobile device wireless

transceiver configured to support voice and data interactions through a first wireless communication channel including at least one of CDMA and GSM, and a mobile device wireless fidelity (Wi-Fi) transceiver; upon receipt of the user input login information including the identification code associated with a user and the information related to the PIN, authenticating, at the management server, a user associated with the user input login information;

after the user authentication, sending a list of products from the remote management server to the non-browser based application generated screen for display using the non-browser based application generated screen;

receiving, at the remote management server an identification of one or more products selected from a list of products, from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of one or more products selected from the list of products through the user input via the mobile device display of the mobile device;

receiving, at the remote management server a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request through the user input via the mobile device display of the mobile device;

after receiving the transaction purchase request, transmitting, from the remote management server the payment method to a transaction server which processes the transaction using the payment method;

receiving, at the remote management server, a transaction verification from the transaction server, wherein the transaction verification indicates that the transaction has been processed; and

after the transaction has been processed, sending, from the remote management server to the non-browser based application generated screen, a digital artifact for display within the non-browser based application generated screen using the mobile device display.

2. The method of claim 1, wherein the payment method is a credit card.

3. The method of claim 1, wherein the payment method is a debit card.

4. The method of claim 1, wherein the digital artifact is a receipt, ticket, media, or content.

5. The method of claim 1, wherein the digital artifact is an advertisement or coupon.

6. The method of claim 5, wherein the advertisement or coupon is based on one or more targeting parameters.

7. The method of claim 6, wherein the one or more targeting parameters comprise personal information and transaction related financial information.

8. The method of claim 7, wherein personal information comprises one or more of location, gender, age, interest, affiliation, userid, pageid, zip code, area code, and occupation.

9. The method of claim 7, wherein financial transaction-related information comprises one or more of financial information related to historical payment transactions, financial information related to real-time payment transactions, financial information related to contactless transactions made using the mobile device, financial information related to internet commerce, financial information related to bill pay, financial information related to top spend categories, financial information related to merchants transactions, financial information related to storage of banking informa-

9

tion, financial information related to account balance, financial information related to payment history, financial information related to funds transfer, financial information related to tickets, financial information related to receipts, financial information related to coupons, financial information related to transactions made by the user but not through the mobile device, and financial information related to raw data downloaded from banks.

10. A system for processing a transaction, comprising a mobile device including

a mobile device display;

a mobile device processor;

a mobile device memory which maintains a non-browser based application, wherein the non-browser based application is a mobile operating system platform non browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device, wherein the non-browser based application only generates a non-browser based application generated screen, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application;

a mobile device wireless transceiver configured to support voice and data interactions through a first wireless communication channel including at least one of CDMA and GSM, and

a mobile device wireless fidelity (Wi-Fi) transceiver;

a transaction server;

a remote management server that includes:

a remote management server memory that maintains a payment method;

a remote management server interface that:

receives user input login information including an identification code associated with a user and information related to a PIN from the non-browser based application, wherein the non-browser based application receives the user input login information including the identification code associated with a user and the information related to the PEN through user input via the mobile device display of the mobile device,

after user authentication, sends a list of products to the non-browser based application generated screen for display using the non-browser based application generated screen;

receives an identification of one or more products selected from a list of products from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of one or more products selected from the list of products through the user input via the mobile device display of the mobile device;

receives a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request through the user input via the mobile device display of the mobile device;

after receiving the transaction purchase request, transmits the payment method to the transaction server which processes the transaction using the payment method;

10

receives a transaction verification from the transaction server, wherein the transaction verification indicates that the transaction has been processed; and

after the transaction has been processed, sends a digital artifact to the non-browser based application for display within the non-browser based application generated screen using the mobile device display; and

a remote management server processor that:

upon receipt of the user input login information including the identification code associated with a user and the information related to the PIN authenticates the user associated with the user input login information.

11. The system of claim 10, wherein the payment method is a credit card.

12. The system of claim 10, wherein the payment method is a debit card.

13. A remote management server for processing a transaction comprising:

a remote management server memory that maintains a payment method;

a remote management server transceiver that:

receives user input login information including an identification code associated with a user and information related to a PIN from a non-browser based application, wherein the non-browser based application is a mobile operating system platform non browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on a mobile device, wherein the non-browser based application receives the user input login information including the identification code associated with a user and the information related to the PIN through user input via a mobile device display of the mobile device, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application, the mobile device including the mobile device display, a mobile device processor, a mobile device wireless transceiver configured to support voice and data interactions through a first wireless communication channel including at least one of CDMA and GSM, and a mobile device wireless fidelity (Wi-Fi) transceiver;

after user authentication, sends a list of products to the non-browser based application generated screen for display using the non-browser based application generated screen;

receives an identification of one or more products selected from a list of products, from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of one or more products selected from the list of products through the user input via the mobile device display of the mobile device;

receives a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request through the user input via the mobile device display of the mobile device;

after receiving the transaction purchase request, transmits the payment method to a transaction server which processes the transaction using the payment method;

11

receives a transaction verification from a transaction server, wherein the transaction verification indicates that the transaction has been processed; and after the transaction has been processed, sends a digital artifact to the non-browser based application generated screen for display within the non-browser based application generated screen using the mobile device display; and

a remote management server processor that:

upon receipt of the user input login information including the identification code associated with a user and the information related to the PIN, authenticates the user associated with the user input login information.

14. The system of claim 10, wherein the digital artifact is a receipt, ticket, media, or content.

15. The system of claim 10, wherein the digital artifact is an advertisement or coupon.

16. The system of claim 10, wherein the advertisement or coupon is based on one or more targeting parameters.

17. The system of claim 16, wherein the one or more targeting parameters comprise personal information and financial transaction related information.

18. The method of claim 1, wherein the digital artifact is can be used by the non-browser based application when there is not a network connection.

19. The system of claim 10, wherein the digital artifact is can be used by the non-browser based application when there is not a network connection.

20. The method of claim 1, wherein data stored on the mobile device is encrypted using software tools native to the mobile device.

21. The system of claim 10, wherein data stored on the mobile device is encrypted using software tools native to the mobile device.

22. The method of claim 1, further wherein the non-browser based application can be used when the mobile device is not connected to a wireless network.

23. The method of claim 22, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

24. The method of claim 1, further wherein no sensitive data is stored on the mobile device.

25. The method of claim 24, wherein the sensitive data comprises at least one of information related to the payment method, information related to the user login information, and information related to expiration dates associated with the payment method.

26. The method of claim 1, further wherein the non-browser based application automatically applies the coupon during the transaction.

27. The method of claim 1, further wherein, the non-browser based application generated screen receives input to zoom into an image associated with a product from the list of products which results in a more granular image and more details about the product from the list of products wherein the non-browser based application receives the input to zoom into the image associated with the product from the list of products through user input via the mobile device display of the mobile device.

28. The system of claim 10, further wherein the non-browser based application can be used when the mobile device is not connected to a wireless network.

29. The system of claim 28, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

12

30. The system of claim 10, further wherein no sensitive data is stored on the mobile device.

31. The system of claim 30, wherein the sensitive data comprises at least one of information related to the payment method, information related to the user login information, and information related to expiration dates associated with the payment method.

32. The system of claim 10, further wherein the non-browser based application automatically applies the coupon during the transaction.

33. The system of claim 10, further wherein, the non-browser based application generated screen receives input to zoom into an image associated with a product from the list of products which results in a more granular image and more details about the product from the list of products, wherein the non-browser based application receives the input to zoom into the image associated with the product from the list of products through user input via the mobile device display of the mobile device.

34. The system of claim 17, wherein personal information comprises one or more of location, gender, age, interest, affiliation, userid, pageid, zip code, area code, and occupation.

35. The system of claim 17, wherein financial transaction related information comprises one or more of financial information related to historical payment transactions, financial information related to real-time payment transactions, financial information related to contactless transactions made using the mobile device, financial information related to Internet commerce, financial information related to bill pay, financial information related to top spend categories, financial information related to merchant transactions, financial information related to storage of banking information, financial information related to account balance, financial information related to payment history, financial information related to funds transfer, financial information related to tickets, financial information related to receipts, financial information related to coupons, financial information related to transactions made by the user but not through the mobile device, and financial information related to raw data downloaded from banks.

36. The method of claim 1, further wherein the, non-browser based application sends a request to the remote management server to retransmit the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

37. The method of claim 1, wherein the remote management server sends the digital artifact to the non-browser based application generated screen based on the geographical location of the mobile device.

38. The method of claim 1, further wherein the remote management server is configured to store a single identification code associated with the user for a plurality of mobile devices, and further wherein the configuration means the remote management server scales.

39. The method of claim 1, wherein the graphical user interface includes a graphical icon.

40. The system of claim 10, further wherein the, non-browser based application sends a request to the remote management server retransmit the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

41. The system of claim 10, wherein the remote management server sends the digital artifact to the non-browser based application generated screen based on the geographical location of the mobile device.

42. The system of claim 10, further wherein the remote-management server is configured to store a single identification code associated with the user for a plurality of mobile devices, and further wherein the configuration means the remote management server scales.

5

43. The system of claim 10, wherein the graphical user interface includes a graphical icon.

* * * * *