US010565575B2

(12) **United States Patent**
Fisher

(10) **Patent No.:** **US 10,565,575 B2**
(45) **Date of Patent:** *Feb. 18, 2020

(54) **NFC MOBILE DEVICE TRANSACTIONS WITH A DIGITAL ARTIFACT**

(71) Applicant: **Michelle Fisher**, Berkeley, CA (US)

(72) Inventor: **Michelle Fisher**, Berkeley, CA (US)

(73) Assignee: **Michelle Fisher**, Berkeley, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 35 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/389,925**

(22) Filed: **Apr. 20, 2019**

(65) **Prior Publication Data**

US 2019/0244188 A1   Aug. 8, 2019

Related U.S. Application Data

(63) Continuation of application No. 14/143,085, filed on Dec. 30, 2013, which is a continuation of application
(Continued)

(51) **Int. Cl.**
G06Q 20/20   (2012.01)
H04W 4/21   (2018.01)
(Continued)

(52) **U.S. Cl.**
CPC **G06Q 20/20** (2013.01); **G06Q 20/00** (2013.01); **G06Q 20/108** (2013.01); **G06Q 20/16** (2013.01); **G06Q 20/202** (2013.01); **G06Q 20/204** (2013.01); **G06Q 20/206** (2013.01); **G06Q 20/32** (2013.01); **G06Q 20/322** (2013.01); **G06Q 20/325** (2013.01); **G06Q 20/3223** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC G06Q 20/00–20; G06Q 20/32; G06Q 20/102; G06Q 20/105; G06Q 40/00–10; G06Q 99/00; G06K 5/00; G06K 7/08; G06K 7/10237; G06K 15/00; H04W 12/12; H04W 4/24
USPC 455/41.1, 406–410, 556.1, 558; 235/375–385, 451, 462, 492; 705/16, 18, 705/30, 40, 41, 44, 64
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,930,764 A * 7/1999 Melchione G06Q 30/02
                                                                705/7.29
6,018,654 A * 1/2000 Valentine H04M 19/04
                                                                455/414.4
(Continued)

FOREIGN PATENT DOCUMENTS

EP   1503352   2/2005
WO   WO 2006095212 A1   9/2006

OTHER PUBLICATIONS

U.S. Appl. No. 13/620,632, Office Action dated Sep. 14, 2012, 10 p.
(Continued)

Primary Examiner — Olusegun Goyea

(57) **ABSTRACT**

A method and system for receiving digital artifacts from a management server. The method includes sending a request for a digital artifact from a mobile application to the management server for display within a specific mobile application generated screen, receiving the digital artifact from the management server, and displaying the digital artifact with the specific mobile application generated screen.

30 Claims, 4 Drawing Sheets

100

PAYMENT AUTHORIZATION

MOBILE COMMUNICATION DEVICE *102*

POINT OF SALE DEVICE *104*

MANAGEMENT SERVER *106*

Related U.S. Application Data

No. 13/735,337, filed on Jan. 7, 2013, now Pat. No. 8,620,754, which is a continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.

(51) **Int. Cl.**

G06Q 20/32	(2012.01)
G06Q 30/02	(2012.01)
G06Q 30/06	(2012.01)
G06Q 20/38	(2012.01)
G06Q 20/40	(2012.01)
G06Q 20/36	(2012.01)
G06Q 20/16	(2012.01)
G06Q 20/00	(2012.01)
G06Q 20/10	(2012.01)
H04W 8/20	(2009.01)
H04M 1/725	(2006.01)
H04W 4/18	(2009.01)
H04B 5/00	(2006.01)
G06Q 40/00	(2012.01)
H04W 4/80	(2018.01)
H04W 4/029	(2018.01)
H04N 21/81	(2011.01)
G07F 7/10	(2006.01)
H04W 88/02	(2009.01)
H04W 4/02	(2018.01)

(52) **U.S. Cl.**

CPC *G06Q 20/3226* (2013.01); *G06Q 20/3227* (2013.01); *G06Q 20/3255* (2013.01); *G06Q 20/3278* (2013.01); *G06Q 20/3674* (2013.01); *G06Q 20/382* (2013.01); *G06Q 20/3821* (2013.01); *G06Q 20/40* (2013.01); *G06Q 20/409* (2013.01); *G06Q 20/4012* (2013.01); *G06Q 20/4014* (2013.01); *G06Q 30/02* (2013.01); *G06Q 30/0222* (2013.01); *G06Q 30/0238* (2013.01); *G06Q 30/0251* (2013.01); *G06Q 30/0253* (2013.01); *G06Q 30/0255* (2013.01); *G06Q 30/0267* (2013.01); *G06Q 30/0268* (2013.01); *G06Q 30/06* (2013.01); *G06Q 30/0613* (2013.01); *G06Q 30/0635* (2013.01); *G06Q 40/10* (2013.01); *G06Q 40/12* (2013.12); *H04B 5/0025* (2013.01); *H04M 1/72561* (2013.01); *H04W 4/18* (2013.01); *H04W 4/21* (2018.02); *H04W 8/205* (2013.01); *G06Q 20/10* (2013.01); *G06Q 20/105* (2013.01); *G06Q 40/00* (2013.01); *G07F 7/1008* (2013.01); *H04N 21/812* (2013.01); *H04W 4/02* (2013.01); *H04W 4/029* (2018.02); *H04W 4/80* (2018.02); *H04W 88/02* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,038,367	A		3/2000	Abecassis	
6,075,971	A	*	6/2000	Williams	H04N 21/25891
					348/E7.063
6,101,483	A	*	8/2000	Petrovich	G06Q 20/202
					705/21
6,115,601	A	*	9/2000	Ferreira	H04M 15/47
					455/406
6,123,259	A	*	9/2000	Ogasawara	G06K 17/0022
					235/380
6,128,655	A		10/2000	Fields	
6,141,666	A		10/2000	Tobin	

6,199,082	B1		3/2001	Ferrel	
6,250,557	B1	*	6/2001	Forslund	G06K 17/0022
					235/375
6,394,341	B1	*	5/2002	Makipaa	G06Q 20/02
					235/379
6,415,156	B1		7/2002	Stadelmann	
6,450,407	B1	*	9/2002	Freeman	G06K 19/0723
					235/376
6,587,835	B1	*	7/2003	Treyz	G06Q 20/12
					705/14.64
6,605,120	B1		8/2003	Fields	
6,771,981	B1		8/2004	Zalewski	
6,772,396	B1		8/2004	Cronin	
6,886,017	B1		4/2005	Jackson	
6,950,939	B2		9/2005	Tobin	
7,014,107	B2		3/2006	Singer	
7,031,945	B1		4/2006	Donner	
7,069,248	B2		6/2006	Huber	
7,096,003	B2		8/2006	Joao	
7,110,744	B2		9/2006	Freeny	
7,110,792	B2	*	9/2006	Rosenberg	G06Q 20/085
					235/380
7,127,236	B2		10/2006	Khan	
7,200,578	B2	*	4/2007	Paltenghe	G06F 21/6209
					705/1.1
7,289,810	B2		10/2007	Jagadeesan	
7,308,254	B1		12/2007	Rissanen	
7,357,312	B2		4/2008	Gangi	
7,379,920	B2		5/2008	Leung	
7,383,226	B2	*	6/2008	Kight	G06Q 20/04
					705/40
7,472,829	B2		1/2009	Brown	
7,482,925	B2		1/2009	Hammad	
7,493,284	B2		2/2009	Celi	
7,512,567	B2	*	3/2009	Bemmel	G06Q 20/20
					705/64
7,522,905	B2		4/2009	Hammad	
7,589,628	B1	*	9/2009	Brady, Jr.	H04L 67/22
					340/539.11
7,783,532	B2	*	8/2010	Hsu	G06Q 10/087
					705/14.11
7,784,684	B2	*	8/2010	Labrou	G06Q 20/32
					235/375
7,818,284	B1	*	10/2010	Walker	G06Q 20/387
					705/26.2
7,827,056	B2	*	11/2010	Walker	G06Q 10/101
					705/14.1
7,870,077	B2	*	1/2011	Woo	G06Q 20/02
					235/379
7,979,519	B2	*	7/2011	Shigeta	H04L 69/329
					370/349
8,005,426	B2	*	8/2011	Huomo	G06Q 20/20
					455/41.2
8,019,362	B2	*	9/2011	Sweatman	H04W 4/12
					455/455
8,073,424	B2	*	12/2011	Sun	G06Q 20/085
					455/406
8,086,534	B2	*	12/2011	Powell	G06Q 20/32
					705/44
8,109,444	B2	*	2/2012	Jain	G06K 19/07739
					235/492
8,121,945	B2		2/2012	Rackley	
8,127,984	B2	*	3/2012	Zatloukal	G06K 7/0008
					235/375
8,214,454	B1	*	7/2012	Barnes	G06F 16/955
					709/217
8,429,030	B2	*	4/2013	Walker	G06Q 30/02
					705/14.38
8,429,031	B2	*	4/2013	Walker	G06Q 30/02
					705/14.38
8,438,077	B2	*	5/2013	Walker	G06Q 30/02
					705/14.38
8,438,078	B2	*	5/2013	Walker	G06Q 30/02
					705/14.38
8,467,766	B2	*	6/2013	Rackley, III	G06Q 20/042
					455/406

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,489,067 B2*	7/2013	Rackley, III	G06Q 20/102	
				455/406
8,510,220 B2*	8/2013	Rackley, III	G06Q 40/00	
				705/39
8,566,239 B2	10/2013	Arthur		
9,183,571 B2*	11/2015	Kansal	G06Q 30/02	
9,294,917 B2	3/2016	Nystrom		
9,852,449 B2*	12/2017	Kansal	G06Q 30/02	
2001/0011250 A1*	8/2001	Paltenghe	G06F 21/6209	
				705/41
2001/0044751 A1*	11/2001	Pugliese, III	G06Q 30/02	
				705/14.1
2001/0049636 A1*	12/2001	Hudda	G06Q 30/06	
				705/26.1
2002/0004855 A1*	1/2002	Cox	G06Q 30/02	
				719/328
2002/0019228 A1*	2/2002	McKenna	H04W 8/26	
				455/435.1
2002/0026423 A1*	2/2002	Maritzen	G06Q 20/02	
				705/56
2002/0056091 A1*	5/2002	Bala	G06Q 30/02	
				725/34
2002/0059100 A1	5/2002	Shore		
2002/0060246 A1*	5/2002	Gobburu	G06Q 20/04	
				235/462.46
2002/0063895 A1	5/2002	Agata		
2002/0065774 A1*	5/2002	Young	G06Q 20/02	
				705/41
2002/0077918 A1	6/2002	Lerner		
2002/0082879 A1	6/2002	Miller		
2002/0091568 A1*	7/2002	Kraft	G06Q 30/02	
				705/14.58
2002/0099798 A1*	7/2002	Fedorovsky	G06Q 30/02	
				709/219
2002/0101993 A1*	8/2002	Eskin	G01S 1/68	
				380/270
2002/0107756 A1	8/2002	Hammons		
2002/0116269 A1*	8/2002	Ishida	G06Q 30/02	
				705/14.64
2002/0160761 A1*	10/2002	Wolfe	H04M 3/493	
				455/414.1
2002/0161666 A1*	10/2002	Fraki	G06Q 30/0267	
				705/14.64
2002/0164998 A1*	11/2002	Younis	G01S 19/06	
				455/456.1
2002/0169664 A1*	11/2002	Walker	B42D 15/00	
				705/14.36
2002/0169984 A1	11/2002	Kumar		
2002/0175955 A1*	11/2002	Gourdol	G06F 3/0482	
				715/821
2003/0028426 A1*	2/2003	Banerjee	G06Q 30/02	
				705/14.37
2003/0033272 A1*	2/2003	Himmel	G06Q 10/02	
2003/0061113 A1*	3/2003	Petrovich	G06Q 10/087	
				705/26.43
2003/0065805 A1	4/2003	Barnes		
2003/0066883 A1*	4/2003	Yu	G06K 7/1095	
				235/382
2003/0074259 A1*	4/2003	Slyman, Jr.	G06Q 20/204	
				705/14.22
2003/0085286 A1*	5/2003	Kelley	G06K 19/073	
				235/492
2003/0087601 A1*	5/2003	Agam	G06F 21/34	
				455/39
2003/0093311 A1*	5/2003	Knowlson	G06Q 30/02	
				705/14.66
2003/0093695 A1	5/2003	Dutta		
2003/0105641 A1	6/2003	Lewis		
2003/0132298 A1*	7/2003	Swartz	G06K 17/00	
				235/472.02
2003/0140004 A1	7/2003	O'Leary		
2003/0142039 A1*	7/2003	Minear	H04M 15/8221	
				345/2.3
2003/0163359 A1*	8/2003	Kanesaka	G06Q 30/02	
				705/7.33
2003/0172028 A1	9/2003	Abell		
2003/0208754 A1*	11/2003	Sridhar	G06Q 30/02	
				725/34
2003/0220839 A1*	11/2003	Nguyen	G06Q 20/387	
				705/14.38
2004/0006497 A1	1/2004	Nestor		
2004/0015547 A1*	1/2004	Griffin	H04L 12/1827	
				709/204
2004/0015548 A1*	1/2004	Lee	H04L 12/1827	
				709/204
2004/0030658 A1*	2/2004	Cruz	G06Q 20/045	
				705/65
2004/0034544 A1	2/2004	Fields		
2004/0064407 A1*	4/2004	Kight	G06Q 20/04	
				705/40
2004/0064408 A1*	4/2004	Kight	G06Q 20/04	
				705/40
2004/0064409 A1*	4/2004	Kight	G06Q 20/04	
				705/40
2004/0064410 A1*	4/2004	Kight	G06Q 20/04	
				705/40
2004/0073497 A1*	4/2004	Hayes	G06Q 30/02	
				705/26.1
2004/0078329 A1*	4/2004	Kight	G06Q 20/04	
				705/40
2004/0083167 A1*	4/2004	Kight	G06Q 20/04	
				705/40
2004/0093271 A1*	5/2004	Walker	G06Q 30/02	
				705/14.17
2004/0093620 A1*	5/2004	Iino	H04H 20/28	
				725/134
2004/0111320 A1*	6/2004	Schlieffers	B62B 3/1424	
				705/16
2004/0127256 A1*	7/2004	Goldthwaite	G06K 7/0004	
				455/558
2004/0143545 A1*	7/2004	Kulakowski	G06Q 20/02	
				705/39
2004/0172295 A1*	9/2004	Dahlin	G06F 19/3456	
				705/2
2004/0203616 A1*	10/2004	Minear	G06Q 30/02	
				455/412.1
2004/0203848 A1*	10/2004	Kumar	H04W 40/20	
				455/456.1
2004/0235450 A1*	11/2004	Rosenberg	G06Q 20/085	
				455/406
2004/0235493 A1*	11/2004	Ekerborn	H04W 4/029	
				455/456.1
2004/0243519 A1	12/2004	Perttila		
2004/0254836 A1*	12/2004	Emoke Barabas	G06Q 30/02	
				705/14.35
2004/0267618 A1	12/2004	Judicibus		
2004/0267665 A1	12/2004	Nam		
2005/0003810 A1	1/2005	Chu		
2005/0037735 A1*	2/2005	Coutts	G06Q 20/227	
				455/411
2005/0040230 A1*	2/2005	Swartz	G06K 17/00	
				235/383
2005/0043994 A1*	2/2005	Walker	B42D 15/00	
				705/14.19
2005/0076210 A1	4/2005	Thomas		
2005/0114796 A1*	5/2005	Bast	G06F 3/0338	
				715/856
2005/0124321 A1*	6/2005	Kraft	G06Q 10/109	
				455/412.1
2005/0131837 A1*	6/2005	Sanctis	G06Q 20/12	
				705/64
2005/0149385 A1*	7/2005	Trively	G06Q 30/02	
				705/14.25
2005/0150945 A1*	7/2005	Choi	G06Q 20/108	
				235/379
2005/0165646 A1*	7/2005	Tedesco	B42D 15/00	
				705/14.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

2005/0187873 A1*	8/2005	Labrou	G06Q 20/02	705/40
2005/0210387 A1*	9/2005	Alagappan	G06Q 30/06	715/700
2005/0215231 A1	9/2005	Bauchot		
2005/0216343 A1*	9/2005	Tokorotani	G06Q 20/387	705/14.26
2005/0222961 A1*	10/2005	Staib	G06Q 20/327	705/64
2005/0240484 A1*	10/2005	Yan	G06Q 20/045	455/411
2005/0283444 A1*	12/2005	Ekberg	G06Q 20/045	705/67
2006/0000900 A1	1/2006	Fernandes		
2006/0014518 A1*	1/2006	Huh	H04M 15/06	455/406
2006/0031752 A1*	2/2006	Surloff	G06F 3/021	715/205
2006/0036488 A1*	2/2006	Golan	G06Q 30/02	705/14.47
2006/0044153 A1*	3/2006	Dawidowsky	G06K 7/0008	340/4.3
2006/0052086 A1*	3/2006	Funato	G06Q 10/063	455/411
2006/0059227 A1*	3/2006	Zimler	G06F 16/9577	709/203
2006/0064346 A1*	3/2006	Steenstra	G06Q 30/0261	705/14.64
2006/0085260 A1*	4/2006	Yamagishi	G06Q 20/20	705/14.26
2006/0089874 A1*	4/2006	Newman	G06Q 30/02	705/14.32
2006/0123359 A1*	6/2006	Schatzberger	G06F 3/0481	715/810
2006/0135156 A1*	6/2006	Malu	H04W 8/18	455/432.3
2006/0136292 A1*	6/2006	Bhati	G06Q 30/02	705/14.41
2006/0143091 A1*	6/2006	Yuan	G06Q 20/343	705/26.1
2006/0165060 A1*	7/2006	Dua	G06Q 20/20	370/352
2006/0180660 A1*	8/2006	Gray	G06Q 20/347	235/380
2006/0191995 A1*	8/2006	Stewart	G06F 21/6245	235/379
2006/0206709 A1*	9/2006	Labrou	G06Q 20/18	713/167
2006/0212401 A1*	9/2006	Ameerally	G06Q 30/02	705/51
2006/0218092 A1*	9/2006	Tedesco	B42D 15/00	705/40
2006/0219780 A1*	10/2006	Swartz	G06K 17/00	235/383
2006/0240808 A1*	10/2006	Crolley	G06Q 30/02	455/414.1
2006/0253801 A1*	11/2006	Okaro	G06F 3/0482	715/810
2006/0287920 A1*	12/2006	Perkins	G06Q 30/02	705/14.49
2006/0294025 A1*	12/2006	Mengerink	G06Q 20/085	705/77
2007/0004391 A1	1/2007	Maffeis		
2007/0011099 A1*	1/2007	Sheehan	G06Q 20/32	705/65
2007/0021969 A1*	1/2007	Homeier-Beals	G06Q 20/06	705/1.1
2007/0022058 A1*	1/2007	Labrou	G06Q 20/32	705/67
2007/0095892 A1	5/2007	Lyons		
2007/0125838 A1*	6/2007	Law	G06Q 20/04	235/379
2007/0125840 A1*	6/2007	Law	G06Q 20/10	235/379
2007/0138299 A1*	6/2007	Mitra	G06K 19/0719	235/492
2007/0145135 A1	6/2007	Jogand-Coulomb		
2007/0131759 A1	7/2007	Cox		
2007/0156436 A1*	7/2007	Fisher	G06Q 20/102	455/552.1
2007/0175978 A1*	8/2007	Stambaugh	G06Q 20/32	235/379
2007/0179883 A1*	8/2007	Questembert	G06Q 20/06	705/39
2007/0204004 A1*	8/2007	Coyer	H04L 29/06027	709/217
2007/0210155 A1*	9/2007	Swartz	G06K 17/00	235/383
2007/0235519 A1	10/2007	Jang		
2007/0235539 A1*	10/2007	Sevanto	G06K 7/10237	235/451
2007/0255662 A1	11/2007	Tumminaro		
2007/0262139 A1	11/2007	Fiebiger		
2007/0270166 A1*	11/2007	Hampel	H04L 51/20	455/456.3
2007/0293155 A1*	12/2007	Liao	G06Q 20/32	455/41.2
2008/0004952 A1*	1/2008	Koli	G06Q 30/02	705/14.55
2008/0006685 A1*	1/2008	Rackley, III	G06Q 20/10	235/379
2008/0010190 A1*	1/2008	Rackley, III	G06Q 20/042	705/39
2008/0010191 A1*	1/2008	Rackley, III	G06Q 20/042	705/39
2008/0010192 A1*	1/2008	Rackley, III	G06Q 20/042	705/39
2008/0010193 A1*	1/2008	Rackley, III	G06Q 20/042	705/39
2008/0010196 A1*	1/2008	Rackley, III	G06Q 20/102	705/40
2008/0010204 A1*	1/2008	Rackley, III	G06Q 20/042	705/45
2008/0010215 A1*	1/2008	Rackley, III	G06Q 20/042	705/70
2008/0011825 A1*	1/2008	Giordano	G06Q 20/04	235/380
2008/0017704 A1*	1/2008	VanDeburg	G06Q 20/32	235/380
2008/0027795 A1*	1/2008	Medlin	G06Q 20/20	705/14.14
2008/0294556 A1	1/2008	Anderson		
2008/0040265 A1*	2/2008	Rackley, III	G06Q 20/02	705/40
2008/0045172 A1*	2/2008	Narayanaswami	G06Q 30/02	455/187.1
2008/0046366 A1	2/2008	Bemmel		
2008/0048022 A1*	2/2008	Vawter	G06Q 20/32	235/380
2008/0051059 A1*	2/2008	Fisher	G06Q 20/20	455/410
2008/0051142 A1*	2/2008	Calvet	H04W 88/02	455/558
2008/0052192 A1*	2/2008	Fisher	G06Q 20/045	705/5
2008/0052233 A1*	2/2008	Fisher	G06Q 20/102	705/40
2008/0059329 A1*	3/2008	Luchene	G06Q 30/0603	705/26.35
2008/0097915 A1*	4/2008	Golan	G06Q 30/0273	705/51
2008/0116264 A1	5/2008	Hammad		
2008/0126145 A1*	5/2008	Rackley, III	G06Q 20/102	455/406
2008/0133336 A1*	6/2008	Altman	G06Q 30/0207	455/456.1
2008/0139155 A1	6/2008	Boireau		

(56) **References Cited**

U.S. PATENT DOCUMENTS

|				
2008/0140520 A1*	6/2008	Hyder	G06Q 20/342	705/14.1
2008/0148040 A1*	6/2008	Machani	G06F 21/6245	713/150
2008/0167017 A1*	7/2008	Wentker	G06Q 20/32	455/414.1
2008/0167961 A1*	7/2008	Wentker	G06Q 20/3221	705/14.25
2008/0167988 A1*	7/2008	Sun	G06Q 20/085	705/39
2008/0172274 A1*	7/2008	Hurowitz	H04L 67/322	455/433
2008/0172285 A1*	7/2008	Hurowitz	G06Q 30/02	455/414.1
2008/0172291 A1*	7/2008	Hurowitz	G06Q 30/02	705/14.1
2008/0172292 A1*	7/2008	Hurowitz	G06Q 30/02	705/14.14
2008/0177668 A1	7/2008	Delean		
2008/0207234 A1*	8/2008	Arthur	G06Q 20/20	455/466
2008/0208681 A1	8/2008	Hammad		
2008/0208743 A1*	8/2008	Arthur	G06Q 20/105	705/41
2008/0208744 A1*	8/2008	Arthur	G06Q 20/105	705/41
2008/0208762 A1*	8/2008	Arthur	G06Q 20/027	705/79
2008/0221997 A1*	9/2008	Wolfe	G06Q 30/02	705/14.26
2008/0242274 A1*	10/2008	Swanburg	G06Q 20/3223	455/414.1
2008/0249938 A1*	10/2008	Drake-Stoker	G06Q 20/12	705/44
2008/0255947 A1*	10/2008	Friedman	G06Q 20/20	705/35
2008/0262928 A1*	10/2008	Michaelis	G06Q 30/02	705/14.26
2008/0274794 A1*	11/2008	Mathieson	G06Q 30/02	463/25
2008/0275779 A1*	11/2008	Lakshminarayanan	G06Q 20/02	705/39
2008/0305774 A1	12/2008	Ramakrishna		
2009/0018913 A1*	1/2009	Sarukkai	G06Q 30/02	705/14.56
2009/0061884 A1*	3/2009	Rajan	G06Q 30/0225	455/445
2009/0063312 A1*	3/2009	Hurst	G06Q 20/105	705/30
2009/0075592 A1	3/2009	Nystrom et al.		
2009/0076906 A1*	3/2009	Kansal	G06Q 30/02	705/14.64
2009/0076912 A1*	3/2009	Rajan	G06Q 30/02	705/14.64
2009/0098825 A1	4/2009	Huomo		
2009/0106112 A1*	4/2009	Dalmia	G06Q 20/04	705/14.17
2009/0112747 A1*	4/2009	Mullen	G06Q 20/04	705/35
2009/0124234 A1*	5/2009	Fisher	G06Q 20/32	455/406
2009/0132362 A1*	5/2009	Fisher	G06Q 10/06	705/14.47
2009/0143104 A1*	6/2009	Loh	G06Q 20/32	455/558
2009/0144161 A1*	6/2009	Fisher	H04W 4/21	705/16
2009/0177587 A1*	7/2009	Siegal	G06F 21/32	705/67
2009/0194591 A1*	8/2009	Gobburu	G06K 7/10554	235/462.01
2009/0227281 A1*	9/2009	Hammad	G06K 19/07309	455/550.1
2010/0057619 A1*	3/2010	Weller	G06Q 20/02	705/67
2010/0063895 A1*	3/2010	Dominguez	G06Q 20/02	705/26.1
2010/0145835 A1*	6/2010	Davis	G06Q 20/10	705/30
2010/0312694 A1*	12/2010	Homeier-Beals	G06Q 20/10	705/39
2011/0055038 A1*	3/2011	Mengerink	G06Q 20/085	705/26.1
2011/0320316 A1*	12/2011	Randazza	G06Q 20/02	705/26.43
2012/0030044 A1*	2/2012	Hurst	G06Q 20/105	705/18
2012/0150744 A1*	6/2012	Carlson	G06Q 20/02	705/44
2012/0215573 A1*	8/2012	Sussman	G06F 9/50	705/5
2012/0220314 A1*	8/2012	Altman	G06Q 30/0207	455/456.3
2012/0265677 A1*	10/2012	Rackley, III	G06Q 20/02	705/41
2013/0013501 A1*	1/2013	Rackley, III	G06Q 20/02	705/41
2013/0054470 A1*	2/2013	Campos	G06Q 20/3674	705/67
2013/0212016 A1*	8/2013	Davis	G06Q 20/10	705/42
2015/0012440 A1	1/2015	Kelley		

OTHER PUBLICATIONS

U.S. Appl. No. 15/175,150, Notice of Allowance dated Apr. 5, 2017, 5 p.
U.S. Appl. No. 11/933,367, Office Action dated May 27, 2010, 8 p.
U.S. Appl. No. 14/686,695, Notice of Allowance dated Oct. 12, 2017, 11 p.
1739369(MaterCard PayPass.pdf athttps://www.google.co.kr/search?q=MasterCard.+PayPass+Mag+Stripe%2C+Acquirer+Implementation+Requirements&newwindow=1&biw=1851&bih=973&source=lnt&tbs=cdr%3A1%2Ccd_min%3A%2Ccd_max%3A8%2F24%2F2006&tbm=#newwindow=1&tbs=cdr:1,cd_max:8/24/2006&q=MaterCard%C2%AEPayPass%E2%84%A2+mag+stripe,+acquirer+Implementation+requirements&spf=1495411706977.
"Is near-field communication close to success?" article dated Mar. 2006 at http://ieeexplore.ieee.org/document/1607943/.
"Room6_150pm_munro.pdf" at http://www.rfidjournal.net/live05/monday/.
Wikipedia Infrared http://en.wikipedia.org/wiki/Infrared_Data_Association.
Wikiepedia Bluetooth http://nearfieldcommunication.org/bluetooth.html.
Wikipedia NFC https://en.wikipedia.org/wiki/Near-field_communication.
RF wireless comparison of NFC vs RFID http://www.rfwireless-world.com/Terminology/NFC-vs-RFID-vs-Bluetooth-vs-wifi.html.

* cited by examiner

100

PAYMENT
AUTHORIZATION

POINT OF SALE
DEVICE *104*

MOBILE
COMMUNICATION
DEVICE *102*

MANAGEMENT
SERVER *106*

FIG. 1

MOBILE
COMMUNICATION
DEVICE *102*

MOBILE
APPLICATION *200*

SHOPPING
LIST *202*

FIG. 2

300

```
┌─────────────────────────────────────┐
│  RECEIVE USER INPUT SELECTING ONE OR │  302
│     MORE ITEMS FOR PURCHASE          │
└─────────────────────────────────────┘
                  │
                  ▼
┌─────────────────────────────────────┐
│  IN RESPONSE TO A REQUEST FROM A THE │
│  USER TO PURCHASE THE ONE OR MORE    │  304
│  ITEMS, CALCULATING A TOTAL PURCHASE │
│  AMOUNT FOR THE ONE OR MORE ITEMS    │
└─────────────────────────────────────┘
                  │
                  ▼
┌─────────────────────────────────────┐
│    SEND PAYMENT AUTHORIZATION FOR    │
│  TOTAL PURCHASE AMOUNT TO PAYMENT    │  306
│     ENTITY THROUGH MOBILE            │
│   COMMUNICATION DEVICE OF USER       │
└─────────────────────────────────────┘
                  │
                  ▼
┌─────────────────────────────────────┐
│     RECEIVE RESULT OF PAYMENT        │
│  AUTHORIZATION FROM PAYMENT ENTITY   │  308
│  THROUGH MOBILE COMMUNICATION        │
│        DEVICE OF USER                │
└─────────────────────────────────────┘
                  │
                  ▼
┌─────────────────────────────────────┐
│   COMPLETE PAYMENT TRANSACTION       │  310
│  BASED ON RESULTS OF PAYMENT         │
│       AUTHORIZATION                  │
└─────────────────────────────────────┘
```

FIG. 3

400

PERSONAL COMPUTER (PC) 404

BROWSER

POS BROWSER PLUGIN

ONLINE STORE 406

ONLINE STORE APP 410

MCD POS PLUGIN 414

(1)

(2)

(3)

(6)

(5)

(7)

(4)

MANAGEMENT SERVER 408

ISSUER AUTHORIZATION 418

(3)

(6)

(1)

(5)

POS MIDLET 412

WAP BROWSER 416

(4)

(8)

MOBILE WALLET CLIENT

SECURE CHIP

MOBILE COMMUNICATION DEVICE 402

FIG. 4

FIG. 5

NFC MOBILE DEVICE TRANSACTIONS WITH A DIGITAL ARTIFACT

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation and claims priority to application Ser. No. 14/143,085, filed Dec. 30, 2013, titled "REMOTE DELIVERY OF DIGITAL ARTIFACTS" which is a continuation and claims priority to application Ser. No. 13/735,337, filed Jan. 7, 2013, titled "REMOTE TRANS-ACTION PROCESSING USING AUTHENTICATION INFORMATION" now U.S. Pat. No. 8,620,754 issued on Dec. 31, 2013 which is a continuation and claims priority to application Ser. No. 11/948,903, filed Nov. 30, 2007, titled "METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE" now U.S. Pat. No. 8,352, 323 issued on Jan. 8, 2013 all of which is incorporated by reference herein in its entirety.

FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled "Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device", and U.S. patent application Ser. No. 11/467,441, entitled "Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from the point of sale device to a payment entity can include

sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system 100. The communication system 100 includes a hand-held, wireless mobile communication device 102 a point-of-sale device 104 and a management server 106. In one implementation, the mobile communication device 102 includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device 102 to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device 104), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device 102 can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device 104 can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device 104 are sent from the point of sale device 104 to an issuer authorization (e.g., management server 106) through the mobile communication device 102 (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment transaction. An issuer authorization can be, e.g., a person, com-

puter system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user information (e.g. account numbers, pin numbers, and/or identity information) need only be sent from the mobile communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. **2** illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received though a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information. To a Mobile Communication. Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. **4**, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish apples (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card,

etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NEC reader present on the PC **404**. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer has coupons in their mobile wallet the consumer can either

elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

Referring to FIG. **2**, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a fixture use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an on online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. **3** illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a "buy now" icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. **4** illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication device **402** or personal computer **404**), browses an online

store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet **412**) residing on the mobile communication device **402**. The user then goes to, e.g., a checkout of the online store **406** make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an NFC-equipped phone (or NFC phone).

En interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the PUS vendor plugin is installed in the merchant's online store and enables the merchant to accepts MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the PUS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure Channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the PUS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD PUS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or

in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

FIG. **5** illustrates a data processing system **500** suitable for storing and/or executing program code. Data processing system **500** includes a processor **502** coupled to memory elements **504**A-B through a system bus **506**. In other implementations, data processing system **500** may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements **504**A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices **508**A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system **500**. I/O devices **508**A-B may be coupled to data processing system **500** directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter **510** is coupled to data processing system **500** to enable data processing system **500** to become coupled to other data processing systems or remote printers or storage devices through communication link **512**. Communication link **512** can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

What is claimed is:

1. A method for conducting a Near Field Communication (NFC) transaction using an NFC protocol, the method comprising:

maintaining a non-browser based application in a mobile device memory, wherein the non-browser based application is a mobile operating system platform non-browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on a mobile device, the mobile device comprising the mobile device memory, a mobile device display, a mobile device processor, a mobile device wireless transceiver that supports voice and data interactions through a first communication channel, an NFC transceiver configured to use the NFC protocol through a second communication channel, an NFC processor configured to use the NFC protocol, and a secure element memory, wherein the secure element memory maintains an identification code associated with a user and a secure element application configured to use the NFC protocol, wherein the secure element memory,

NFC transceiver, and NFC processor are included in a secure element permanently embedded within a body of the mobile device, wherein the graphical user interface includes a graphical icon;

executing the secure element application in response to a detection of a near field communication inductive signal from an NFC terminal configured to use the NFC protocol; and

transmitting, using the secure element application, via the NFC transceiver, first transaction information including the identification code associated with the user via the second communication channel from the secure element memory to the NFC terminal during an NFC inductive interaction between the secure element and the NFC terminal, wherein the first transaction information including the identification code associated with the user is transmitted to a remote management server which transmits second transaction information including a payment method that corresponds to the identification code associated with the user to a transaction server that processes the NFC transaction using the payment method that corresponds to the identification code associated with the user, wherein the payment method is maintained at the remote management server; and

after the NFC transaction has been processed, receiving, at the mobile device, a digital artifact for display in the graphical user interface of the non-browser based application.

2. The method of claim **1**, further wherein during the NFC transaction, a coupon is automatically applied during the NFC inductive interaction between the secure element and the NFC terminal.

3. The method of claim **1**, further wherein the digital artifact comprises an advertisement, receipt, ticket, coupon, media, metadata, and/or content.

4. The method of claim **1**, further wherein data stored on the mobile device is encrypted using a mobile operating system native to the mobile device.

5. The method of claim **1**, wherein the payment method is a credit card, debit card, or prepaid card.

6. The method of claim **1**, wherein no sensitive information is stored on the mobile device.

7. The method of claim **6**, wherein the sensitive information comprises at least one of information related to the payment method; or information related to the expiration date associated with the payment method.

8. The method of claim **1** further wherein the non-browser based application is operative when the mobile device is not connected to a wireless network.

9. The method of claim **1**, further wherein the non-browser based application sends a request to the remote management server for retransmission of the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

10. The method of claim **1** further wherein, the non-browser based application can display the digital artifact when the mobile device is not connected to a wireless network.

11. The method of claim **1**, further wherein upon the condition that the mobile device loses connection with a wireless network the non-browser based application monitors for access to the wireless network and automatically re-connects to the wireless network when the wireless network is available.

12. The method of claim **1**, further wherein, the digital artifact is based on the remote management server correlat-

ing the identification code associated with the user, information related to the payment method, information related to the user, information related to the NFC transaction, and information related to a transaction history of the user.

13. The method of claim **1**, further wherein after the NFC transaction has been processed, the transaction server sends a transaction verification to the remote management server, wherein the transaction verification confirms the NFC transaction has processed.

14. A mobile device for conducting a Near Field Communication (NFC) transaction using an NFC protocol, the mobile device comprising:

a mobile device memory maintaining a non-browser based application, wherein the non-browser based application is a mobile operating system platform non-browser based mobile application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device, wherein the graphical user interface includes a graphical icon;

a mobile device wireless transceiver that supports voice and data interactions through a first wireless communication channel;

a mobile device processor that receives a digital artifact for display in the graphical user interface of the non-browser based application;

a secure element permanently embedded within the body of the mobile device comprising:

a secure element memory that maintains an identification code associated with a user and further maintains a secure element application configured to use the NFC protocol that is executed in response to a detection of a near field communication inductive signal from an NFC terminal configured to use the NFC protocol; and

an NFC transceiver configured to use the NFC protocol that transmits, using the secure element application, first transaction information including the identification code associated with the user through a second communication channel to an NFC terminal during an NFC inductive interaction between the secure element and the NFC terminal, and further wherein the first transaction information including the identification code associated with the user is transmitted to a remote management server which transmits second transaction information including a payment method that corresponds to the identification code associated with the user to a transaction server for processing the NFC transaction using the payment method that corresponds to the identification code associated with the user; wherein the payment method is maintained at the remote management server.

15. The mobile device of claim **14**, further wherein during the NFC transaction, a coupon is automatically applied during the NFC inductive interaction between the secure element and the NFC terminal.

16. The mobile device of claim **14**, wherein the digital artifact comprises an advertisement, receipt, ticket, coupon, media, metadata, and/or content.

17. The mobile device of claim **14**, further wherein data stored on the mobile device is encrypted using a mobile operating system native to the mobile device.

18. The mobile device of claim **14**, wherein the payment method is a credit card, debit card, or prepaid card.

19. The mobile device of claim **14**, wherein no sensitive information is stored on the mobile device.

20. The mobile device of claim **19**, wherein the sensitive information comprises at least one of information related to the payment method or information related to the expiration date associated with the payment method.

21. The mobile device of claim **14**, further wherein the non-browser based application is operative when the mobile device is not connected to a wireless network.

22. The mobile device of claim **14**, further wherein the non-browser based application sends a request to the remote management server for retransmission of the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

23. The mobile device of claim **14**, further wherein the non-browser based application can display the digital artifact when the mobile device is not connected to a wireless network.

24. The mobile device of claim **14**, further wherein upon the condition that the mobile device loses connection with a wireless network the non-browser based application monitors for access to the wireless network and automatically re-connects to the wireless network when the wireless network is available.

25. The mobile device of claim **14**, further wherein, the digital artifact is based on the remote management server correlating the identification code associated with the user, information related to the payment method, information related to the user, information related to the NFC transaction, and information related to a transaction history of the user.

26. The mobile device of claim **14**, further wherein after the NFC transaction has been processed, the transaction server sends a transaction verification to the remote management, server, wherein the transaction verification confirms the NFC transaction has processed.

27. The method of claim **1**, further wherein the digital artifact is received from the remote management server over the first communication channel.

28. The method of claim **1**, further wherein the digital artifact is received from the secure element, wherein the secure element receives the digital artifact from the NFC terminal over the second communication channel during the NFC inductive interaction between the secure element and the NFC terminal.

29. The mobile device of claim **14**, further wherein the digital artifact is received from the remote management server over the first communication channel.

30. The mobile device of claim **14**, further wherein the digital artifact is received from the secure element, wherein the secure element receives the digital artifact from the NFC terminal over the second communication channel during the NFC inductive interaction between the secure element and the NFC terminal.

* * * * *