



US010699259B2

(12) **United States Patent
Fisher**

(10) **Patent No.: US 10,699,259 B2**

(45) **Date of Patent: Jun. 30, 2020**

(54) **REMOTE TRANSACTION PROCESSING
USING A MOBILE DEVICE**

(71) Applicant: **Michelle Fisher**, Marina Del Rey, CA (US)

(72) Inventor: **Michelle Fisher**, Marina Del Rey, CA (US)

(73) Assignee: **Michelle Fisher**, Berkeley, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 531 days.

(21) Appl. No.: **15/076,578**

(22) Filed: **Mar. 21, 2016**

(65) **Prior Publication Data**

US 2016/0253644 A1 Sep. 1, 2016

Related U.S. Application Data

(63) Continuation of application No. 14/083,044, filed on Nov. 18, 2013, now abandoned, which is a (Continued)

(51) **Int. Cl.**
G06Q 20/20 (2012.01)
H04W 4/21 (2018.01)
(Continued)

(52) **U.S. Cl.**
CPC **G06Q 20/20** (2013.01); **G06Q 20/00** (2013.01); **G06Q 20/108** (2013.01); **G06Q 20/16** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC G06Q 20/10; G06Q 20/20; G06Q 20/40; G06Q 20/102-105; G06Q 20/206;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,715,314 A 2/1998 Payne

5,745,681 A 4/1998 Levine

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2006095212 A1 9/2006

OTHER PUBLICATIONS

U.S. Appl. No. 11/933,337, Office Action dated May 27, 2010, 9 p.

(Continued)


Primary Examiner — Olusegun Goyea

(57) **ABSTRACT**

A method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

35 Claims, 4 Drawing Sheets

100



Related U.S. Application Data

continuation of application No. 13/735,337, filed on Jan. 7, 2013, now Pat. No. 8,620,754, which is a continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.

455/405, 406, 407, 411; 380/201; 713/153

See application file for complete search history.

(51) **Int. Cl.**

G06Q 20/32 (2012.01)
G06Q 30/02 (2012.01)
G06Q 30/06 (2012.01)
G06Q 20/38 (2012.01)
G06Q 20/40 (2012.01)
G06Q 20/36 (2012.01)
G06Q 20/16 (2012.01)
G06Q 20/00 (2012.01)
G06Q 20/10 (2012.01)
H04W 8/20 (2009.01)
H04M 1/725 (2006.01)
H04W 4/18 (2009.01)
H04B 5/00 (2006.01)
G06Q 40/00 (2012.01)
H04W 4/80 (2018.01)
H04W 4/029 (2018.01)
H04N 21/81 (2011.01)
G07F 7/10 (2006.01)
H04W 8/8/02 (2009.01)
H04W 4/02 (2018.01)

(52) **U.S. Cl.**

CPC *G06Q 20/202* (2013.01); *G06Q 20/204* (2013.01); *G06Q 20/206* (2013.01); *G06Q 20/32* (2013.01); *G06Q 20/322* (2013.01); *G06Q 20/325* (2013.01); *G06Q 20/3223* (2013.01); *G06Q 20/3226* (2013.01); *G06Q 20/3227* (2013.01); *G06Q 20/3255* (2013.01); *G06Q 20/3278* (2013.01); *G06Q 20/3674* (2013.01); *G06Q 20/382* (2013.01); *G06Q 20/3821* (2013.01); *G06Q 20/40* (2013.01); *G06Q 20/409* (2013.01); *G06Q 20/4012* (2013.01); *G06Q 20/4014* (2013.01); *G06Q 30/02* (2013.01); *G06Q 30/0222* (2013.01); *G06Q 30/0238* (2013.01); *G06Q 30/0251* (2013.01); *G06Q 30/0253* (2013.01); *G06Q 30/0255* (2013.01); *G06Q 30/0267* (2013.01); *G06Q 30/0268* (2013.01); *G06Q 30/06* (2013.01); *G06Q 30/0613* (2013.01); *G06Q 30/0635* (2013.01); *G06Q 40/10* (2013.01); *G06Q 40/12* (2013.12); *H04B 5/0025* (2013.01); *H04M 1/72561* (2013.01); *H04W 4/18* (2013.01); *H04W 4/21* (2018.02); *H04W 8/205* (2013.01); *G06Q 20/10* (2013.01); *G06Q 20/105* (2013.01); *G06Q 40/00* (2013.01); *G07F 7/1008* (2013.01); *H04N 21/812* (2013.01); *H04W 4/02* (2013.01); *H04W 4/029* (2018.02); *H04W 4/80* (2018.02); *H04W 8/8/02* (2013.01)

(58) **Field of Classification Search**

CPC .. *G06Q 40/10*; *G06Q 30/00-02*; *G06Q 10/00*; *G06Q 20/00-04*; *G06Q 20/32*; *G06Q 20/3276*; *G06Q 40/00*; *G06Q 30/0609*; *G06Q 20/045*; *G06Q 30/06*; *G06F 15/16*; *G06F 21/00*; *G06F 17/30*; *H04N 5/232*; *H04N 7/17309*
 USPC 705/7, 14.1, 16, 18, 26.7, 30, 35, 40, 44, 705/14.67, 14.72, 24, 26.1, 28, 26.62, 39, 705/67, 70, 62; 235/462, 375-385;

(56)

References Cited

U.S. PATENT DOCUMENTS

5,794,207 A 8/1998 Walker
 5,852,775 A * 12/1998 Hidary H04L 12/1859
 455/412.1
 5,884,271 A 3/1999 Pitroda
 5,887,266 A * 3/1999 Heinonen G06Q 20/04
 455/406
 5,895,454 A 4/1999 Harrington
 5,915,243 A * 6/1999 Smolen G06Q 30/02
 379/92.01
 5,960,411 A 9/1999 Hartman
 6,036,086 A * 3/2000 Sizer, II G06Q 20/32
 235/375
 6,038,367 A 3/2000 Abecassis
 6,075,971 A * 6/2000 Williams H04N 21/25891
 348/E7.063
 6,101,483 A * 8/2000 Petrovich G06Q 20/202
 705/21
 6,115,601 A * 9/2000 Ferreira H04M 15/47
 455/406
 6,123,259 A * 9/2000 Ogasawara G06K 17/0022
 235/380
 6,128,655 A 10/2000 Fields
 6,141,666 A 10/2000 Tobin
 6,199,082 B1 3/2001 Ferrel
 6,250,557 B1 * 6/2001 Forslund G06Q 20/327
 235/492
 6,305,603 B1 10/2001 Grunbok
 6,334,109 B1 * 12/2001 Kanevsky G06Q 30/02
 705/14.67
 6,415,156 B1 7/2002 Stadelmann
 6,450,407 B1 * 9/2002 Freeman G06K 19/0723
 235/376
 6,487,540 B1 * 11/2002 Smith G06Q 20/02
 705/21
 6,535,132 B2 * 3/2003 Waters G09F 3/00
 235/383
 6,587,835 B1 * 7/2003 Treyz G06Q 20/12
 705/14.64
 6,587,841 B1 7/2003 DeFrancesco
 6,605,120 B1 8/2003 Fields
 6,647,257 B2 * 11/2003 Owensby H04M 3/42348
 455/414.1
 6,771,981 B1 8/2004 Zalewski
 6,772,396 B1 8/2004 Cronin
 6,775,539 B2 * 8/2004 Deshpande G06Q 30/02
 455/414.4
 6,886,017 B1 4/2005 Jackson
 6,950,939 B2 9/2005 Tobin
 6,975,856 B2 * 12/2005 Ogasawara G06Q 20/108
 455/411
 6,993,572 B2 1/2006 Ross
 7,031,945 B1 4/2006 Donner
 7,069,248 B2 6/2006 Huber
 7,072,861 B1 * 7/2006 Yamanaka G06Q 20/04
 705/17
 7,092,905 B2 * 8/2006 Behrenbrinker G06Q 20/04
 705/35
 7,096,003 B2 8/2006 Joao
 7,110,744 B2 9/2006 Freeny
 7,110,792 B2 * 9/2006 Rosenberg G06Q 20/085
 235/380
 7,127,236 B2 10/2006 Khan
 7,181,427 B1 2/2007 DeFrancesco
 7,200,578 B2 * 4/2007 Paltenghe G06F 21/6209
 705/1.1
 7,222,078 B2 5/2007 Abelow
 7,289,810 B2 10/2007 Jagadeesan
 7,308,254 B1 12/2007 Rissanen

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0051142 A1* 2/2008 Calvet H04W 88/02
455/558

2008/0052192 A1* 2/2008 Fisher G06Q 20/32
705/5

2008/0052233 A1* 2/2008 Fisher G06Q 20/102
705/40

2008/0059329 A1* 3/2008 Luchene G06Q 30/0609
705/26.35

2008/0126145 A1* 5/2008 Rackley, III G06Q 20/102
455/406

2008/0133336 A1* 6/2008 Altman H04L 51/32
455/456.1

2008/0139155 A1 6/2008 Boireau

2008/0140520 A1* 6/2008 Hyder G06Q 30/0207
705/14.1

2008/0148040 A1* 6/2008 Machani H04L 9/3226
713/150

2008/0167017 A1* 7/2008 Wentker H04L 12/66
455/414.1

2008/0167961 A1* 7/2008 Wentker G06Q 20/10
705/14.25

2008/0167988 A1* 7/2008 Sun G06Q 20/26
705/39

2008/0172274 A1* 7/2008 Hurowitz G06Q 30/0267
455/433

2008/0172285 A1* 7/2008 Hurowitz G06Q 30/0261
455/414.1

2008/0172291 A1* 7/2008 Hurowitz G06Q 30/02
705/14.1

2008/0172292 A1* 7/2008 Hurowitz H04N 21/25841
705/14.14

2008/0177668 A1 7/2008 Delean

2008/0207234 A1* 8/2008 Arthur G07F 17/16
455/466

2008/0208681 A1 8/2008 Hammad

2008/0208743 A1* 8/2008 Arthur G06Q 20/105
705/41

2008/0208744 A1* 8/2008 Arthur G06Q 20/3278
705/41

2008/0208762 A1* 8/2008 Arthur G06Q 20/20
705/79

2008/0221997 A1* 9/2008 Wolfe G06Q 30/0261
705/14.26

2008/0242274 A1* 10/2008 Swanburg G06Q 30/00
455/414.1

2008/0249938 A1* 10/2008 Drake-Stoker G06Q 20/32
705/44

2008/0255947 A1* 10/2008 Friedman G06Q 20/32
705/35

2008/0262928 A1* 10/2008 Michaelis G06Q 30/0225
705/14.26

2008/0274794 A1* 11/2008 Mathieson G06Q 30/02
463/25

2008/0275779 A1* 11/2008 Lakshminarayanan
G06Q 20/3227
705/39

2008/0305774 A1 12/2008 Ramakrishna

2008/0319915 A1* 12/2008 Russell G06Q 30/0633
705/76

2009/0018913 A1* 1/2009 Sarukkai G06Q 30/0267
705/14.56

2009/0061884 A1* 3/2009 Rajan G06Q 30/02
455/445

2009/0063312 A1* 3/2009 Hurst G06Q 20/206
705/30

2009/0076912 A1* 3/2009 Rajan G06Q 30/0273
705/14.64

2009/0088203 A1 4/2009 Havens

2009/0098825 A1 4/2009 Huomo

2009/0106112 A1* 4/2009 Dalmia G06Q 20/04
705/14.17

2009/0112747 A1* 4/2009 Mullen G06Q 20/04
705/35

2009/0124234 A1* 5/2009 Fisher H04W 4/80
455/406

2009/0132362 A1* 5/2009 Fisher G06Q 30/04
705/14.47

2009/0143104 A1* 6/2009 Loh G06Q 20/40145
455/558

2009/0144161 A1* 6/2009 Fisher G06Q 20/325
705/16

2009/0177587 A1* 7/2009 Siegal G06F 21/32
705/67

2009/0227281 A1* 9/2009 Hammad G06K 19/07309
455/550.1

2010/0057619 A1* 3/2010 Weller G06Q 20/382
705/67

2010/0063895 A1* 3/2010 Dominguez G06Q 20/425
705/26.1

2010/0145835 A1* 6/2010 Davis G06Q 20/40
705/30

2010/0312694 A1* 12/2010 Homeier-Beals G06Q 20/32
705/39

2011/0055038 A1* 3/2011 Mengerink G06Q 20/085
705/26.1

2011/0320316 A1* 12/2011 Randazza G06Q 20/023
705/26.43

2012/0030044 A1* 2/2012 Hurst G06Q 20/206
705/18

2012/0150744 A1* 6/2012 Carlson G06Q 20/12
705/44

2012/0215573 A1* 8/2012 Sussman H04L 67/1008
705/5

2012/0220314 A1* 8/2012 Altman G06Q 30/0207
455/456.3

2012/0265677 A1* 10/2012 Rackley, III G06Q 20/10
705/41

2013/0013501 A1* 1/2013 Rackley, III G06Q 20/32
705/41

2013/0054470 A1* 2/2013 Campos G06Q 20/40
705/67

2013/0212016 A1* 8/2013 Davis G06Q 20/3223
705/42

OTHER PUBLICATIONS

U.S. Appl. No. 11/933,351, Office Action dated Oct. 3, 2008, 5 p.

U.S. Appl. No. 11/933,367, Office Action dated May 27, 2010, 8 p.

U.S. Appl. No. 11/467,441, Office Action dated May 27, 2009, 17 p.

U.S. Appl. No. 12/592,581, Office Action dated Jun. 4, 2010, 20 p.

U.S. Appl. No. 11/933,351, Office Action dated Jul. 8, 2009, 7 p.

U.S. Appl. No. 11/939,821, Office Action dated Aug. 17, 2010, 11 p.

U.S. Appl. No. 11/933,351, Office Action dated Aug. 18, 2010, 16 p.

U.S. Appl. No. 11/933,321, Office Action dated May 27, 2010, 11 p.

Deena, M. Amato, "Mobile Rewards." Chain Store Age 82.5 (2006): 160, 161, 163. Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

"ViVotech to Demonstrate Industry's First End-to-End Near Field Communication (NFC) Solution at the NRF Show." Business Wire: 1 Jan. 16, 2006. Business Dateline; Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

ECMA NFC-Interface and Protocol (NCFIP-1) standard, 2nd edition published in Dec. 2004.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

REMOTE TRANSACTION PROCESSING USING A MOBILE DEVICE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 14/083,344 filed Nov. 18, 2013, titled, "REMOTE TRANSACTION PROCESSING AT A SERVER BASED ON USER CONFIRMATION AND A DEFAULT PAYMENT METHOD" which is a continuation of U.S. patent application Ser. No. 13/735,337, filed Jan. 7, 2013, titled REMOTE TRANSACTION PROCESSING USING AUTHENTICATION INFORMATION now U.S. Pat. No. 8,620,754, issued on Dec. 31, 2013, which is a continuation of U.S. patent application Ser. No. 11/948,903, filed Nov. 30, 2007, titled METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE, now U.S. Pat. No. 8,352,323, issued on Jan. 8, 2013, both of which are incorporated by reference herein in their entirety.

FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled "Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device", and U.S. patent application Ser. No. 11/467,441, entitled "Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from

the point of sale device to a payment entity can include sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system **100**. The communication system **100** includes a hand-held, wireless mobile communication device **102**, a point-of-sale device **104** and a management server **106**. In one implementation, the mobile communication device **102** includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device **102** to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device **104**), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device **102** can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device **104** can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device **104** are sent from the point of sale device **104** to an issuer authorization (e.g., management server **106**) through the mobile communication device **102** (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment trans-

action. An issuer authorization can be, e.g., a person, computer system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user information (e.g., account numbers, pin numbers, and/or identity information) need only be sent from the mobile communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. 2 illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received through a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends) associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish applet (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the

payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NFC reader present on the PC **404**. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer

5

has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to provide a multi-factor authentication and confirms the transac-

tion, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**. Referring to FIG. 2, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an on online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a “buy now” icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. 4 illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication

6

device **402** or personal computer **404**), browses an online store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet **412**) residing on the mobile communication device **402**. The user then goes to, e.g., a checkout of the online store **406** make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an NFC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accept MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD POS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, com-

municate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500. I/O devices 508A-B may be coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

What is claimed is:

1. A method for processing a transaction, comprising:

maintaining a non-browser based application in a mobile device memory included in a mobile device, wherein the non-browser based application is a mobile operating system platform based mobile application with a graphical user interface which includes a graphical icon that is preinstalled or downloaded and installed on the mobile device, wherein the non-browser based application only generates a non-browser based application generated screen, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application, the mobile device comprising the mobile device memory, a mobile device display, a mobile device processor, and a mobile device wireless radio interface, a mobile device wireless fidelity (Wi-Fi) interface that supports voice and data interactions through a first wireless communication channel device using at least one of GSM and CDMA;

receiving, at the non-browser based application generated screen, a list of products from a remote management server for display using the non-browser based application;

receiving, at the non-browser based application generated screen, an identification of one or more products selected from the list of products from non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of the one or more products selected from the list of products through user input via the mobile device display;

sending, from the non-browser based application generated screen, the identification of one or more products to the remote management server;

receiving a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request from the user via the mobile device display;

sending, from the non-browser based application generated screen, the transaction purchase request to the remote management server;

receiving user input login information including an identification code associated with the user from the non-browser based application generated screen, wherein the non-browser based application receives the user input login information through user input via the mobile device display;

sending, from the non-browser based application generated screen, the user input login information to the remote management server; and

receiving information authenticating the user associated with the user input login information from the remote management server and further wherein the remote management server receives a transaction verification from a transaction server which processes the transaction using a payment method that corresponds to the identification code associated with the user, wherein the payment method is stored at the remote management server; wherein the transaction verification indicates that the transaction has processed, and

receiving, at the mobile device, the one or more products from the remote management server.

2. The method of claim 1, wherein the payment method is a credit card, debit card, or prepaid card.

3. The method of claim 1, wherein the user input login information includes biometric data.

4. The method of claim 1, wherein the user input login information includes biometric data.

5. The method of claim 1, further wherein after the transaction has processed, a digital artifact is sent to the non-browser based application for display on the non-browser based application.

6. The method of claim 5, wherein the digital artifact comprises a receipt, advertisement, coupon, content, media, or a ticket.

7. A mobile device for processing a transaction, comprising:

a mobile device memory included in the mobile device, the mobile device memory configured to store a non-browser based application, wherein the non-browser based application is a mobile operating system platform based mobile application with a graphical user interface which includes a graphical icon that is preinstalled or downloaded and installed on the mobile device wherein the non-browser based application only generates a

9

non-browser based application generated screen, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application;

a mobile device wireless interface consisting of at least one of a wireless fidelity (Wi-Fi) interface and a mobile device wireless radio interface that supports voice and data interactions through a first wireless communication channel device using at least one of GSM and CDMA configured to:

receive, at the non-browser based application generated screen, a list of products from a remote management server for display using the non-browser based application;

send, from the non-browser based application generated screen, the identification of one or more products to the remote management server;

send, from the non-browser based application generated screen, the transaction purchase request to the remote management server;

send, from the non-browser based application generated screen, the user input login information to the remote management server;

receive information authenticating the user associated with the user input login information from the remote management server and further wherein the remote management server receives a transaction verification from a transaction server which processes the transaction using a payment method that corresponds to the identification code associated with the user, wherein the payment method is stored at the remote management server, wherein the transaction verification indicates that the transaction has processed; and

receive, at the mobile device, the one or more products from the remote management server;

a mobile device input interface configured to:

receive, at the non-browser based application generated screen, an identification of one or more products selected from the list of products from non-browser based application generated screen, wherein the non-browser based application receives the receives the identification of the one or more products selected from the list of products through user input via the mobile device display;

receive a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request received from the user via the mobile device display and further wherein the transaction purchase request includes information relating to the identification of the one or more products; and

receive user input login information including an identification code associated with the user from the non-browser based application generated screen, wherein the non-browser based application receives the user input login information through user input via the mobile device display.

8. The mobile device of claim 7, wherein the payment method is a credit card, debit card, or prepaid card.

9. The mobile device of claim 7, wherein the user input login information includes biometric data.

10. The mobile device of claim 7, wherein the user input login information includes a personal identification number (PIN).

10

11. The mobile device of claim 7, further wherein after the transaction has processed, a digital artifact is sent to the non-browser based application for display on the non-browser based application.

12. The mobile device of claim 11, wherein the digital artifact comprises a receipt, advertisement, coupon, content, media, or a ticket.

13. A non-transitory computer readable medium for processing a transaction, comprising:

computer code for maintaining a non-browser based application in a mobile device memory included in a mobile device, wherein the non-browser based application is a mobile operating system platform based mobile application with a graphical user interface which includes a graphical icon that is preinstalled or downloaded and installed on the mobile device, wherein the non-browser based application only generates a non-browser based application generated screen, the non-browser based application generated screen corresponding to a specific screen or area of the non-browser based application, the mobile device comprising the mobile device memory, a mobile device display, a mobile device processor, and a mobile device wireless radio interface that supports voice and data interactions through a first wireless communication channel device using at least one of GSM and CDMA, a mobile device wireless fidelity (Wi-Fi) interface;

computer code for receiving, at the non-browser based application generated screen, a list of products from the remote management server for display using the non-browser based application generated screen;

computer code for receiving, at the non-browser based application generated screen, an identification of one or more products selected from the list of products from non-browser based application generated screen, wherein the non-browser based application generated screen receives the identification of the one or more products selected from the list of products through user input via the mobile device display;

computer code for sending, from the non-browser based application generated screen, the identification of one or more products to the remote management server;

computer code for receiving a transaction purchase request from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the transaction purchase request through user input via the mobile device display;

computer code for sending, from the non-browser based application generated screen, the transaction purchase request to the remote management server;

computer code for receiving user input login information including an identification code associated with the user from the non-browser based application generated screen, wherein the non-browser based application generated screen receives the user input login information through user input via the mobile device display;

computer code for receiving information authenticating the user associated with the user input login information from the remote management server and further wherein the remote management server receives a transaction verification from a transaction server which processes the transaction using a payment method that corresponds to the identification code associated with the user, wherein the payment method is stored at the remote management server;

11

wherein the transaction verification indicates that the transaction has processed; and
 computer code for receiving, at the mobile device, the one or more products from the remote management server.

14. The method of claim 1, further wherein a coupon is automatically redeemed during the transaction.

15. The method of claim 1, wherein the non-browser based application enables the user to access the digital artifact when there is no network connection.

16. The mobile device of claim 7, further wherein a coupon is automatically redeemed during the transaction.

17. The mobile device of claim 11, wherein the non-browser based application enables the user to access the digital artifact when there is no network connection.

18. The method of claim 1, further wherein the non-browser based application generated screen is operative even if the mobile device is not connected a network.

19. The method of claim 1, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

20. The method of claim 1, further wherein the non-browser based application generates an alert if it has not received the one or more products from the remote management server within a certain period of time.

21. The method of claim 20, further wherein the non-browser based application requests retransmission of the one or more products from the remote management server.

22. The method of claim 5, wherein the remote management server sends the digital artifact to the non-browser based application generated screen based on the geographical location of the mobile device.

23. The method of claim 1, further wherein the non-browser based application generated screen receives input to zoom into an image associated with a product to be purchased which results in an updated image of the product to be purchased being displayed, wherein the non-browser based application receives the input to zoom into the image associated with the product to be purchased via the mobile device display of the mobile device.

24. The method of claim 1, further wherein the remote management server is configured to store a single identification code associated with the user for a variety of the user's mobile devices which means the remote management server scales.

12

25. The method of claim 1, further wherein no sensitive data is stored on the mobile device.

26. The method of claim 25, wherein the sensitive data comprises at least one of information related to the payment method, information related to the user input login information, and information related to an expiration dates associated with the payment method.

27. The mobile device of claim 7, further wherein the non-browser based application generated screen is operative even if the mobile device is not connected a network.

28. The mobile device of claim 7, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

29. The mobile device of claim 7, further wherein the non-browser based application generates if it has not received the one or more products from the remote management server within a certain period of time.

30. The mobile device of claim 29, further wherein the non-browser based application requests retransmission of the one or more products from the remote management server.

31. The mobile device of claim 11, wherein the remote management server sends the digital artifact to the non-browser based application generated screen based on the geographical location of the mobile device.

32. The mobile device of claim 7, further wherein the non-browser based application generated screen receives input to zoom into an image associated with the product to be purchased which results in an updated image of a product to be purchased being displayed, wherein the non-browser based application receives the input to zoom into the image associated with the product to be purchased via the mobile device display of the mobile device.

33. The mobile device of claim 7, further wherein the remote management server is configured to store a single identification code associated with the user for a variety of the user's mobile devices which means the remote management server scales.

34. The mobile device of claim 7, further wherein no sensitive data is stored on the mobile device.

35. The mobile device of claim 34, wherein the sensitive data comprises at least one of information related to the payment method, information related to the user input login.

* * * * *