



US011367061B2

(12) **United States Patent**  
**Fisher**

(10) **Patent No.:** **US 11,367,061 B2**

(45) **Date of Patent:** **\*Jun. 21, 2022**

(54) **REMOTE DELIVERY OF DIGITAL ARTIFACTS WITHOUT A PAYMENT TRANSACTION**

20/105; G06Q 30/0207; G06Q 30/02; G06Q 30/00-06; G06Q 20/04; G06Q 20/3274; G06Q 20/045; G06Q 20/3674; G06Q 20/12; G06Q 30/0251; H04L 67/2814; H04L 15/04; H04L 29/12594; H04L 12/56;

(71) Applicant: **Michelle Fisher**, Oakland, CA (US)

(72) Inventor: **Michelle Fisher**, Oakland, CA (US)

(Continued)

(73) Assignee: **Michelle Fisher**, Bekeley (CA)

(56) **References Cited**

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

U.S. PATENT DOCUMENTS

This patent is subject to a terminal disclaimer.

5,852,775 A \* 12/1998 Hidary ..... H04L 12/1859 455/412.1  
5,887,266 A \* 3/1999 Heinonen ..... G06Q 20/04 455/406

(Continued)

(21) Appl. No.: **14/143,085**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Dec. 30, 2013**

WO WO 2006095212 A1 \* 9/2006 ..... H04M 11/00  
WO WO 2006095212 A1 9/2006  
WO WO2006/114601 11/2006

(65) **Prior Publication Data**

US 2014/0297518 A1 Oct. 2, 2014

OTHER PUBLICATIONS

**Related U.S. Application Data**

(63) Continuation of application No. 13/735,337, filed on Jan. 7, 2013, now Pat. No. 8,620,754, and a (Continued)

U.S. Appl. No. 11/467,441, Office Action dated May 27, 2009, 17 P.

(Continued)

(51) **Int. Cl.**

**G06Q 20/32** (2012.01)  
**G06Q 20/20** (2012.01)

(Continued)

*Primary Examiner* — Olusegun Goyea

(57) **ABSTRACT**

(52) **U.S. Cl.**

CPC ..... **G06Q 20/20** (2013.01); **G06Q 20/00** (2013.01); **G06Q 20/108** (2013.01); **G06Q 20/16** (2013.01);


(Continued)

A method and system for receiving digital artifacts from a management server. The method includes sending a request for a digital artifact from a mobile application to the management server for display within a specific mobile application generated screen, receiving the digital artifact from the management server, and displaying the digital artifact with the specific mobile application generated screen.

(58) **Field of Classification Search**

CPC ..... G06Q 20/00-40; G06Q 20/102; G06Q

**55 Claims, 4 Drawing Sheets**



Related U.S. Application Data	(56)	References Cited
continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.		
(51) <b>Int. Cl.</b> <i>H04W 4/21</i> (2018.01) <i>G06Q 30/02</i> (2012.01) <i>G06Q 30/06</i> (2012.01) <i>H04M 1/72445</i> (2021.01) <i>G06Q 20/38</i> (2012.01) <i>G06Q 20/40</i> (2012.01) <i>G06Q 20/36</i> (2012.01) <i>G06Q 20/16</i> (2012.01) <i>G06Q 20/00</i> (2012.01) <i>G06Q 20/10</i> (2012.01) <i>H04W 8/20</i> (2009.01) <i>H04W 4/18</i> (2009.01) <i>H04B 5/00</i> (2006.01) <i>G06Q 40/00</i> (2012.01) <i>H04W 4/80</i> (2018.01) <i>H04W 4/029</i> (2018.01) <i>H04N 21/81</i> (2011.01) <i>G07F 7/10</i> (2006.01) <i>H04W 88/02</i> (2009.01) <i>H04W 4/02</i> (2018.01)	5,915,243 A * 6/1999 Smolen ..... G06Q 30/02 379/92.01 5,930,764 A * 7/1999 Melchione ..... G06Q 30/02 705/7.29 6,018,654 A * 1/2000 Valentine ..... H04W 8/245 455/414.4 6,036,086 A * 3/2000 Sizer, II ..... G06Q 20/32 235/375 6,038,367 A 3/2000 Abecassis 6,075,971 A * 6/2000 Williams ..... H04N 7/165 725/23 6,101,483 A * 8/2000 Petrovich ..... G06Q 20/343 705/26.8 6,115,601 A * 9/2000 Ferreira ..... H04M 17/20 455/406 6,123,259 A * 9/2000 Ogasawara ..... G06Q 30/0267 705/14.1 6,128,655 A 10/2000 Fields 6,141,666 A 10/2000 Tobin 6,199,082 B1 3/2001 Ferrel 6,243,447 B1 * 6/2001 Swartz ..... G06K 7/0008 379/110.01 6,250,557 B1 * 6/2001 Forslund ..... G06Q 20/363 235/375 6,305,603 B1 * 10/2001 Grunbok, Jr. .... G06Q 20/02 235/379 6,334,109 B1 * 12/2001 Kanevsky ..... G06Q 30/02 705/14.67 6,394,341 B1 * 5/2002 Makipaa ..... G06Q 20/04 235/379 6,415,156 B1 7/2002 Stadelmann 6,450,407 B1 * 9/2002 Freeman ..... G06K 19/0723 235/487 6,487,540 B1 * 11/2002 Smith ..... G06Q 20/02 705/21 6,535,132 B2 * 3/2003 Waters ..... G09F 3/00 235/383 6,587,835 B1 * 7/2003 Treyz ..... H04M 15/8033 705/14.64 6,605,120 B1 8/2003 Fields 6,647,257 B2 * 11/2003 Owensby ..... H04M 3/42348 455/414.1 6,771,981 B1 8/2004 Zalewski 6,772,396 B1 8/2004 Cronin 6,775,539 B2 * 8/2004 Deshpande ..... G06Q 30/02 455/414.4 6,886,017 B1 4/2005 Jackson 6,950,939 B2 9/2005 Tobin 6,975,856 B2 * 12/2005 Ogasawara ..... G06Q 20/108 455/411 7,031,945 B1 4/2006 Donner 7,069,248 B2 6/2006 Huber 7,092,905 B2 * 8/2006 Behrenbrinker ..... G06Q 20/04 705/35 7,096,003 B2 8/2006 Joao 7,110,744 B2 9/2006 Freeny 7,110,792 B2 * 9/2006 Rosenberg ..... G07F 7/0886 455/406 7,127,236 B2 10/2006 Khan 7,200,578 B2 * 4/2007 Paltenghe ..... G06Q 20/3574 705/26.1 7,289,810 B2 10/2007 Jagadeesan 7,308,254 B1 12/2007 Rissanen 7,357,312 B2 4/2008 Gangi 7,379,920 B2 5/2008 Leung 7,383,226 B2 * 6/2008 Kight ..... G06Q 20/108 705/40 7,472,829 B2 1/2009 Brown 7,482,925 B2 1/2009 Hammad 7,487,912 B2 * 2/2009 Seifert ..... G06Q 20/0453 235/380 7,512,567 B2 * 3/2009 Bommel ..... G06Q 40/12 705/64	U.S. PATENT DOCUMENTS  G06Q 30/02 G06Q 30/02 H04W 8/245 G06Q 20/32 H04N 7/165 G06Q 20/343 H04M 17/20 G06Q 30/0267 G06K 7/0008 G06Q 20/363 G06Q 20/02 G06Q 30/02 G06Q 20/04 G06K 19/0723 G06Q 20/02 G09F 3/00 H04M 15/8033 H04M 3/42348 G06Q 30/02 G06Q 20/108 G06Q 20/04 G07F 7/0886 G06Q 20/3574 G06Q 20/108 G06Q 20/0453 G06Q 40/12
(52) <b>U.S. Cl.</b> CPC ..... <i>G06Q 20/202</i> (2013.01); <i>G06Q 20/204</i> (2013.01); <i>G06Q 20/322</i> (2013.01); <i>G06Q 20/325</i> (2013.01); <i>G06Q 20/326</i> (2020.05); <i>G06Q 20/3223</i> (2013.01); <i>G06Q 20/3226</i> (2013.01); <i>G06Q 20/3227</i> (2013.01); <i>G06Q 20/3255</i> (2013.01); <i>G06Q 20/3278</i> (2013.01); <i>G06Q 20/3674</i> (2013.01); <i>G06Q 20/382</i> (2013.01); <i>G06Q 20/3821</i> (2013.01); <i>G06Q 20/40</i> (2013.01); <i>G06Q 20/409</i> (2013.01); <i>G06Q 20/4012</i> (2013.01); <i>G06Q 20/4014</i> (2013.01); <i>G06Q 30/02</i> (2013.01); <i>G06Q 30/0222</i> (2013.01); <i>G06Q 30/0238</i> (2013.01); <i>G06Q 30/0251</i> (2013.01); <i>G06Q 30/0253</i> (2013.01); <i>G06Q 30/0255</i> (2013.01); <i>G06Q 30/0267</i> (2013.01); <i>G06Q 30/0268</i> (2013.01); <i>G06Q 30/06</i> (2013.01); <i>G06Q 30/0613</i> (2013.01); <i>G06Q 30/0635</i> (2013.01); <i>G06Q 40/10</i> (2013.01); <i>G06Q 40/12</i> (2013.12); <i>H04B 5/0025</i> (2013.01); <i>H04M 1/72445</i> (2021.01); <i>H04W 4/18</i> (2013.01); <i>H04W 4/21</i> (2018.02); <i>H04W 8/205</i> (2013.01); <i>G06Q 20/10</i> (2013.01); <i>G06Q 20/105</i> (2013.01); <i>G06Q 40/00</i> (2013.01); <i>G07F 7/1008</i> (2013.01); <i>H04N 21/812</i> (2013.01); <i>H04W 4/02</i> (2013.01); <i>H04W 4/029</i> (2018.02); <i>H04W 4/80</i> (2018.02); <i>H04W 88/02</i> (2013.01)	(58) <b>Field of Classification Search</b> CPC ..... H04L 12/18; H04L 29/06; H04L 67/306; G06K 7/10; G06K 7/10554; G06F 9/00; G06F 3/0482; H04Q 7/24; H04Q 7/20 USPC ..... 705/7, 16, 18, 30–34, 40–44, 70, 14.66, 705/26, 56, 64, 14.64, 14.58, 26.8, 27, 705/1.1; 455/406, 407, 414.1; 715/700, 715/810; 235/375–385, 451, 462.01, 235/462.46; 709/204–206; 725/23, 34; 370/338, 312, 390, 468, 444	
See application file for complete search history.		





(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0218092	A1 *	9/2006	Tedesco .....	G06Q 20/14 705/40	2008/0017704	A1 *	1/2008	VanDeburg .....	G06Q 20/3415 235/380
2006/0219780	A1 *	10/2006	Swartz .....	G07F 7/1008 235/383	2008/0027795	A1 *	1/2008	Medlin .....	G06Q 20/387 705/14.23
2006/0240808	A1 *	10/2006	Crolley .....	G06Q 30/0265 455/414.1	2008/0294556	A1	1/2008	Anderson	
2006/0242267	A1	10/2006	Grossman		2008/0040265	A1 *	2/2008	Rackley, III .....	G06Q 20/102 705/40
2006/0253801	A1 *	11/2006	Okaro .....	H04M 1/72403 715/810	2008/0045172	A1 *	2/2008	Narayanaswami ...	G06Q 30/02 455/187.1
2006/0261149	A1 *	11/2006	Raghavendra Tulluri .....	G07F 19/20 235/379	2008/0046366	A1 *	2/2008	Bemmel .....	G06Q 20/20 705/44
2006/0287920	A1 *	12/2006	Perkins .....	G06Q 30/02 707/999.107	2008/0048022	A1 *	2/2008	Vawter .....	G06Q 20/388 235/380
2006/0294025	A1 *	12/2006	Mengerink .....	G06Q 30/0601 705/77	2008/0051059	A1 *	2/2008	Fisher .....	G06Q 20/327 455/410
2007/0004391	A1	1/2007	Maffeis		2008/0051142	A1 *	2/2008	Calvet .....	H04W 88/02 455/558
2007/0011099	A1 *	1/2007	Sheehan .....	G06Q 20/367 705/65	2008/0052192	A1 *	2/2008	Fisher .....	G06Q 30/0641 705/5
2007/0021969	A1 *	1/2007	Homeier-Beals .....	G06Q 20/32 705/16	2008/0052233	A1 *	2/2008	Fisher .....	G06Q 20/325 705/40
2007/0022058	A1 *	1/2007	Labrou .....	G06Q 20/3272 705/67	2008/0059329	A1 *	3/2008	Luchene .....	G06Q 30/0603 705/26.81
2007/0067329	A1	3/2007	Kamva		2008/0097915	A1 *	4/2008	Golan .....	G06Q 30/02 705/14.69
2007/0095892	A1	5/2007	Lyons		2008/0126145	A1 *	5/2008	Rackley, III .....	G06Q 20/3223 455/406
2007/0015060	A1	6/2007	Angelica		2008/0133336	A1 *	6/2008	Altman .....	G06T 11/206 705/14.1
2007/0125838	A1 *	6/2007	Law .....	G06Q 20/357 705/65	2008/0139155	A1	6/2008	Boireau	
2007/0125840	A1 *	6/2007	Law .....	G06Q 40/02 705/65	2008/0140520	A1 *	6/2008	Hyder .....	G06Q 30/0207 705/14.1
2007/0138299	A1 *	6/2007	Mitra .....	G06Q 20/341 235/492	2008/0148040	A1 *	6/2008	Machani .....	G06F 21/6245 713/193
2007/0131759	A1	7/2007	Cox		2008/0167017	A1 *	7/2008	Wentker .....	G06Q 20/10 455/406
2007/0156436	A1 *	7/2007	Fisher .....	G06Q 20/204 705/40	2008/0167961	A1 *	7/2008	Wentker .....	G06Q 20/322 705/14.25
2007/0175978	A1 *	8/2007	Stambaugh .....	G06Q 40/12 235/379	2008/0167988	A1 *	7/2008	Sun .....	G06Q 20/085 455/406
2007/0179883	A1 *	8/2007	Questembert .....	G06Q 20/10 705/39	2008/0172274	A1 *	7/2008	Hurowitz .....	H04L 67/26 455/433
2007/0204004	A1 *	8/2007	Coyer .....	H04L 65/4076 709/217	2008/0172285	A1 *	7/2008	Hurowitz .....	G06Q 30/02 725/23
2007/0210155	A1 *	9/2007	Swartz .....	G06Q 20/20 235/383	2008/0172291	A1 *	7/2008	Hurowitz .....	G06Q 30/02 705/14.1
2007/0235519	A1	10/2007	Jang		2008/0172292	A1 *	7/2008	Hurowitz .....	G06Q 30/02 725/23
2007/0235539	A1 *	10/2007	Sevanto .....	G07F 7/1008 235/451	2008/0177668	A1	7/2008	Delean	
2007/0255662	A1	11/2007	Tumminaro		2008/0207234	A1 *	8/2008	Arthur .....	G06Q 20/322 455/466
2007/0270166	A1 *	11/2007	Hampel .....	H04L 51/20 455/456.3	2008/0208681	A1	8/2008	Hammad	
2007/0293155	A1 *	12/2007	Liao .....	G06Q 20/326 455/41.2	2008/0208743	A1 *	8/2008	Arthur .....	G06Q 40/00 705/41
2008/0004952	A1 *	1/2008	Koli .....	G06Q 30/0267 705/14.55	2008/0208744	A1 *	8/2008	Arthur .....	G06Q 10/00 705/41
2008/0006685	A1 *	1/2008	Rackley, III .....	G06Q 40/00 235/379	2008/0208762	A1 *	8/2008	Arthur .....	G06Q 20/027 705/79
2008/0010190	A1 *	1/2008	Rackley, III .....	G06Q 20/32 705/39	2008/0221997	A1 *	9/2008	Wolfe .....	G06Q 30/02 705/14.39
2008/0010191	A1 *	1/2008	Rackley, III .....	G06Q 20/223 705/39	2008/0242274	A1 *	10/2008	Swanburg .....	H04L 67/306 455/414.1
2008/0010192	A1 *	1/2008	Rackley, III .....	G06Q 20/10 705/39	2008/0249938	A1 *	10/2008	Drake-Stoker .....	G06Q 20/40 726/2
2008/0010193	A1 *	1/2008	Rackley, III .....	G06Q 20/326 705/39	2008/0255947	A1 *	10/2008	Friedman .....	G06Q 20/3221 455/414.2
2008/0010196	A1 *	1/2008	Rackley, III .....	G06Q 40/00 705/40	2008/0262928	A1 *	10/2008	Michaelis .....	G06Q 30/02 705/14.39
2008/0010204	A1 *	1/2008	Rackley, III .....	G06Q 20/14 705/45	2008/0274794	A1 *	11/2008	Mathieson .....	G06Q 30/02 463/25
2008/0010215	A1 *	1/2008	Rackley, III .....	G06Q 20/108 705/70	2008/0275779	A1 *	11/2008	Lakshminarayanan .....	G06Q 20/3823 705/39
2008/0011825	A1 *	1/2008	Giordano .....	G06Q 20/04 235/383	2008/0281694	A1	11/2008	Kretz	
					2008/0305774	A1	12/2008	Ramakrishna	
					2009/0000618	A1	1/2009	Hameen-Antila	

(56)

References Cited

U.S. PATENT DOCUMENTS


2009/0018913	A1 *	1/2009	Sarukkai .....	H04M 3/53383 705/14.56
2009/0061884	A1 *	3/2009	Rajan .....	G06Q 30/0225 455/445
2009/0063312	A1 *	3/2009	Hurst .....	G06Q 20/206 705/41
2009/0076906	A1 *	3/2009	Kansal .....	G06Q 30/0261 705/14.64
2009/0076912	A1 *	3/2009	Rajan .....	G06Q 30/0267 705/14.64
2009/0098825	A1	4/2009	Huomo	
2009/0106112	A1 *	4/2009	Dalmia .....	G06Q 40/12 709/204
2009/0112747	A1 *	4/2009	Mullen .....	G06Q 40/02 705/35
2009/0124234	A1 *	5/2009	Fisher .....	G06Q 20/108 455/406
2009/0132362	A1 *	5/2009	Fisher .....	G06Q 30/06 705/16
2009/0143104	A1 *	6/2009	Loh .....	G06Q 20/3278 340/10.1
2009/0144161	A1 *	6/2009	Fisher .....	G06Q 30/0268 705/16
2009/0177587	A1 *	7/2009	Siegal .....	G06Q 20/10 705/67
2009/0194591	A1 *	8/2009	Gobburu .....	H04H 60/48 235/462.01
2009/0227281	A1 *	9/2009	Hammad .....	G06K 19/07309 340/10.1
2010/0057619	A1 *	3/2010	Weller .....	G06Q 20/04 455/414.1
2010/0063895	A1 *	3/2010	Dominguez .....	G06Q 20/40 705/26.1
2010/0105375	A1	4/2010	Schroter	
2010/0145835	A1 *	6/2010	Davis .....	G06Q 40/12 705/30
2010/0312694	A1 *	12/2010	Homeier-Beals .....	G06Q 20/20 705/39
2011/0055038	A1 *	3/2011	Mengerink .....	G06Q 20/085 705/26.1
2011/0320316	A1 *	12/2011	Randazza .....	G06Q 30/0617 705/26.43
2012/0030044	A1 *	2/2012	Hurst .....	G06Q 20/32 705/16
2012/0150744	A1 *	6/2012	Carlson .....	G06Q 20/322 705/44
2012/0215573	A1 *	8/2012	Sussman .....	G06Q 30/0603 705/5
2012/0220314	A1 *	8/2012	Altman .....	G06Q 30/0269 455/456.3
2012/0265677	A1 *	10/2012	Rackley, III .....	G06Q 30/06 705/41
2013/0013501	A1 *	1/2013	Rackley, III .....	G06Q 20/10 705/41
2013/0054470	A1 *	2/2013	Campos .....	G06Q 20/40 705/67
2013/0212016	A1 *	8/2013	Davis .....	G06Q 20/3223 705/42

OTHER PUBLICATIONS


U.S. Appl. No. 11/933,321, Office Action dated May 27, 2010, 11 p.  
 U.S. Appl. No. 15/134,101, Office Action dated 11-02017.  
 "ViVOTech to Demonstrate Industry's First End-to-End Near Field Communication (NFC) Solution at the NRF Show." Business Wire: 1 Jan. 16, 2006. Business Dateline; Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.

"Real Time" [https://en.wikipedia.org/wiki/Real-time\\_computing](https://en.wikipedia.org/wiki/Real-time_computing). U.S. Appl. No. 11/933,351, Office Action dated Oct. 3, 2008, 5 p.  
 U.S. Appl. No. 11/933,367, Office Action dated May 27, 2010, 8 p.  
 U.S. Appl. No. 12/592,581, Office Action dated Jun. 4, 2010, 20 p.  
 U.S. Appl. No. 11/933,351, Office Action dated Jul. 8, 2009, 7 p.  
 U.S. Appl. No. 11/939,821, Office Action dated Aug. 17, 2010, 11 p.  
 U.S. Appl. No. 11/933,351, Office Action dated Aug. 18, 2010, 16 p.  
 Deena, M. Amato, "Mobile Rewards." Chain Store Age 82.5 (2006): 160, 161, 163. Hoover's Company Profiles; ProQuest Central. Web. Oct. 5, 2012.  
 "GPS" [https://en.wikipedia.org/wiki/Assisted\\_GPS](https://en.wikipedia.org/wiki/Assisted_GPS).  
 "Satellite navigation device" [https://en.m.wikipedia.org/wiki/Satellite\\_navigation\\_device](https://en.m.wikipedia.org/wiki/Satellite_navigation_device).  
 "Mobile Television" [https://en.wikipedia.org/wiki/Mobile\\_television](https://en.wikipedia.org/wiki/Mobile_television).  
 "Multicast" <https://en.wikipedia.org/wiki/Multicast>.  
 U.S. Appl. No. 11/933,337, Office Action dated May 27, 2010, 9 p. 1739369(MasterCard PayPass.pdf.  
 IPR2021-01499 Board Decision dated Mar. 14, 2022, 25 p.  
 IPR2021-01500 Board Decision dated Mar. 14, 2022, 25 p.  
 IPR2021-01501 Board Decision dated Mar. 14, 2022, 25 p.  
 "Text Messaging" [https://en.m.wikipedia.org/wiki/Text\\_messaging](https://en.m.wikipedia.org/wiki/Text_messaging).  
 "Text Based User Interface" [https://en.wikipedia.org/wiki/User\\_interface](https://en.wikipedia.org/wiki/User_interface).  
 "Web Browser" [https://techterms.com/definition/web\\_browser](https://techterms.com/definition/web_browser).  
 "WAP" [https://en.wikipedia.org/wiki/Wireless\\_Application\\_Protocol](https://en.wikipedia.org/wiki/Wireless_Application_Protocol).  
 "Multimedia messaging" [https://en.wikipedia.org/wiki/Multimedia\\_Messaging\\_Service#Technical\\_description](https://en.wikipedia.org/wiki/Multimedia_Messaging_Service#Technical_description).  
 Web based user interface [https://en.wikipedia.org/wiki/User\\_interface](https://en.wikipedia.org/wiki/User_interface).  
 Ajax <https://techterms.com/definition/ajax>.  
 Java script <https://techterms.com/definition/javascript>.  
 "Browser games" [www.60freegames.com/Free-to-Play/Browser-Games](http://www.60freegames.com/Free-to-Play/Browser-Games).  
 "Online shopping" [https://en.wikipedia.org/wiki/Online\\_shopping](https://en.wikipedia.org/wiki/Online_shopping).  
 "Social networking services" [https://en.wikipedia.org/wiki/Social\\_networking\\_service](https://en.wikipedia.org/wiki/Social_networking_service).  
 "Web mapping" [https://en.wikipedia.org/wiki/Web\\_mapping](https://en.wikipedia.org/wiki/Web_mapping).  
 "Mobile browser" [https://en.wikipedia.org/wiki/Mobile\\_browser](https://en.wikipedia.org/wiki/Mobile_browser).  
 "Voice browser" [https://en.wikipedia.org/wiki/Voice\\_browser](https://en.wikipedia.org/wiki/Voice_browser).  
 "Email" <https://techterms.com/definition/email>.  
 "Web mail" <https://en.wikipedia.org/wiki/Webmail> ).  
 "WAP Browser" [https://en.m.wikipedia.org/wiki/Wireless\\_Application\\_Protocol](https://en.m.wikipedia.org/wiki/Wireless_Application_Protocol).  
 "Binary application" [https://en.m.wikipedia.org/wiki/Application\\_binary\\_interface](https://en.m.wikipedia.org/wiki/Application_binary_interface).  
 "GPS" [https://en.wikipedia.org/wiki/Global\\_Positioning\\_System](https://en.wikipedia.org/wiki/Global_Positioning_System).  
 "GPS API" [https://en.m.wikipedia.org/wiki/W3C\\_Geolocation\\_API](https://en.m.wikipedia.org/wiki/W3C_Geolocation_API).  
 "Web API" [https://en.wikipedia.org/wiki/Web\\_API](https://en.wikipedia.org/wiki/Web_API).  
 "Application Programming Interface" Dictionary of Computer Terms,1994.  
 "Application Programming Interface" <https://en.wikipedia.org/wiki/API>.  
 "Assisted GPS" [https://en.m.wikipedia.org/wiki/Assisted\\_GNSS](https://en.m.wikipedia.org/wiki/Assisted_GNSS).  
 "Satellite navigation device" [https://en.m.wikipedia.org/wiki/Satellite\\_navigation\\_device](https://en.m.wikipedia.org/wiki/Satellite_navigation_device).  
 "Geolocation API" [https://en.wikipedia.org/wiki/W3C\\_Geolocation\\_API](https://en.wikipedia.org/wiki/W3C_Geolocation_API).  
 "Mobile Phone Tracking" [https://en.m.wikipedia.org/wiki/Mobile\\_phone\\_tracking](https://en.m.wikipedia.org/wiki/Mobile_phone_tracking).  
 IPR2021-01499.  
 IPR2021-01500.  
 IPR2021-01501.


\* cited by examiner



**FIG. 1**



**FIG. 2**



**FIG. 3**







FIG. 4



**FIG. 5**

1

## REMOTE DELIVERY OF DIGITAL ARTIFACTS WITHOUT A PAYMENT TRANSACTION

### CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of application Ser. No. 13/735,337, filed Jan. 7, 2013, titled "REMOTE TRANSACTION PROCESSING USING AUTHENTICATION INFORMATION" which is a continuation and claims priority to application Ser. No. 11/948,903, filed Nov. 30, 2007, titled "METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE", both of which is incorporated by reference herein in its entirety.

### FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

### BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled "Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device", and U.S. patent application Ser. No. 11/467,441, entitled "Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

### BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from the point of sale device to a payment entity can include sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device

2

of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

### DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system **100**. The communication system **100** includes a hand-held, wireless mobile communication device **102** a point-of-sale device **104** and a management server **106**. In one implementation, the mobile communication device **102** includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device **102** to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device **104**), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device **102** can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device **104** can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device **104** are sent from the point of sale device **104** to an issuer authorization (e.g., management server **106**) through the mobile communication device **102** (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment transaction. An issuer authorization can be, e.g., a person, computer system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user information (e.g. account numbers, pin numbers, and/or

identity information) need only be sent from the mobile communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. 2 illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received through a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends) associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish applet (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NFC reader present on the PC **404**. The consumer's payment credentials are transferred

from the phone to the merchant website (e.g., online store application **410**) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved, from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to

provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

Referring to FIG. 2, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of fluids—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a "buy now" icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. 4 illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication device **402** or personal computer **404**), browses an online store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet **412**) residing on the mobile communication device **402**. The

user then goes to, e.g., a checkout of the online store **406** make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an NFC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accept MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD POS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples

of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500. I/O devices 508A-B may be coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

What is claimed is:

1. A method, comprising:

maintaining a non-browser based application in a mobile device, wherein the non-browser based application is a mobile operating system platform based application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device, wherein the graphical user interface includes a graphical icon, the mobile device comprising a mobile device display, a mobile device memory, a mobile device processor, a mobile device wireless radio transceiver that supports voice and data interactions through a first wireless communication channel, and a mobile device wireless fidelity (Wi-Fi) transceiver;

receiving, at the non-browser based application, a digital artifact from a remote management server after the digital artifact is selected by the remote management server without a payment transaction in response to user input at the non-browser based application, wherein the non-browser based application receives the user input via the mobile device display; and displaying the digital artifact within the non-browser based application.

2. The method of claim 1, further wherein the non-browser based application triggers a call to action using metadata associated with the digital artifact.

3. The method of claim 1, further wherein the remote management server selects the digital artifact based on one or more targeting parameters, wherein the one or more targeting parameters are maintained at the remote management server.

4. A mobile device, comprising:

a mobile device memory that maintains a non-browser based application, wherein the non-browser based application is a mobile operating system platform based application with a graphical user interface that is pre-installed or downloaded and installed on the mobile device, wherein the graphical user interface includes a graphical icon;

a mobile device wireless radio transceiver that supports voice and data interactions through a first wireless communication channel;

a mobile device wireless fidelity (Wi-Fi) transceiver

a mobile device input interface configured to receive at the non-browser based application, a digital artifact from a remote management server after the digital artifact is selected by the remote management server without a payment transaction in response to user input at the non-browser based application, wherein the non-browser based application receives the user input via a mobile device display; and

a mobile device output interface configured to display the digital artifact within the non-browser based application.

5. The mobile device of claim 4, further wherein the non-browser based application triggers a call to action using metadata associated with the digital artifact.

6. A non-transitory computer readable medium, comprising:

computer code for maintaining a non-browser based application in a mobile device, wherein the non-browser based application is a mobile operating system platform based application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device, wherein the graphical user interface includes a graphical icon, the mobile device comprising a mobile device display, a mobile device memory, a mobile device processor, and a mobile device wireless radio-transceiver that supports voice and data interactions through a first wireless communication channel, and a mobile device wireless fidelity (Wi-Fi) transceiver;

computer code for receiving, at the non-browser based application, a digital artifact from a remote management server after the digital artifact is selected by the remote management server without a payment in response to user input at the non-browser based application, wherein the non-browser based application receives the user input via the mobile device display, and

computer code for displaying the digital artifact within the non-browser based application.

7. The method of claim 2, wherein the call to action comprises redeeming a coupon, entering an email address, accepting a coupon, accepting a reward, receiving alerts, or receiving notification information.

8. The mobile device of claim 5, wherein the call to action comprises redeeming a coupon, entering an email address, accepting a coupon, accepting a reward, receiving alerts, or receiving notification information.

9. The method of claim 1, further wherein a different digital artifact is associated with a different non-browser based application generated screen.

10. The mobile device of claim 4, further wherein, a different digital artifact is associated with a different non-browser based application generated screen.

11. The method of claim 1, wherein data stored on the mobile device is encrypted using software tools native to the mobile device.

12. The mobile device of claim 4, wherein data stored on the mobile device is encrypted using software tools native to the mobile device.

13. The method of claim 1, wherein the digital artifact is an advertisement, receipt, ticket, coupon, media, or content.

14. The mobile device of claim 4, wherein the digital artifact is an advertisement, receipt, ticket, coupon, media, or content.

15. The mobile device of claim 4, further wherein the remote management server selects the digital artifact based on one or more targeting parameters, wherein the one or more targeting parameters are maintained at the remote management server.

16. The method of claim 1, further wherein upon the condition that the mobile device loses connection with a wireless network, the non-browser based application monitors for access to the wireless network and automatically re-connects to the network when the wireless network is available.

17. The mobile device of claim 4, further wherein upon the condition that the mobile device loses connection with a wireless network, the non-browser based application monitors for access to the wireless network and automatically re-connects to the wireless network when the wireless network is available.

18. The method of claim 1, further wherein the non-browser based application sends a request to the remote management server to retransmit the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

19. The method of claim 1, wherein the remote management server sends the digital artifact to the non-browser based application based on the geographical location of the mobile device.

20. The method of claim 1, wherein the non-browser based application receives the digital artifact through a connection of the mobile device to a wireless network;

the non-browser based application displays the digital artifact while the mobile device maintains the connection to the wireless network; and

the method further comprises:

losing the connection of the mobile device to the wireless network while the non-browser based application displays the digital artifact; and

after losing the connection, continuing to display the digital artifact within the non-browser based application.

21. The method of claim 1, wherein the remote management server stores a single user ID for a plurality of the user's mobile devices.

22. The mobile device of claim 4, further wherein the non-browser based application sends a request to the remote management server to retransmit the digital artifact if it has not received the digital artifact from the remote management server within a certain period of time.

23. The mobile device of claim 4, wherein the remote management server sends the digital artifact to the non-browser based application based on the geographical location of the mobile device.

24. The mobile device of claim 4, wherein the non-browser based application receives the digital artifact through a connection of the mobile device to a wireless network;

the non-browser based application displays the digital artifact while the mobile device maintains the connection to the wireless network; and

the method further comprises:

losing the connection of the mobile device to the wireless network while the non-browser based application displays the digital artifact; and

after losing the connection, continuing to display the digital artifact within the non-browser based application.

25. The mobile device of claim 4, wherein the remote management server is configured to store a single user ID for a plurality of the user's mobile devices.

26. The method of claim 3, further wherein the one or more targeting parameters comprise personal information or purchase transaction related information.

27. The method of claim 26, further, wherein the purchase transaction related information comprises one or more of information related to historical payment transaction, information related to real-time payment transaction, information related to contactless transactions made using the mobile device, information related to internet commerce, information related to bill pay, information related to top spend categories, information related to merchants, information related to storage of banking information, information related to accessing account balance, information related to accessing payment history, information related to accessing funds transfer, information related to storing tickets, information related to storing receipts, information related to coupons, information related to transactions made by the user but not through the mobile device, or information related to raw data downloaded from banks.

28. The method of claim 3, further wherein the one or more targeting parameters are automatically updated in response to a user transaction on the mobile device.

29. The method of claim 20, further comprising, after losing the wireless connection, triggering a call to action within the non-browser based application using metadata associated with the digital artifact.

30. The method of claim 29, wherein the call to action comprises redeeming a coupon, entering an email address, accepting a coupon, accepting a reward, receiving alerts, or receiving notification information.

31. The method of claim 1, wherein prior to using the non-browser based application the user is authenticated by the remote management server based on user input login information, wherein the non-browser based application receives the user input login information through user input via the mobile device display of the mobile device.

32. The method of claim 31, wherein the user input login information includes information related to biometric data.

33. The method of claim 1, further wherein no sensitive data is stored on the mobile device.

34. The method of claim 33, wherein the sensitive data comprises at least one of information related to the payment method or information related to an expiration date associated with the payment method.

35. The method of claim 21, further wherein a configuration means the remote management server scales.

11

36. The method of claim 1, further wherein maintaining a payment method at the remote management server results in a more secure system.

37. The method of claim 1, further wherein the digital artifact is relevant to the user.

38. The method of claim 1, further wherein the digital artifact is stored in the mobile device memory to improve the mobile device performance.

39. The method of claim 1, further wherein at least some of the non-browser based application is stored in the mobile device memory during execution of the non-browser based application to provide temporary storage of at least some non-browser based application.

40. The mobile device of claim 15, further wherein the one or more targeting parameters comprise personal information and purchase transaction related information.

41. The mobile device of claim 40, further, wherein the purchase transaction related information comprises one or more of information related to historical payment transaction, information related to real-time payment transaction, information related to contactless transactions made using the mobile device, information related to internet commerce, information related to bill pay, information related to top spend categories, information related to merchants, information related to storage of banking information, information related to accessing account balance, information related to accessing payment history, information related to accessing funds transfer, information related to storing tickets, information related to storing receipts, information related to coupons, information related to transactions made by the user but not through the mobile device, or information related to raw data downloaded from banks.

42. The mobile device of claim 15, further wherein the one or more targeting parameters are automatically updated in response to a user transaction on the mobile device.

43. The mobile device of claim 24, further comprising, after losing the wireless connection, triggering a call to action within the non-browser based application using metadata associated with the digital artifact.

44. The mobile device of claim 43, wherein the call to action comprises redeeming a coupon, entering an email

12

address, accepting a coupon, accepting a reward, receiving alerts, or receiving notification information.

45. The mobile device of claim 4, wherein prior to using the non-browser based application the user is authenticated by the remote management server based on user input login information, wherein the non-browser based application receives the user input login information through user input via the mobile device display of the mobile device.

46. The mobile device of claim 45, wherein the user input login information includes information related to biometric data.

47. The mobile device of claim 4, further wherein no sensitive data is stored on the mobile device.

48. The mobile device of claim 47, wherein the sensitive data comprises at least one of information related to the payment method or information related to an expiration date associated with the payment method.

49. The mobile device of claim 25, further wherein a configuration means the remote management server scales.

50. The mobile device of claim 4, further wherein maintaining a payment method at the remote management server results in a more secure system.

51. The mobile device of claim 4, further wherein the digital artifact is relevant to the user.

52. The mobile device of claim 4, further wherein the digital artifact is stored in the mobile device memory to improve the mobile device performance.

53. The mobile device of claim 4, further wherein at least some of the non-browser based application is stored in the mobile device memory during execution of the non-browser based application to provide temporary storage of at least some non-browser based application.

54. The method of claim 26, wherein personal information comprises one or more of user location, gender, age, interests, affiliation, userID, pageid, zip code, area code, or occupation.

55. The mobile device of claim 40, wherein personal information comprises one or more of user location, gender, age, interests, affiliation, userID, pageid, zip code, area code, or occupation.

\* \* \* \* \*