



US011763282B2

(12) **United States Patent
Fisher**

(10) **Patent No.:** US 11,763,282 B2
(45) **Date of Patent:** *Sep. 19, 2023

- (54) **BLAZE NON-BROWSER BASED ADVERTISEMENTS**
- (71) Applicant: **Michelle Fisher**, Berkeley, CA (US)
- (72) Inventor: **Michelle Fisher**, Berkeley, CA (US)
- (73) Assignee: **Michelle Fisher**, Berkeley, CA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

20/105; G06Q 30/0207; G06Q 30/02; G06Q 20/3274; G06Q 20/045; G06Q 20/3674; G06Q 30/00-06; G06Q 20/12; G04L 12/56; G04L 12/18; G04L 29/06; G04L 67/306; G04L 15/04; G04L 29/12954; G04L 67/2814
 USPC 705/7, 16, 18, 30-34, 40-44, 70, 14.66, 705/26, 56, 64, 14.64, 14.58, 26.8, 27; 455/406, 407, 414.1; 235/375-385, 451, 235/462.01, 462.46
 See application file for complete search history.

- (21) Appl. No.: **17/844,575**
- (22) Filed: **Jun. 20, 2022**
- (65) **Prior Publication Data**
US 2022/0327508 A1 Oct. 13, 2022

Related U.S. Application Data

- (63) Continuation of application No. 14/143,085, filed on Dec. 30, 2013, now Pat. No. 11,367,061, which is a continuation of application No. 13/735,337, filed on Jan. 7, 2013, now Pat. No. 8,620,754, and a continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.

- (51) **Int. Cl.**
G06Q 20/20 (2012.01)
H04W 4/21 (2018.01)
(Continued)

- (52) **U.S. Cl.**
CPC *G06Q 20/20* (2013.01); *G06Q 10/10* (2013.01); *G06Q 20/00* (2013.01); *G06Q 20/108* (2013.01); *G06Q 20/16* (2013.01); *G06Q 20/202* (2013.01); *G06Q 20/204* (2013.01); *G06Q 20/206* (2013.01); *G06Q 20/32* (2013.01);
(Continued)

- (58) **Field of Classification Search**
CPC G06Q 20/00-40; G06Q 20/102; G06Q

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,930,764 A * 7/1999 Melchione G06Q 30/02 705/7.29
 6,018,654 A * 1/2000 Valentine H04W 8/245 455/414.4

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO2006/114601 11/2006

OTHER PUBLICATIONS


U.S. Appl. No. 90/019,114, filed Apr. 20, 2016, Fisher.
(Continued)

Primary Examiner — Olusegun Goyea

(57) **ABSTRACT**

A method and system for receiving digital artifacts from a management server. The method includes sending a request for a digital artifact from a mobile application to the management server for display within a specific mobile application generated screen, receiving the digital artifact from the management server, and displaying the digital artifact with the specific mobile application generated screen.

36 Claims, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,467,766 B2 *	6/2013	Rackley, III	G06Q 20/3221	2003/0087601 A1 *	5/2003	Agam	H04W 12/06 455/39
8,489,067 B2 *	7/2013	Rackley, III	G06Q 20/3223 455/406	2003/0093311 A1 *	5/2003	Knowlson	H04M 15/58 705/14.66
8,510,220 B2 *	8/2013	Rackley, III	G06Q 20/102 705/40	2003/0093695 A1	5/2003	Dutta	
8,693,995 B2	4/2014	Fisher		2003/0105641 A1	6/2003	Lewis	
9,183,571 B2 *	11/2015	Kansal	H04L 67/10	2003/0132298 A1 *	7/2003	Swartz	G06Q 20/3276 235/472.02
9,852,449 B2 *	12/2017	Kansal	H04L 67/10	2003/0140004 A1	7/2003	O'Leary	
9,996,849 B2	6/2018	Fisher		2003/0142039 A1 *	7/2003	Minear	H04L 67/06 345/2.3
10,339,556 B2	7/2019	Fisher		2003/0163359 A1 *	8/2003	Kanesaka	G06Q 30/0204 705/7.33
10,621,612 B2	4/2020	Fisher		2003/0172028 A1	9/2003	Abell	
10,825,007 B2	11/2020	Fisher		2003/0208754 A1 *	11/2003	Sridhar	H04N 21/2668 348/E7.071
2001/0011250 A1 *	8/2001	Paltenghe	G07F 7/08 705/41	2003/0220839 A1 *	11/2003	Nguyen	G06Q 30/0238 705/26.1
2001/0044751 A1 *	11/2001	Pugliese, III	G06Q 30/02 705/14.1	2004/0006497 A1	1/2004	Nestor	
2001/0049636 A1 *	12/2001	Hudda	G06Q 30/0601 705/26.1	2004/0015547 A1 *	1/2004	Griffin	H04L 67/306 709/204
2002/0004855 A1 *	1/2002	Cox	G06Q 30/02 719/328	2004/0015548 A1 *	1/2004	Lee	H04L 51/58 709/204
2002/0019228 A1 *	2/2002	McKenna	H04L 12/189 455/433	2004/0030601 A1	2/2004	Pond	
2002/0026423 A1 *	2/2002	Maritzen	G06Q 20/023 705/56	2004/0030658 A1 *	2/2004	Cruz	G06Q 20/367 705/65
2002/0056091 A1 *	5/2002	Bala	G06Q 30/0269 725/23	2004/0034544 A1	2/2004	Fields	
2002/0059100 A1	5/2002	Shore		2004/0064407 A1 *	4/2004	Kight	G06Q 20/102 705/40
2002/0060246 A1 *	5/2002	Gobburu	G06Q 30/02 235/462.46	2004/0064408 A1 *	4/2004	Kight	G06Q 30/04 705/40
2002/0063895 A1	5/2002	Agata		2004/0064409 A1 *	4/2004	Kight	G06Q 40/02 705/40
2002/0065774 A1 *	5/2002	Young	G06Q 20/322 705/41	2004/0064410 A1 *	4/2004	Kight	G06Q 20/04 705/40
2002/0077918 A1	6/2002	Lerner		2004/0073497 A1 *	4/2004	Hayes	G06Q 30/0601 705/26.1
2002/0082879 A1	6/2002	Miller		2004/0078266 A1	4/2004	Kim	
2002/0091568 A1 *	7/2002	Kraft	G06Q 30/0261 705/14.58	2004/0078329 A1 *	4/2004	Kight	G06Q 40/03 705/40
2002/0099798 A1 *	7/2002	Fedorovsky	G06F 16/9535 709/219	2004/0083167 A1 *	4/2004	Kight	G06Q 20/108 705/40
2002/0101993 A1 *	8/2002	Eskin	H04L 67/04 380/270	2004/0093271 A1 *	5/2004	Walker	G06Q 30/02 705/26.1
2002/0106081 A1	8/2002	Yang		2004/0093620 A1 *	5/2004	Iino	H04H 20/28 725/32
2002/0107756 A1	8/2002	Hammons		2004/0111320 A1 *	6/2004	Schlieffers	A47F 9/047 705/16
2002/0116269 A1 *	8/2002	Ishida	G06Q 30/0267 719/318	2004/0127256 A1 *	7/2004	Goldthwaite	G06K 7/0073 455/466
2002/0160761 A1 *	10/2002	Wolfe	H04M 3/493 455/566	2004/0143545 A1 *	7/2004	Kulakowski	G06Q 20/305 705/39
2002/0161666 A1 *	10/2002	Fraki	G06Q 30/0633 705/26.8	2004/0172295 A1 *	9/2004	Dahlin	G16H 10/60 705/2
2002/0164998 A1 *	11/2002	Younis	G01S 19/06 455/456.1	2004/0181448 A1	9/2004	Hartsman	
2002/0169664 A1 *	11/2002	Walker	G06Q 30/0207 705/26.1	2004/0203616 A1 *	10/2004	Minear	H04L 67/04 455/566
2002/0169984 A1	11/2002	Kumar		2004/0203848 A1 *	10/2004	Kumar	H04W 4/02 455/433
2002/0175955 A1 *	11/2002	Gourdol	G06F 3/0482 715/821	2004/0223513 A1 *	11/2004	Meago	H04L 47/10 370/444
2002/0184096 A1	12/2002	Kawahara		2004/0226045 A1 *	11/2004	Nadarajah	H04N 21/6175 725/63
2003/0028426 A1 *	2/2003	Banerjee	G06Q 30/02 705/14.37	2004/0235450 A1 *	11/2004	Rosenberg	H04M 1/0254 455/406
2003/0033272 A1 *	2/2003	Himmel	G06Q 20/047	2004/0235493 A1 *	11/2004	Ekerborn	H04W 4/02 455/466
2003/0050058 A1 *	3/2003	Walsh	G11B 27/34 348/E7.071	2004/0243519 A1	12/2004	Perttila	
2003/0061113 A1 *	3/2003	Petrovich	G06Q 10/087 705/26.43	2004/0254836 A1 *	12/2004	Emoke Barabas	G06Q 30/0267 705/14.35
2003/0065805 A1	4/2003	Barnes		2004/0267611 A1	12/2004	Hoerenz	
2003/0066883 A1 *	4/2003	Yu	G06Q 20/04 235/382	2004/0267618 A1	12/2004	Judicibus	
2003/0074259 A1 *	4/2003	Slyman, Jr.	G06Q 30/0221 705/17	2004/0267665 A1	12/2004	Nam	
2003/0085286 A1 *	5/2003	Kelley	G07F 7/1008 235/492	2005/0003810 A1	1/2005	Chu	
				2005/0005242 A1	1/2005	Hoyle	

(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0037735	A1 *	2/2005	Coutts	G06Q 20/341 455/418	2006/0180660	A1 *	8/2006	Gray	G06Q 20/322 455/414.1
2005/0040230	A1 *	2/2005	Swartz	G07G 1/0072 235/383	2006/0191995	A1 *	8/2006	Stewart	G06Q 20/02 235/382
2005/0043994	A1 *	2/2005	Walker	G06Q 30/0217 705/14.19	2006/0206709	A1 *	9/2006	Labrou	G06Q 20/18 713/167
2005/0076210	A1	4/2005	Thomas		2006/0212401	A1 *	9/2006	Ameerally	G06Q 30/02 705/51
2005/0114796	A1 *	5/2005	Bast	G06F 3/04817 715/856	2006/0218092	A1 *	9/2006	Tedesco	G06Q 20/14 705/40
2005/0124321	A1 *	6/2005	Kraft	G06Q 20/3415 455/414.1	2006/0219780	A1 *	10/2006	Swartz	G07F 7/02 235/383
2005/0131837	A1 *	6/2005	Sanctis	G06Q 20/12 705/64	2006/0224470	A1	10/2006	Garcia-Ruano	
2005/0149385	A1 *	7/2005	Trively	G06Q 30/0224 705/14.25	2006/0240808	A1 *	10/2006	Crolley	G06Q 30/0265 455/414.1
2005/0150945	A1 *	7/2005	Choi	G06Q 20/108 235/379	2006/0242267	A1	10/2006	Grossman	
2005/0165646	A1 *	7/2005	Tedesco	B42D 15/00 705/14.1	2006/0253801	A1 *	11/2006	Okaro	H04M 1/72403 715/810
2005/0187873	A1 *	8/2005	Labrou	G06Q 20/326 705/40	2006/0287920	A1 *	12/2006	Perkins	G06Q 30/02 707/999.107
2005/0190970	A1	9/2005	Griffin		2006/0294025	A1 *	12/2006	Mengerink	G06Q 30/0601 705/77
2005/0195816	A1 *	9/2005	Sumiyoshi	H04L 12/18 370/390	2007/0004391	A1	1/2007	Maffeis	
2005/0207365	A1 *	9/2005	Balachandran	H04W 28/06 370/312	2007/0011099	A1 *	1/2007	Sheehan	G06Q 20/322 705/65
2005/0210387	A1 *	9/2005	Alagappan	H04L 9/40 715/700	2007/0021969	A1 *	1/2007	Homeier-Beals	G06Q 20/326 705/16
2005/0215231	A1	9/2005	Bauchot		2007/0022058	A1 *	1/2007	Labrou	G06Q 20/322 705/67
2005/0216343	A1 *	9/2005	Tokorotani	G07F 17/40 705/14.26	2007/0067329	A1	3/2007	Kamva	
2005/0222961	A1 *	10/2005	Staib	H04M 1/0254 705/64	2007/0095892	A1	5/2007	Lyons	
2005/0240484	A1 *	10/2005	Yan	G07B 15/00 455/411	2007/0015060	A1	6/2007	Angelica	
2005/0283444	A1 *	12/2005	Ekberg	H04L 9/3242 705/67	2007/0125838	A1 *	6/2007	Law	G06Q 20/3223 705/65
2006/0014518	A1 *	1/2006	Huh	H04M 15/06 455/406	2007/0125840	A1 *	6/2007	Law	G06Q 20/326 705/65
2006/0031752	A1 *	2/2006	Surloff	G06F 3/0213 707/E17.112	2007/0131759	A1	6/2007	Cox	
2006/0036488	A1 *	2/2006	Golan	G06Q 30/02 705/14.67	2007/0138299	A1 *	6/2007	Mitra	G06Q 20/341 235/492
2006/0044153	A1 *	3/2006	Dawidowsky	G06K 19/0723 710/10	2007/0156436	A1 *	7/2007	Fisher	G06Q 20/425 705/40
2006/0050672	A1 *	3/2006	Shim	H04L 12/189 370/338	2007/0175978	A1 *	8/2007	Stambaugh	G06Q 40/12 235/379
2006/0052086	A1 *	3/2006	Funato	G08G 1/096827 455/411	2007/0179883	A1 *	8/2007	Questembert	G06Q 20/10 705/39
2006/0059227	A1 *	3/2006	Zimler	G06F 16/9577 707/E17.121	2007/0204004	A1 *	8/2007	Coyer	H04L 65/611 709/217
2006/0064346	A1 *	3/2006	Steenstra	G06Q 30/0269 705/14.66	2007/0210155	A1 *	9/2007	Swartz	G06Q 20/20 235/383
2006/0085260	A1 *	4/2006	Yamagishi	G06Q 30/02 705/14.35	2007/0235519	A1	10/2007	Jang	
2006/0089874	A1 *	4/2006	Newman	G06Q 10/10 705/14.32	2007/0235539	A1 *	10/2007	Sevanto	G07F 7/1008 235/451
2006/0091200	A1	5/2006	Lai		2007/0255662	A1	11/2007	Tumminaro	
2006/0114987	A1	6/2006	Roman		2007/0270166	A1 *	11/2007	Hampel	H04L 51/222 455/456.3
2006/0123359	A1 *	6/2006	Schatzberger	G06F 3/0481 715/810	2007/0293155	A1 *	12/2007	Liao	G06Q 20/3229 455/41.2
2006/0135156	A1 *	6/2006	Malu	H04W 8/18 455/432.3	2008/0004952	A1 *	1/2008	Koli	G06Q 30/0267 705/14.55
2006/0136292	A1 *	6/2006	Bhati	G06Q 30/0267 705/14.66	2008/0006685	A1 *	1/2008	Rackley, III	G06Q 40/00 235/379
2006/0143091	A1 *	6/2006	Yuan	G06Q 30/0601 705/26.1	2008/0010190	A1 *	1/2008	Rackley, III	G06Q 20/3223 705/39
2006/0149630	A1	7/2006	Elliott		2008/0010191	A1 *	1/2008	Rackley, III	G06Q 20/363 705/39
2006/0165060	A1 *	7/2006	Dua	G06Q 20/401 705/76	2008/0010192	A1 *	1/2008	Rackley, III	G06Q 20/10 705/39
2006/0170759	A1	8/2006	Roever		2008/0010193	A1 *	1/2008	Rackley, III	G06Q 20/325 705/39
2006/0178130	A1	8/2006	Makrygiannis		2008/0010196	A1 *	1/2008	Rackley, III	G06Q 40/00 705/40
					2008/0010204	A1 *	1/2008	Rackley, III	G06Q 20/14 705/45
					2008/0010215	A1 *	1/2008	Rackley, III	G06Q 20/326 705/70

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0011825 A1* 1/2008 Giordano G06Q 20/04
235/383

2008/0017704 A1* 1/2008 VanDeburg G07F 7/025
235/380

2008/0027795 A1* 1/2008 Medlin G06Q 20/387
705/14.23

2008/0294556 A1 1/2008 Anderson
2008/0040265 A1* 2/2008 Rackley, III G06Q 20/102
705/40

2008/0045172 A1* 2/2008 Narayanaswami G06Q 30/02
455/187.1

2008/0046366 A1 2/2008 Bemmel
2008/0048022 A1* 2/2008 Vawter G06Q 20/425
235/380

2008/0051059 A1* 2/2008 Fisher G06Q 20/327
455/410

2008/0051142 A1* 2/2008 Calvet H04W 88/02
455/558

2008/0052192 A1* 2/2008 Fisher G06Q 10/02
705/5

2008/0052233 A1* 2/2008 Fisher G06Q 20/327
705/40

2008/0059329 A1* 3/2008 Luchene G06Q 30/0603
705/26.81

2008/0097915 A1* 4/2008 Golan G06Q 30/02
705/14.69

2008/0126145 A1* 5/2008 Rackley, III G06Q 20/102
455/406

2008/0133336 A1* 6/2008 Altman H04W 4/21
705/14.1

2008/0139155 A1 6/2008 Boireau
2008/0140520 A1* 6/2008 Hyder G06Q 30/0207
705/14.1

2008/0148040 A1* 6/2008 Machani G06F 21/6245
713/193

2008/0167017 A1* 7/2008 Wentker G06Q 30/0224
455/406

2008/0167961 A1* 7/2008 Wentker G06Q 20/3278
705/14.25

2008/0167988 A1* 7/2008 Sun G06Q 20/3278
455/406

2008/0172274 A1* 7/2008 Hurowitz H04L 67/61
455/433

2008/0172285 A1* 7/2008 Hurowitz G06Q 30/02
725/23

2008/0172291 A1* 7/2008 Hurowitz G06Q 30/02
705/14.1

2008/0172292 A1* 7/2008 Hurowitz G06Q 30/02
725/23

2008/0177668 A1 7/2008 Delean
2008/0207234 A1* 8/2008 Arthur G07F 17/16
455/466

2008/0208681 A1 8/2008 Hammad
2008/0208743 A1* 8/2008 Arthur G06Q 40/00
705/41

2008/0208744 A1* 8/2008 Arthur G06Q 20/32
705/41

2008/0208762 A1* 8/2008 Arthur G06Q 20/20
705/79

2008/0221997 A1* 9/2008 Wolfe G06Q 30/02
705/14.39

2008/0242274 A1* 10/2008 Swanburg H04L 67/306
455/414.1

2008/0249938 A1* 10/2008 Drake-Stoker H04W 12/106
726/2

2008/0255947 A1* 10/2008 Friedman G06Q 20/327
455/414.2

2008/0262928 A1* 10/2008 Michaelis G06Q 30/02
705/14.39

2008/0274794 A1* 11/2008 Mathieson G06Q 30/02
463/25

2008/0275779 A1* 11/2008 Lakshminarayanan
G06Q 20/325
705/39

2008/0281694 A1 11/2008 Kretz
2008/0305774 A1 12/2008 Ramakrishna
2009/0000618 A1 1/2009 Hameen-Anttila
2009/0018913 A1* 1/2009 Sarukkai H04M 3/53383
705/14.56

2009/0061884 A1* 3/2009 Rajan G06Q 30/0225
455/445

2009/0063312 A1* 3/2009 Hurst G06Q 20/40
705/41

2009/0076906 A1* 3/2009 Kansal G06Q 30/0261
705/14.64

2009/0076912 A1* 3/2009 Rajan G06Q 30/0267
705/14.64

2009/0098825 A1 4/2009 Huomo
2009/0106112 A1* 4/2009 Dalmia G06Q 40/12
709/204

2009/0112747 A1* 4/2009 Mullen G06Q 40/02
705/35

2009/0124234 A1* 5/2009 Fisher H04B 5/0031
455/406

2009/0132362 A1* 5/2009 Fisher G06Q 30/06
705/16

2009/0143104 A1* 6/2009 Loh G06Q 20/352
340/10.1

2009/0144161 A1* 6/2009 Fisher G06Q 20/4012
705/16

2009/0177587 A1* 7/2009 Siegal G06Q 20/10
705/67

2009/0194591 A1* 8/2009 Gobburu H04H 60/48
235/462.01

2009/0227281 A1* 9/2009 Hammad G06K 19/07309
340/10.1

2010/0057619 A1* 3/2010 Weller G06Q 20/04
455/414.1

2010/0063895 A1* 3/2010 Dominguez G06Q 20/40
705/26.1

2010/0105375 A1 4/2010 Schroter
2010/0145835 A1* 6/2010 Davis G06Q 20/1085
705/30

2010/0312694 A1* 12/2010 Homeier-Beals G06Q 30/02
705/39

2011/0055038 A1* 3/2011 Mengerink G06Q 20/085
705/26.1

2011/0320316 A1* 12/2011 Randazza G06Q 30/0617
705/26.43

2012/0030044 A1* 2/2012 Hurst G06Q 20/326
705/16

2012/0150744 A1* 6/2012 Carlson G06Q 30/06
705/44

2012/0215573 A1* 8/2012 Sussman H04L 67/1014
705/5

2012/0220314 A1* 8/2012 Altman H04L 67/306
455/456.3

2012/0265677 A1* 10/2012 Rackley, III G06Q 20/325
705/41

2013/0013501 A1* 1/2013 Rackley, III G06Q 20/32
705/41

2013/0054470 A1* 2/2013 Campos G06Q 20/36
705/67

2013/0212016 A1* 8/2013 Davis G06Q 40/12
705/42

OTHER PUBLICATIONS

U.S. Appl. No. 90/019,115, filed May 15, 2018, Fisher.
U.S. Appl. No. 90/019,116, filed Jun. 28, 2019, Fisher.
Notice Of Allowance For U.S. Appl. No. 15/134,101 ('849 patent)
dated Apr. 10, 2018.
Notice Of Allowance For U.S. Appl. No. 15/980,735 ('556 patent)
dated May 14, 2019.
Notice Of Allowance For U.S. Appl. No. 15/980,735 ('612 patent)
dated Feb. 20, 2020.

(56)

References Cited

OTHER PUBLICATIONS

Notice Of Allowance For U.S. Appl. No. 14/143,085 ('061 patent) dated Apr. 8, 2022.

"Text Messaging" https://en.m.wikipedia.org/wiki/Text_messaging.
 "Text Based User Interface" https://en.wikipedia.org/wiki/User_interface.

"Web Browser" https://techterms.com/definition/web_browser.

"WAP" https://en.wikipedia.org/wiki/Wireless_Application_Protocol.

"Multimedia messaging" https://en.wikipedia.org/wiki/Multimedia_Messaging_Service#Technical_description.

Web based user interface https://en.wikipedia.org/wiki/User_interface.

Ajax <https://techterms.com/definition/ajax>.

Java script <https://techterms.com/definition/javascript>.

"Browser games" nes.com/Free-to-Play/Browser-Games.

"Online shopping" https://en.wikipedia.org/wiki/Online_shopping.

"Social networking services" https://en.wikipedia.org/wiki/Social_networking_service.

"Web mapping" https://en.wikipedia.org/wiki/Web_mapping.

"Mobile browser" https://en.wikipedia.org/wiki/Mobile_browser.

"Voice browser" https://en.wikipedia.org/wiki/Voice_browser.

"Email" <https://techterms.com/definition/email>.

"Web mail" <https://en.wikipedia.org/wiki/Webmail>).

"WAP Browser" https://en.m.wikipedia.org/wiki/Wireless_Application_Protocol.

"Binary application" https://en.m.wikipedia.org/wiki/Application_binary_interface.

"GPS" https://en.wikipedia.org/wiki/Global_Positioning_System.

"GPS API" https://en.m.wikipedia.org/wiki/W3C_Geolocation_API.

"Web API" https://en.wikipedia.org/wiki/Web_API.

"Browser extensions" https://en.wikipedia.org/wiki/Browser_extension.

"Application Programming Interface" <https://en.wikipedia.org/wiki/API>.

"Assisted GPS" https://en.m.wikipedia.org/wiki/Assisted_GNSS.

"Satellite navigation device" https://en.m.wikipedia.org/wiki/Satellite_navigation_device.

"Mobile Phone Tracking" https://en.m.wikipedia.org/wiki/Mobile_phone_tracking.

IPR2021-01499 Board Decision Denying Institution dated Mar. 14, 2022, 25 p.

IPR2021-01500 Board Decision Denying Institution Mar. 14, 2022, 25 p.

IPR2021-01501 Board Decision Denying Institution dated Mar. 14, 2022, 25 p.

Board Decision Denying Rehearing Request IPR2021-01499 dated May 13, 2022, 9 p.

Board Decision Denying Rehearing Request IPR2021-01500 dated May 13, 2022, 10 p.

Board Decision Denying Rehearing Request or Rehearing Request IPR2021-01501 dated.

Graphical User Interface https://en.wikipedia.org/wiki/Graphical_user_interface.

Secondary notation https://en.wikipedia.org/wiki/Secondary_notation.

Differences between Native Apps and Web Apps <https://www.geeksforgeeks.org/difference->

Adobe Photoshop CS System Requirements (Wayback Machine Archive, Archived).

Qualcomm Internet Services White Paper.

Silver, M.S., "Browser-based applications: popular but flawed?," ISeB 4, 361-.

"Yahoo Music JukeBox" https://en.m.wikipedia.org/wiki/Yahoo!_Music_Jukebox.

"Windows Media Player 9" <https://news.microsoft.com/2003/01/07/final-release-of-windows-media-9-series-starts-next-wave-of-digital-media>.

U.S. Appl. No. 90/019,114.

U.S. Appl. No. 90/019,115.

U.S. Appl. No. 90/019,116.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

BLAZE NON-BROWSER BASED ADVERTISEMENTS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation and claims priority to application Ser. No. 14/143,085, filed Dec. 30, 2013, titled "REMOTE DELIVERY OF DIGITAL ARTIFACTS" which is a continuation and claims priority to application Ser. No. 13/735,337, filed Jan. 7, 2013, titled "REMOTE TRANSACTION PROCESSING USING AUTHENTICATION INFORMATION" now U.S. Pat. No. 8,620,754 issued on Dec. 31, 2013 which is a continuation and claims priority to application Ser. No. 11/948,903, filed Nov. 30, 2007, titled "METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE" now U.S. Pat. No. 8,352,323 issued on Jan. 8, 2013 all of which is incorporated by reference herein in its entirety.

FIELD OF INVENTION

The present invention relates to data communications and wireless devices.

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled "Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device", and U.S. patent application Ser. No. 11/467,441, entitled Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device, of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from the point of sale device to a payment entity can include

sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation.

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system **100**. The communication system **100** includes a hand-held, wireless mobile communication device **102** a point-of-sale device **104** and a management server **106**. In one implementation, the mobile communication device **102** includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device **102** to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device **104**), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device **102** can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device **104** can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device **104** are sent from the point of sale device **104** to an issuer authorization (e.g., management server **106**) through the mobile communication device **102** (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment transaction. An issuer authorization can be, e.g., a person, com-

puter system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device **102** is that sensitive user information (e.g., account numbers, pin numbers, and/or identity implementation) need only be sent from the mobile communication device **102** directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment authorizations cannot be sent to an issuer authorization if the mobile communication device **102** is turned off.

FIG. 2 illustrates one implementation of the mobile communication device **102**. The mobile communication device **102** includes a mobile application **200** that (in one implementation) is provided to the mobile communication device **102** through a remote server (e.g., management server **106**). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile application is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application **200** is configured to send requests to the management server for artifacts based on user input, e.g., received through a keypad (not shown) of the mobile communication device **102**. Requests to the management server **106** can also be automated, via proximity-based services, e.g., consumer tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application **200** running on the mobile communication device **102** is configured to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server **106**. In one implementation, the management server **106** sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment trends) associated with a user of the mobile communication device **102** as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by reference.

In one implementation, the mobile communication device **102** is an NFC-enabled phone. The mobile communication device **102** can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation, a mobile candy dish applet (e.g., MCD POS plugin **414**) is installed on the consumer's computer (e.g., PC **404**) which interfaces with the NFC chip on the PC. When a consumer (or user) is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card debit card, prepaid card,

etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the WC reader present on the PC **404**. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using a communication protocol between the chip in the phone and the chip in the which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

In one implementation, the mobile communication device **102** is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC **404** via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application **410**) using the protocol between the phone and the PC **404** which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information. (e.g., pin) to provide multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server **408**.

In one implementation, the management server **408** and merchant portal (e.g., online store **408**) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin **414**) installed on its server) securely connects to the management server **408** (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server **408** identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server **408** for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server **408** and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer has coupons in their mobile wallet the consumer can either

elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server **408**.

Referring to FIG. 2, in one implementation, the mobile application **200** maintains a shopping list **202** for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944,267, which is incorporated by reference above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order the items on their shopping list via an online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method **300** for conducting a payment transaction using a point of sale device (e.g., point of sale device **104**). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds—e.g., the transaction can be a payment transaction, a fund transfer, or other type of transaction. In response to a request from the user to purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step **304**). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a “buy now” icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity through a mobile communication device of the user (step **306**). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step **308**). The payment transaction is completed based on the result of the payment authorization (step **310**). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction.

FIG. 4 illustrates an example payment transaction being made in a communication system **400** in accordance with one implementation. The communication system **400** includes a mobile communication device **402**, a personal computer (PC) **404**, an online store **406**, and a core (or datastore) **408**. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication device **402** or personal computer **404**), browses an online

store website (online store application **410**) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (PUS midlet **412**) residing on the mobile communication device **402**. The user then goes to, e.g., a checkout of the online store **406** make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device **402**. In one implementation, the mobile communication device **402** is an WC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device **402**, the online store application **410** sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin **414**). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accept MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application **416** back to the mobile communication device **402**. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet **412** is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device **402** (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet **412** then forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization **418**) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet **412** then forwards the results back to the MCD POS plugin **414** to complete the purchase. The MCD POS plugin **414** then forwards the purchase transaction information to the management server **408** for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server **408** and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or

in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500. I/O devices 508A-B may be coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown).

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrangement of components illustrated in the figures discussed above.

What is claimed is:

1. A method for delivering an advertisement, comprising: maintaining a non-browser based application in a mobile device, wherein the non-browser based application is a mobile operating system platform based application with a graphical user interface that is preinstalled or downloaded and installed on the mobile device, wherein the graphical user interface includes a graphical icon, the mobile device comprising a mobile device display, a mobile device memory, a mobile device processor, a mobile device wireless radio transceiver that supports voice and data interactions through a first wireless communication channel, and a mobile device wireless fidelity (Wi-Fi) transceiver; receiving, at the non-browser based application, an advertisement from a remote management server after the advertisement is selected by the remote management server based on one or more targeting parameters in response to user input at the non-browser based appli-

cation, wherein the non-browser based application receives the user input via the mobile device display; and

displaying the advertisement within the non-browser based application.

2. The method of claim 1, further wherein the advertisement is maintained at the remote management server.

3. The method of claim 1, further wherein the one or more targeting parameters is maintained at the remote management server.

4. The method of claim 1, wherein the one or more targeting parameters comprise personal information and/or purchase transaction related information.

5. The method of claim 4, wherein personal information comprises one or more of user location, gender, age, interests, affiliation, userID, pageid, zip code, area code, or occupation.

6. The method of claim 4, wherein purchase transaction related information comprises one or more of information related to historical payment transaction, information related to real-time payment transaction, information related to contactless transactions made using the mobile device, information related to internet commerce, information related to bill pay, information related to top spend categories, information related to merchants, information related to storage of banking information, information related to accessing account balance, information related to accessing payment history, information related to accessing funds transfer, information related to storing tickets, information related to storing receipts, information related to coupons, information related to transactions made by the user but not through the mobile device, and information related to raw data downloaded from banks.

7. The method of claim 1, wherein the non-browser based application receives the advertisement through a connection of the mobile device to a wireless network;

the non-browser based application displays the advertisement while the mobile device maintains the connection to the wireless network; and

further comprises:

losing the connection of the mobile device to the wireless network while the non-browser based application displays the advertisement; and

after losing the connection, continuing to display the advertisement within the non-browser based application.

8. The method of claim 1, further wherein the non-browser based application is not Short Messaging Service (SMS).

9. The method of claim 1, further wherein the remote management server is configured to store a user-ID and one or more payment methods for a plurality of a user's mobile devices and further wherein a configuration means the remote management server scales.

10. The method of claim 1, further wherein the mobile device permits a user of the mobile device to conduct payment transactions, wherein payment transactions comprise one or more of Near Field Communication (NFC) contactless payment, mobile/internet commerce to purchase one or more products, storage of digital artifacts, accessing banking service and further wherein the banking services include account balance, payment history, bill pay, and fund transfer.

11. The method of claim 10, further wherein a payment method related to the payment transactions is maintained at the remote management server resulting in a more secure system.

12. The method of claim 1, further wherein the advertisement is relevant to a user.

13. The method of claim 1, further wherein the advertisement is cached in the mobile device memory to improve the mobile device performance.

14. The method of claim 1, further wherein the non-browser based application is stored in a local mobile device memory during an execution of the non-browser based application, a bulk storage mobile device memory for when the non-browser based application is not being executed, and a cache mobile device memory to provide temporary storage of at least some of the non-browser based application in order to reduce the number of times the non-browser based application must be retrieved from the bulk storage mobile device memory during the execution.

15. The method of claim 1, further wherein the advertisement is stored in the mobile device memory to improve the mobile device performance, mobile device usability, user experience, and user convenience.

16. The method of claim 1, wherein upon the condition that the mobile device loses connection with a wireless network, the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

17. The method of claim 1 further wherein the non-browser based application sends a request to the remote management server for retransmission of the advertisement if it has not received the advertisement from the remote management server within a certain period of time.

18. A mobile device, comprising:

a mobile device memory that maintains a non-browser based application, wherein the non-browser based application is a mobile operating system platform based application with a graphical user interface that is pre-installed or downloaded and installed on the mobile device, wherein the graphical user interface includes a graphical icon;

a mobile device wireless radio transceiver that supports voice and data interactions through a first wireless communication channel;

a mobile device wireless fidelity (Wi-Fi) transceiver
a mobile device input interface configured to receive at the non-browser based application, an advertisement from a remote management server after the advertisement is selected by the remote management server based on one or more targeting parameters in response to user input at the non-browser based application, wherein the non-browser based application receives the user input via a mobile device display; and

a mobile device output interface configured to display the advertisement within the non-browser based application.

19. The mobile device of claim 18, further wherein the advertisement is maintained at the remote management server.

20. The mobile device of claim 18, further wherein the one or more targeting parameters is maintained at the remote management server.

21. The mobile device of claim 18, wherein the one or more targeting parameters comprise personal information and/or purchase transaction related information.

22. The mobile device of claim 21, wherein personal information comprises one or more of user location, gender, age, interests, affiliation, userID, pageid, zip code, area code, or occupation.

23. The mobile device of claim 21, wherein purchase transaction related information comprises one or more of information related to historical payment transaction, information related to real-time payment transaction, information related to contactless transactions made using the mobile device, information related to internet commerce, information related to bill pay, information related to top spend categories, information related to merchants, information related to storage of banking information, information related to accessing account balance, information related to accessing payment history, information related to accessing funds transfer, information related to storing tickets, information related to storing receipts, information related to coupons, information related to transactions made by the user but not through the mobile device, and information related to raw data downloaded from banks.

24. The mobile device of claim 18, wherein the non-browser based application receives the advertisement through a connection of the mobile device to a wireless network;

the non-browser based application displays the advertisement while the mobile device maintains the connection to the wireless network; and

further comprises:

losing the connection of the mobile device to the wireless network while the non-browser based application displays the advertisement; and

after losing the connection, continuing to display the advertisement within the non-browser based application.

25. The mobile device of claim 18, further wherein the non-browser based application is not Short Messaging Service (SMS).

26. The mobile device of claim 18, further wherein the remote management server is configured to store a user ID and one or more payment methods for a plurality of a user's mobile devices and further wherein a configuration means the remote management server scales.

27. The mobile device of claim 18, further wherein the mobile device permits a user of the mobile device to conduct payment transactions wherein payment transactions comprise one or more of Near Field Communication (NFC) contactless payment, mobile/internet commerce to purchase one or more products, storage of digital artifacts, accessing banking service and further wherein the banking services include account balance, payment history, bill pay, and fund transfer.

28. The mobile device of claim 27, further wherein a payment method related to the payment transactions is maintained at the remote management server resulting in a more secure system.

29. The mobile device of claim 18, further wherein the advertisement is relevant to a user.

30. The mobile device of claim 18, further wherein the advertisement is cached in the mobile device memory to improve the mobile device performance.

31. The mobile device of claim 18, further wherein the non-browser based application is stored in a local mobile device memory during an execution of the non-browser based application, a bulk storage mobile device memory for when the non-browser based application is not being executed, and a cache mobile device memory to provide temporary storage of at least some of the non-browser based application in order to reduce the number of times the non-browser based application must be retrieved from the bulk storage mobile device memory during the execution.

32. The mobile device of claim 18, further wherein the advertisement is stored in the mobile device memory to improve the mobile device performance, mobile device usability, user experience, and user convenience.

33. The mobile device of claim 18, wherein upon the condition that the mobile device loses connection with a wireless network, the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.

34. The mobile device of claim 18, further wherein the non-browser based application sends a request to the remote management server for retransmission of the advertisement if it has not received the advertisement from the remote management server within a certain period of time.

35. The method of claim 9, wherein the one or more payment methods is a credit card, debit card, or prepaid card.

36. The mobile device of claim 26, wherein the one or more payment methods is a credit card, debit card, or prepaid card.

* * * * *