

(12) United States Patent **Fisher**

(45) Date of Patent:

(10) Patent No.:

US 11,829,972 B2 *Nov. 28, 2023

(54) METHOD AND SYSTEM FOR REMOTE TRANSACTION PROCESSING USING A TRANSACTION SERVER

(71) Applicant: Michelle Fisher, Oakland, CA (US)

Inventor: Michelle Fisher, Oakland, CA (US)

Assignee: Michelle Fisher, Berkeley, CA (US)

Subject to any disclaimer, the term of this (*) Notice:

> patent is extended or adjusted under 35 U.S.C. 154(b) by 266 days.

This patent is subject to a terminal dis-

claimer.

(21) Appl. No.: 17/084,524

(22) Filed: Oct. 29, 2020

(65)**Prior Publication Data**

> US 2021/0073762 A1 Mar. 11, 2021

Related U.S. Application Data

(63) Continuation of application No. 14/253,648, filed on Apr. 15, 2014, now Pat. No. 10,825,007, which is a (Continued)

(51) Int. Cl. G06Q 20/20 (2012.01)H04W 4/21 (2018.01)

(Continued)

(52) U.S. Cl. CPC G06Q 20/20 (2013.01); G06Q 20/00 (2013.01); G06Q 20/108 (2013.01); G06Q **20/16** (2013.01);

(Continued)

(58) Field of Classification Search

CPC G06Q 20/00; G06Q 20/40; G06Q 20/102; G06Q 20/105; G06Q 10/00; G06Q 20/32;

(Continued)

(56)References Cited

U.S. PATENT DOCUMENTS

6,038,367 A 3/2000 Abecassis 6,101,483 A * 8/2000 Petrovich G06Q 20/343 705/26.8

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2006095212 A1 9/2006 WO2006/114601 WO 11/2006

OTHER PUBLICATIONS


U.S. Appl. No. 15/076,578, Board Decision dated Mar. 2, 2020. (Continued)

Primary Examiner — Olusegun Goyea

(57)ABSTRACT

A method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

28 Claims, 4 Drawing Sheets



Related U.S. Application Data

continuation of application No. 13/736,056, filed on Jan. 7, 2013, now Pat. No. 8,694,380, which is a continuation of application No. 11/948,903, filed on Nov. 30, 2007, now Pat. No. 8,352,323.

(51) Int. Cl. G06Q 30/0207 (2023.01)G06Q 30/06 (2023.01)H04M 1/72445 (2021.01)G06Q 20/32 (2012.01)G06Q 30/0238 (2023.01)G06Q 30/02 (2023.01)G06Q 20/38 (2012.01)G06Q 20/40 (2012.01)G06Q 20/36 (2012.01)G06Q 20/16 (2012.01)G06Q 20/00 (2012.01)G06Q 20/10 (2012.01)G06Q 30/0251 (2023.01)G06Q 30/0601 (2023.01)H04W 8/20 (2009.01)H04W 4/18 (2009.01)H04B 5/00 (2006.01)G06Q 40/12 (2023.01)G06Q 40/10 (2023.01)H04W 4/80 (2018.01)H04W 4/029 (2018.01)H04N 21/81 (2011.01)G07F 7/10 (2006.01)G06Q 40/00 (2023.01)H04W 88/02 (2009.01)H04W 4/02 (2018.01)

(52) U.S. Cl.

CPC G06Q 20/202 (2013.01); G06Q 20/204 (2013.01); G06Q 20/206 (2013.01); G06Q 20/32 (2013.01); G06Q 20/322 (2013.01); G06Q 20/325 (2013.01); G06Q 20/326 (2020.05); G06Q 20/3223 (2013.01); G06Q 20/3226 (2013.01); G06Q 20/3227 (2013.01); G06Q 20/3255 (2013.01); G06Q 20/3278 (2013.01); G06Q 20/3674 (2013.01); G06Q 20/382 (2013.01); G06Q 20/3821 (2013.01); G06Q 20/40 (2013.01); G06Q 20/409 (2013.01); G06Q 20/4012 (2013.01); G06Q 20/4014 (2013.01); G06Q 30/02 (2013.01); G06Q 30/0222 (2013.01); G06Q 30/0238 (2013.01); G06Q 30/0251 (2013.01); G06Q 30/0253 (2013.01); G06Q 30/0255 (2013.01); G06Q 30/0267 (2013.01); G06Q 30/0268 (2013.01); G06Q 30/06 (2013.01); G06Q 30/0613 (2013.01); G06Q 30/0635 (2013.01); G06O 40/10 (2013.01); G06O 40/12 (2013.12); H04B 5/0025 (2013.01); H04M 1/72445 (2021.01); H04W 4/18 (2013.01); H04W 4/21 (2018.02); H04W 8/205 (2013.01); G06Q 20/10 (2013.01); G06Q 20/105 (2013.01); G06Q 40/00 (2013.01); G07F 7/1008 (2013.01); H04N 21/812 (2013.01); H04W 4/02 (2013.01); H04W 4/029 (2018.02); H04W 4/80 (2018.02); H04W 88/02 (2013.01)

(58) Field of Classification Search

CPC G06Q 30/00; G06Q 30/02; G06Q 20/04; G06Q 20/12; G06Q 40/00; G06Q 20/20; G06F 17/30; G06F 17/00; G06F 17/16; G06F 21/00; G06F 21/41 USPC 705/7, 14.67, 14.23, 14.72, 16, 18, 26.1, 705/26.8, 26.81, 24, 27.1, 28, 30–34, 35, 705/39, 44, 46, 70; 455/406, 407, 411, 455/414.1; 235/380–385

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

6,115,601	A *	9/2000	Ferreira H04M 17/20
6,123,259	A *	9/2000	455/406 Ogasawara G06Q 30/0267 705/14.1
C 130 CEE		10/2000	
6,128,655	A	10/2000	Fields
6,141,666	A	10/2000	Tobin
6,199,082	B1	3/2001	Ferrel
6,250,557	B1 *	6/2001	Forslund G06Q 20/229 235/375
6,394,341	B1 *	5/2002	Makipaa G06Q 20/322
6 415 156	D1	7/2002	Stadelmann 235/379
6,415,156	B1		
6,450,407	B1 *	9/2002	Freeman G06K 19/0723
			235/487
6,587,835	B1 *	7/2003	Treyz G06Q 30/0633
			705/14.64
6,605,120	В1	8/2003	Fields
1,503,352	A1	7/2004	Furuyama
6,771,981	BI	8/2004	Zalewski
	BI	8/2004	Cronin
6,772,396			
6,886,017	B1	4/2005	Jackson
6,950,939	B2	9/2005	Tobin
7,031,945	В1	4/2006	Donner
7,069,248	B2	6/2006	Huber
7,096,003	B2	8/2006	Joao
7,110,744	B2	9/2006	Freeny
7,110,792	B2 *	9/2006	Rosenberg G06Q 20/085
7,110,752	DL	3/2000	455/406
7,127,236	В2	10/2006	Khan
7,200,578	B2 *	4/2007	Paltenghe G06Q 20/3574
7,200,576	DZ	4/2007	
= 200 010	D.a	10/2005	705/26.1
7,289,810	B2	10/2007	Jagadeesan
7,308,254	В1	12/2007	Rissanen
7,357,312	B2	4/2008	Gangi
7,379,920	B2	5/2008	Leung
7,383,226	B2 *	6/2008	Kight G06Q 20/10
, ,			705/40
7,472,829	B2	1/2009	Brown
7,482,925	B2	1/2009	Hammad
7,493,284	B2	2/2009	Celi et al.
7,512,567	B2 *	3/2009	Bemmel G06Q 20/204
			705/64
7,522,905	B2	4/2009	Hammad
7,555,284	B2 *	6/2009	Yan G06Q 20/045
			455/566
7,680,824	B2 *	3/2010	Plastina G06F 16/433
7,000,021	DZ	5/2010	715/764
7 720 506	DЭ	6/2010	
7,739,596			Clarke-Martin
7,783,532	B2 *	8/2010	Hsu G06Q 30/0236
			705/28
7,784,684	B2 *	8/2010	Labrou G06Q 20/327
			705/64
7,792,756	B2 *	9/2010	Plastina H04W 12/64
.,,			707/630
7 910 204	D1*	10/2010	
7,818,284	DI.	10/2010	Walker G06Q 30/0605
			705/26.2
7,827,056	B2 *	11/2010	Walker G06Q 20/387
			705/14.1
			703/14.1
7,870.077	B2*	1/2011	
7,870,077	B2*	1/2011	Woo G06Q 30/06
7,870,077	B2*	1/2011	

US 11,829,972 B2 Page 3

(56)	Refere	nces Cited	2003/0066883	A1*	4/2003	Yu G06Q 20/04
U	J.S. PATENT	T DOCUMENTS	2003/0074259	A1*	4/2003	235/382 Slyman, Jr G06Q 30/0221
7,979,519 H	B2 * 7/2011	Shigeta H04L 67/565	2003/0085286	A1*	5/2003	705/17 Kelley G07F 7/1008
8,005,426 H	B2 * 8/2011	709/224 Huomo G06Q 20/20	2003/0087601	A1*	5/2003	235/492 Agam H04W 12/06
8,019,362 I	B2 * 9/2011	235/441 Sweatman H04W 88/184	2003/0093311	A1*	5/2003	455/39 Knowlson H04M 15/58
8,073,424 I	B2 * 12/2011	455/466 Sun G06Q 20/326	2003/0093695		5/2003	
8,086,534 I	B2* 12/2011	455/406 Powell G06Q 40/02	2003/0149662 2003/0105641		5/2003 6/2003	Lewis
8,109,444 I		705/64 Jain G06K 19/07707	2003/0132298	A1*	7/2003	Swartz G06Q 20/3276 235/472.02
8,121,945 H	B2 2/2012	235/487 Rackley	2003/0140004 2003/0163359			O'Leary Kanesaka G06Q 30/0204
8,127,984 I		Zatloukal G05B 1/01 455/73	2003/0172028		9/2003	
8,214,454 H	B1* 7/2012	Barnes G06F 16/955 709/217	2004/0006497 2004/0030658		1/2004 2/2004	Cruz G06Q 20/367
8,429,030 H	B2 * 4/2013	Walker G06Q 30/06 705/26.7	2004/0034544		2/2004	
8,429,031 H	B2 * 4/2013	Walker G06Q 30/0224 705/26.7	2004/0064407			Kight G06Q 20/102 705/40
8,438,077 I	B2 * 5/2013	Walker G06Q 30/0601 705/26.7	2004/0064408	A1*		Kight G06Q 30/04 705/40
8,438,078 I	B2 * 5/2013	Walker G06Q 10/087 705/26.7	2004/0064409	A1*		Kight G06Q 40/02 705/40
8,467,766 I	B2 * 6/2013	Rackley, III G06Q 20/3221 455/406	2004/0064410			Kight G06Q 20/04 705/40
8,484,058 I	B2 * 7/2013	Benson G06Q 10/02 705/26.1	2004/0073439			Shuster G07C 9/253 726/21
8,489,067 I	B2 * 7/2013	Rackley, III G06Q 20/3223 455/406	2004/0073497			Hayes G06Q 30/0601 705/26.1
8,510,220 H	B2 * 8/2013	Rackley, III G06Q 20/102 705/40	2004/0078329			Kight G06Q 40/03 705/40
8,566,239 H 8,693,995 H		Arthur Fisher	2004/0083167	Al*	4/2004	Kight G06Q 20/108 705/40
8,700,729 H		Dua G06Q 20/3674 705/64	2004/0093271	A1*		Walker G06Q 30/02 705/26.1
9,294,917 H 9,996,849 H		Nystrom Fisher	2004/0111320	A1*	6/2004	Schlieffers A47F 9/047 705/16
10,339,556 H	B2 7/2019	Fisher	2004/0127256	A1*	7/2004	Goldthwaite G06K 7/0073
10,621,612 H 10,825,007 H		Fisher Fisher	2004/0143545	A1*	7/2004	455/466 Kulakowski G06Q 20/305
2001/0011250 A		Paltenghe G07F 7/08 705/41	2004/0235450	A1*	11/2004	705/39 Rosenberg H04M 1/0254
2001/0044751 A	A1* 11/2001	Pugliese, III G06Q 30/02 705/14.1	2004/0243519	A1	12/2004	455/406 Perttila
2001/0049636 A	A1* 12/2001	Hudda G06Q 30/0601 705/26.1	2004/0254836	A1*	12/2004	Emoke Barabas
2002/0026423 A	A1* 2/2002	Maritzen G06Q 20/023 705/56	2004/0267618	A1	12/2004	705/14.35 Judicibus
2002/0056091 A	A1* 5/2002	Bala G06Q 30/0269 725/23	2004/0267665 2005/0003810		12/2004 1/2005	Chu
2002/0059100 A		Shore	2005/0021478	A1*	1/2005	Gautier G06Q 20/12
2002/0063895 A 2002/0065774 A		Agata Young G06Q 20/322 705/41	2005/0037735	A1*	2/2005	705/65 Coutts G06Q 20/341 455/418
2002/0077918 A		Lerner	2005/0040230	A1*	2/2005	Swartz G07G 1/0072
2002/0082879 A 2002/0101993 A		Miller Eskin H04L 67/04	2005/0043994	A1*	2/2005	235/383 Walker G06Q 30/0217
2002/0107756 A		380/270 Hammons	2005/0060536	A1*	3/2005	705/14.19 Iga G06Q 20/367
2002/0116269 A	A1* 8/2002	Ishida G06Q 30/0267 719/318	2005/0076210	A1	4/2005	713/155 Thomas
		Wolfe H04M 3/493 455/566	2005/0131837		6/2005	Sanctis G06Q 20/12 705/64
2002/0169664 A	A1* 11/2002	Walker G06Q 30/0207 705/26.1	2005/0150945	A1*	7/2005	Choi G06Q 20/108 235/379
2002/0169984 A 2003/0033272 A		Kumar Himmel G06Q 20/047	2005/0165646	A1*	7/2005	Tedesco B42D 15/00 705/14.1
2003/0061113 A		Petrovich G06Q 10/087 705/26.43	2005/0187873	A1*	8/2005	Labrou G06Q 20/326 705/40
2003/0065805 A	A1 4/2003	Barnes	2005/0190970	A1	9/2005	

US 11,829,972 B2 Page 4

(56)	Referer	nces Cited	2007/0125840	A1*	6/2007	Law G06Q 20/326
(00)						705/65
U.S.	PATENT	DOCUMENTS	2007/0138299	A1*	6/2007	Mitra G06Q 20/341 235/492
2005/0203959 A1*	9/2005	Muller G06Q 30/06	2007/0145135	A1	6/2007	Jogand-Coulomb
2005/0210387 A1*		Alagappan H04L 9/40	2007/0131759		7/2007	
		715/700	2007/0156436			Fisher G06Q 20/425
2005/0215231 A1	9/2005	Bauchot				705/40
		Staib H04M 1/0254 705/64	2007/0175978	A1*	8/2007	Stambaugh G06Q 40/12 235/379
2005/0240484 A1*	10/2005	Yan G07B 15/00 455/411	2007/0179883	A1*	8/2007	Questembert G06Q 20/10 705/39
2005/0278377 A1* 2005/0283444 A1*	12/2005 12/2005	Mirrashidi G06Q 30/0625 Ekberg H04L 9/3242	2007/0210155	A1*	9/2007	Swartz G06Q 20/20 235/383
		705/67	2007/0235519	A1	10/2007	Jang
2006/0000900 A1		Fernandes	2007/0235539	A1*	10/2007	Sevanto G07F 7/1008
2006/0014518 A1*	1/2006	Huh H04M 15/06				235/451
		455/406	2007/0129081		11/2007	
2006/0031752 A1*	2/2006	Surloff G06F 3/0213	2007/0255662			Tumminaro
		707/E17.112	2007/0262139			Fiebiger
2006/0044153 A1*	3/2006	Dawidowsky G06K 19/0723	2007/0266130		11/2007	
		710/10	2007/0270166	A1*	11/2007	Hampel H04L 51/222
2006/0089874 A1*	4/2006	Newman G06Q 10/10				455/456.3
		705/14.32	2007/0288966	A1*	12/2007	Javid H04N 21/4755
2006/0089949 A1*	4/2006	Robbin G06Q 30/0601				348/E7.071
2006/0095339 A1*	5/2006	Hayashi G06Q 30/0641 705/26.8	2007/0293155	A1*	12/2007	Liao G06Q 20/3229 455/41.2
2006/0100924 A1*	5/2006	Tevanian G06Q 30/0222	2008/0004952	A1*	1/2008	Koli G06Q 30/0267
		705/14.23	2000/0006605	A 1 2k	1/2000	705/14.55
2006/0123052 A1*		Robbin G06Q 30/00	2008/0006685	AIT	1/2008	Rackley, III G06Q 40/00
2006/0135156 A1*	6/2006	Malu H04W 8/18	2000/0010100	414	1/2000	235/379 P. 11 H. GOGO 20/2222
		455/432.3	2008/0010190	A1 "	1/2008	Rackley, III G06Q 20/3223
2006/0143091 A1*	6/2006	Yuan G06Q 30/0601 705/26.1	2008/0010191	A1*	1/2008	705/39 Rackley, III G06Q 20/363
2006/0165060 A1*	7/2006	Dua G06Q 20/401	2008/0010192	A1*	1/2008	705/39 Rackley, III G06Q 20/10
2006/0173701 A1*	9/2006	705/76 Gurvey G06Q 20/3674				705/39
2000/01/3/01 AT		705/902	2008/0010193	A1*	1/2008	Rackley, III G06Q 20/325 705/39
2006/0180660 A1*	8/2006	Gray G06Q 20/322 455/414.1	2008/0010196	A1*	1/2008	Rackley, III G06Q 40/00
2006/0184398 A1*	8/2006	Kasagi G06Q 50/182 705/309	2008/0010204	A1*	1/2008	705/40 Rackley, III G06Q 20/14
2006/0184431 A1*	8/2006	Rosenberg H04N 21/42684	2008/0010215	A1*	1/2008	705/45 Rackley, III G06Q 20/326
2006/0191995 A1*	8/2006	705/26.8 Stewart G06Q 20/02	2008/0011825	A1*	1/2008	705/70 Giordano G06Q 20/04
2006/0206709 A1*	9/2006	235/382 Labrou G06Q 20/18	2008/0017704	A1*		235/383 VanDeburg G07F 7/025
2006/0212401 A1*		713/167 Ameerally G06Q 30/02				235/380
		705/51	2008/0027795			Medlin G06Q 20/387 705/14.23
2006/0218092 A1*	9/2006	Tedesco G06Q 20/14	2008/0294556			Anderson
		705/40	2008/0040265	A1*	2/2008	Rackley, III G06Q 20/102
2006/0219780 A1*	10/2006	Swartz G07F 7/02 235/383	2008/0045172	A 1 *	2/2008	705/40 Narayanaswami G06Q 30/02
2006/0235864 41*	10/2006	Hotelling G06Q 30/0603	2000/00 15172	7 1 1	2/2000	455/187.1
2006/0242267 A1		Grossman Goog 30,0003	2008/0046366	Δ1*	2/2008	Bemmel G06Q 40/12
		Posokhow G06Q 30/06	2000/0040300	711	2/2000	705/44
2000/0247970 AT	11/2000	*.	2008/0048022	A 1 *	2/2008	Vawter G06Q 20/425
2006/02/12/12 41*	11/2006	705/26.81	2008/0048022	AI	2/2008	235/380
		Leffert G06Q 40/04 Anderson G06Q 30/06	2008/0051059	A 1 *	2/2008	Fisher G06Q 20/327
		Perkins G06Q 30/02	2006/0031039	AI	2/2008	455/410
2000/028/920 AT	12/2000	707/999.107	2008/0051142	A1*	2/2008	Calvet H04W 88/02
2006/0294025 A1*	12/2006	Mengerink G06Q 30/0601				455/558
2007/0004391 A1	1/2007	705/77 Maffeis	2008/0052192	A1*	2/2008	Fisher G06Q 10/02 705/5
2007/0004391 A1*		Sheehan G06Q 20/322	2008/0052233	A1*	2/2008	Fisher G06Q 20/327
		705/65				705/40
2007/0021969 A1*	1/2007	Homeier-Beals G06Q 20/326 705/16	2008/0059329	A1*	3/2008	Luchene G06Q 30/0603 705/26.81
2007/0022058 A1*	1/2007	Labrou G06Q 20/322	2008/0116264	A 1	5/2008	Hammad et al.
2007/0022036 AT	1,2007	705/67	2008/0126145			Rackley, III G06Q 20/102
2007/0015060 A1	5/2007	Angelica				455/406
2007/0095892 A1		Lyons	2008/0133336	A1*	6/2008	Altman H04W 4/21
2007/0125838 A1*		Law G06Q 20/3223				705/14.1
		705/65	2008/0139155	A1	6/2008	Boireau

(56)	Referen	ces Cited	2009/0227281 A1* 9/2009 Hammad G06K 19/0730					
Ţ	J.S. PATENT	DOCUMENTS	340/10 2010/0057619 A1* 3/2010 Weller G06Q 20/0)4				
2008/0140520	A1* 6/2008	Hyder G06Q 30/0207	455/414 2010/0063895 A1* 3/2010 Dominguez G06Q 20/4	10				
2008/0148040	A1* 6/2008	705/14.1 Machani G06F 21/6245	705/26 2010/0082491 A1* 4/2010 Rosenblatt G06Q 20/1	10				
2008/0162312	A1* 7/2008	713/193 Sklovsky H04L 63/20	705/1 2010/0145835 A1* 6/2010 Davis G06Q 20/108	35				
2008/0167017	A1* 7/2008	705/1.1 Wentker G06Q 30/0224	705/3 2010/0312694 A1* 12/2010 Homeier-Beals G06Q 30/0)2				
2008/0167961	A1* 7/2008	455/406 Wentker G06Q 20/3278	705/3 2011/0055038 A1* 3/2011 Mengerink G06Q 20/08	35				
2008/0167988	A1* 7/2008	705/14.25 Sun G06Q 20/3278	705/26 2011/0320316 A1* 12/2011 Randazza G06Q 30/061	17				
2008/0172274	A1* 7/2008	455/406 Hurowitz H04L 67/61	705/26.4 2012/0030044 A1* 2/2012 Hurst G06Q 20/32	26				
2008/0172285	A1* 7/2008	455/433 Hurowitz G06Q 30/02	705/1 2012/0150744 A1* 6/2012 Carlson G06Q 30/0 705/4)6				
2008/0172291	A1* 7/2008	725/23 Hurowitz G06Q 30/02	2012/0215573 A1* 8/2012 Sussman H04L 67/101 705.	14				
2008/0172292	A1* 7/2008	705/14.1 Hurowitz G06Q 30/02	2012/0220314 A1* 8/2012 Altman H04L 67/36 455/456)6				
2008/0177668 2008/0207234		725/23 Delean Arthur G07F 17/16	2012/0265677 A1* 10/2012 Rackley, III G06Q 20/32 705/4	25				
2008/0207234		455/466 Hammad	2013/0013501 A1* 1/2013 Rackley, III G06Q 20/3 705/4	32				
2008/0208743		Arthur G06Q 40/00 705/41	2013/0054470 A1* 2/2013 Campos G06Q 20/3 705/6	36				
2008/0208744	A1* 8/2008	Arthur G06Q 20/32 705/41	2013/0212016 A1* 8/2013 Davis G06Q 40/1 705/4	12				
2008/0208762	A1* 8/2008	Arthur G06Q 20/20 705/79	2015/0012440 A1 1/2015 Kelley	_				
2008/0221997	A1* 9/2008	Wolfe G06Q 30/02 705/14.39	OTHER PUBLICATIONS					
2008/0242274	A1* 10/2008	Swanburg H04L 67/306 455/414.1	U.S. Appl. No. 15/076,578 Notice Of Allowance dated Jun. 1	7,				
2008/0249938	A1* 10/2008	Drake-Stoker H04W 12/106 726/2	2020.U.S. Appl. No. 14/253,648 Board Decision mailed May 13, 202	0.				
2008/0255947	A1* 10/2008	Friedman G06Q 20/327 455/414.2	U.S. Appl. No. 14/253,648 Notice Of Allowance dated Sep. 1: 2020.	8,				
2008/0262928	A1* 10/2008	Michaelis G06Q 30/02 705/14.39	"Text Messaging" https://en.m.wikipedia.org/wiki/Text_messaging "Text Based User Interface" https://en.wikipedia.org/wiki/User					
2008/0274794	A1* 11/2008	Mathieson G06Q 30/02 463/25	interface. "WAP" https://en.wikipedia.org/wiki/Wireless_Application	_				
2008/0275779	A1* 11/2008	Lakshminarayanan	Protocol. "multimedia messaging" https://en.wikipedia.org/wiki/Multimedia					
2008/0305774	A1 12/2008	705/39 Ramakrishna	Messaging_Service#Technical_description. Web based user interface https://en.wikipedia.org/wiki/User					
2009/0000618 A 2009/0018913 A		Hameen-Anttila Sarukkai H04M 3/53383	interface.	.—				
		705/14.56	Ajax https://techterms.com/defnition/ajax. Java script https://techterms.com/definition/javascript.					
2009/0061884		Rajan G06Q 30/0225 455/445	"browser games" www.60freegames.com/Free-to-Play/Browse Games.	r-				
2009/0063312		Hurst	"Text-based games" https://en.wikipedia.org/wiki/Text-based	l_				
2009/0075592 2 2009/0076912 2		Nystrom et al. Rajan G06Q 30/0267 705/14.64	game. "online shopping "https://en.wikipedia.org/wiki/Online_shopping "social networking services" https://en.wikipedia.org/wiki/Social					
2009/0098825		Huomo Dalmia G06Q 40/12	networking_service.	_				
2009/0106112		709/204	"web mapping" https://en.wikivedia.org/wiki/Web_mapping. "mobile browser" https://enwikipedia.org/wiki/Mobile_browser.					
2009/0112747		Mullen G06Q 40/02 705/35	"voice browser" https://en.wikipedia.org/wiki/Voice_browser. "Email" https://techterms.com/definition/email.					
2009/0124234		Fisher H04B 5/0031 455/406	"web mail" https://en.wikipedia.org/wiki/Webmail).					
2009/0132362		Fisher G06Q 30/06 705/16	"WAP Browser" https://en.m.wikipedia.org/wiki/Wireless_Application Protocol.					
2009/0143104		Loh G06Q 20/352 340/10.1	"binary application" https://en.m.wikipedia.org/wiki/Application binary_interface.	1_				
2009/0144161		Fisher G06Q 20/4012 705/16	IPR2021-01529. IPR2021-01530.					
2009/0177587	A1* 7/2009	Siegal G06Q 20/10 705/67	U.S. Appl. No. 14/253,648 Board Decision mailed May 13, 2020 p. 7-10.	Э,				

US 11,829,972 B2


Page 6

References Cited (56)

OTHER PUBLICATIONS

U.S. Appl. No. 14/253,648 Notice Of Allowance dated Sep. 10, 2020, 9 p. Ajax https://techterms.com/detnition/ajax. "web mapping" https://en.wikipedia.org/wiki/Web_mapping.

^{*} cited by examiner






FIG. 2




FIG. 3





FIG. 4



METHOD AND SYSTEM FOR REMOTE TRANSACTION PROCESSING USING A TRANSACTION SERVER

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of application Ser. No. 14/253,648 filed Apr. 15, 2014 titled "REMOTE TRANS-ACTION PROCESSING OF AT A TRANSACTION The detainst to application Ser. No. 13/736,056, filed Jan. 7, 2013, titled "REMOTE TRANSACTION PROCESSING USING A DEFAULT PAYMENT METHOD "now U.S. Pat. No. 8,694,380 issued on Apr. 8, 2014 which is a continuation and claims priority to application Ser. No. 11/948,903, filed Nov. 30, 2007, titled "METHOD AND SYSTEM FOR CONDUCTING AN ONLINE PAYMENT TRANSACTION USING A MOBILE COMMUNICATION DEVICE", now U.S. Pat. No. 8,352,323 issued on Jan. 8, 2013 all of which are incorporated by reference herein in their entirety.

FIELD OF INVENTION

The present invention relates to data communications and 25 mentation. wireless devices. FIG. 4

BACKGROUND OF THE INVENTION

Mobile communication devices—e.g., cellular phones, 30 personal digital assistants, and the like—are increasingly being used to conduct payment transactions as described in U.S. patent application Ser. No. 11/933,351, entitled "Method and System For Scheduling A Banking Transaction Through A Mobile Communication Device", and U.S. patent application Ser. No. 11/467,441, entitled "Method and Apparatus For Completing A Transaction Using A Wireless Mobile Communication Channel and Another Communication Channel, both of which are incorporated herein by reference. Such payment transactions can include, for 40 example, purchasing goods and/or services, bill payments, and transferring funds between bank accounts.

BRIEF SUMMARY OF THE INVENTION

In general, this specification describes a method and system for conducting an online payment transaction through a point of sale device. The method includes receiving input from a user selecting an item for purchase through the point of sale device; calculating a total purchase amount for the item in response to a request from the user to purchase the item; and sending payment authorization for the total purchase amount from the point of sale device to a payment entity, in which the payment authorization is sent to the payment entity via a mobile communication device of 55 the user. The method further includes receiving a result of the payment authorization from the payment entity through the mobile communication device; and completing the payment transaction based on the result of the payment authorization.

Particular implementations can include one or more of the following features. The point of sale device can be a desktop computer, a laptop computer, or a terminal. The mobile communication device can be a cellular phone, a wireless personal digital assistant (PDA), or a laptop computer. The 65 cellular phone can be an NFC-enabled phone. Sending payment authorization for the total purchase amount from

2

the point of sale device to a payment entity can include sending the payment authorization securely to the payment entity. The payment entity can be a person, a computer system, or a bank. The method can further include maintaining a shopping list on the mobile communication device of the user, in which the shopping list includes a listing of one or more items to be purchased by the user. The payment authorization can be an authorization for payment with a credit card, a debit card, or a prepaid card.

The details of one or more implementations are set forth in the accompanying drawings and the description below. Other features and advantages will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a block diagram of a communication system including a wireless mobile communication device and a management server in accordance with one implementation

FIG. 2 illustrates one implementation of the wireless mobile communication device of FIG. 1.

FIG. 3 is a method for conducting a payment transaction using a point of sale device in accordance with one implementation.

FIG. 4 illustrates a block diagram of a communication system including a wireless mobile communication device and an online store in accordance with one implementation.

FIG. 5 is a block diagram of a data processing system suitable for storing and/or executing program code in accordance with one implementation.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates one implementation of a communication system 100. The communication system 100 includes a hand-held, wireless mobile communication device 102 a point-of-sale device 104 and a management server 106. In one implementation, the mobile communication device 102 includes a mobile application (discussed in greater detail below) that permits a user of the mobile communication device 102 to conduct payment transactions. Payment transactions can include, for example, using contactless payment technology at a retail merchant point of sale (e.g., through point of sale device 104), using mobile/internet commerce (e.g., purchase tickets and products, etc.), storage of payment information and other digital artifacts (e.g., receipts, tickets, coupons, etc.), storage of banking information (payment account numbers, security codes, PIN's, etc.), and accessing banking service (account balance, payment history, bill pay, fund transfer, etc.), and so on. The mobile communication device 102 can be a cellular phone, a wireless personal digital assistant (PDA), a laptop computer, or other wireless communication device. The point of sale device 104 can be a desktop computer, laptop computer, terminal, or other device that is configured to receive user input selecting items for purchase or other transaction.

In one implementation, authorizations for payment transactions that are made through the point of sale device 104 are sent from the point of sale device 104 to an issuer authorization (e.g., management server 106) through the mobile communication device 102 (as shown in FIG. 1). In one implementation, an issuer authorization is a payment entity that either approves or disapproves a payment trans-

action. An issuer authorization can be, e.g., a person, computer system, bank (or other third party). One potential benefit of having payment authorizations flow through the mobile communication device 102 is that sensitive user information (e.g. account numbers, pin numbers, and/or 5 identity information) need only be sent from the mobile communication device 102 directly to an issuer authorization. Such operation reduces the potential for identity theft and/or fraudulent purchases made through a point of sale device. For example, (in one implementation) payment 10 authorizations cannot be sent to an issuer authorization if the mobile communication device 102 is turned off.

FIG. 2 illustrates one implementation of the mobile communication device 102. The mobile communication device 102 includes a mobile application 200 that (in one implementation) is provided to the mobile communication device 102 through a remote server (e.g., management server 106). In one implementation, the mobile application is a Mobile Wallet application available from Mobile Candy Dish, Inc., of Alameda, Calif. In one implementation, the mobile appli- 20 cation is a hosted service, as described in U.S. patent application Ser. No. 11/939,821, entitled "Method and System For Securing Transactions Made Through a Mobile Communication Device", which is incorporated herein by reference. In one implementation, the mobile application 25 200 is configured to send requests to the management server for artifacts based on user input, e.g., received though a keypad (not shown) of the mobile communication device 102. Requests to the management server 106 can also be automated, via proximity-based services, e.g., consumer 30 tapping (or in close proximity) an LBS/contactless/RFID enabled phone against a smart poster (RFID/Bluetooth/LBS enabled, etc.), kiosk, or other device.

In one implementation, the mobile application 200 running on the mobile communication device 102 is configured 35 to receive artifacts (e.g., advertisements, receipts, tickets, coupons, media, content, and so on) from the management server 106. In one implementation, the management server 106 sends artifacts to the mobile application based on user profile information and/or a transaction history (or payment 40 trends) associated with a user of the mobile communication device 102 as described in U.S. patent application Ser. No. 11/944,267, entitled "Method and System For Delivering Information To a Mobile Communication Device Based On Consumer Transactions", which is incorporated herein by 45 reference.

In one implementation, the mobile communication device 102 is an NFC-enabled phone. The mobile communication device 102 can be NFC-enabled, for example, through an embedded chip or a sticker that is affixed to the cellular 50 phone, as described in U.S. application Ser. No. 11/933,321, entitled "Method and System For Adapting a Wireless Mobile Communication Device For Wireless Transactions", which is incorporated herein by reference. In one implementation, the NFC chip (or sticker) on the cellular phone 55 can be used in conjunction with a merchant's point of sale device as described in greater detail below.

For example, with reference to FIG. 4, in one implementation, the NFC chip (or sticker) on the cellular phone can communicate with NFC chips that are installed on the front 60 of PC's (TV's, Kiosks, or any other device) and serve as scanners/readers. In this implementation a mobile candy dish applet (e.g., MCD POS plugin 414) is installed on the consumer's computer (e.g., PC 404) which interfaces with the NFC chip on the PC. When a consumer (or user) is 65 shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the

4

payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then waves their phone over the NFC reader present on the PC 404. The consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application 410) using a communication protocol between the chip in the phone and the chip in the PC, which can be radio frequency for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use (against a larger purchase for example), or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server 408.

In one implementation, the mobile communication device 102 is a non NFC-enabled phone. In this implementation, the consumer connects his phone to the PC 404 via some non radio frequency method (e.g., IR, Bluetooth, USB cable, etc.). When a consumer is shopping online and they are ready to pay for their products, the consumer opens his mobile wallet and selects one of the payment methods (e.g., credit card, debit card, prepaid card, etc.) from their mobile wallet. If a default card has been selected already, this step is not necessary. The consumer then pushes, e.g., a "Buy now" button and the consumer's payment credentials are transferred from the phone to the merchant website (e.g., online store application 410) using the protocol between the phone and the PC 404 which can be radio frequency, for example. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information (e.g., pin) to provide multifactor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data and account balance from the management server 408.

In one implementation, the management server 408 and merchant portal (e.g., online store 408) are maintained by trusted parties and use an encrypted tunnel to transfer financial data. When the consumer is ready to pay for their online product, they enter their cell phone number on the merchant portal. The merchant portal (which has an MCD applet (e.g., MCD POS plugin 414) installed on its server) securely connects to the management server 408 (that in one implementation is maintained by Mobile Candy Dish (MCD)). In one implementation, the management server 408 identifies the consumer through their cell phone number, and verifies the consumer's authenticity by sending a unique transaction code to the consumer mobile wallet on their cell phone. The consumer then enters this unique transaction code onto the merchant's web portal. The merchant portal sends this transaction number to the management server 408 for authentication. Upon authentication, the consumer's virtual wallet and payment methods (e.g., credit card, debit card, prepaid card, etc.) are securely retrieved from the management server 408 and are displayed to the consumer in a window on a website associated with the merchant portal. The consumer selects one of these payment methods to pay for their transaction. If a default card has been selected already, this step is not necessary. If the consumer

has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. After the consumer enters any necessary validation information to 5 provide a multi-factor authentication and confirms the transaction, the online purchase is processed as normal by the merchant's online processor. The mobile wallet can retrieve transaction data, account balance from the management server 408.

5

Referring to FIG. 2, in one implementation, the mobile application 200 maintains a shopping list 202 for a consumer. Accordingly, consumers have the ability to store their shopping list in their mobile wallet and add, delete, or change items on their shopping list either in offline or online 15 mode. In one implementation, consumers are sent coupons based on items on their shopping list, preferences, previous shopping history, proximity to the physical retail store, or a combination of these parameters, as discussed in application Ser. No. 11/944.267, which is incorporated by reference 20 above. If the consumer has coupons in their mobile wallet the consumer can either elect to manually apply the coupon, save the coupon for a future use, or have the coupon automatically applied during the transaction and the transaction amount is updated. When a consumer wants to order 25 the items on their shopping list via an on online merchant (in contrast to a physical retail store), the consumer can logon to the merchant portal and electronically transmit their shopping list to the merchant portal either by waving their phone over NFC enabled PC's or some other connection 30 such as IR, bluetooth, USB, or the like.

FIG. 3 illustrates a method 300 for conducting a payment transaction using a point of sale device (e.g., point of sale device 104). User input is received selecting one or more items for purchase (e.g., at the point of sale device) (step 35 **302**). In general, the transaction being made at the point of sale device can be any type of transaction that involves the exchange or transfer of funds-e.g., the transaction can be a payment transaction, a fund transfer, or other type of purchase the one or more items, a total purchase amount for the one or more items is calculated (e.g., by the point of sale device) (step 304). If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and 45 the transaction amount is updated. The user request to purchase an item can be received, e.g., by a user clicking on a "buy now" icon that is displayed on a graphical user interface of the point of sale device. Payment authorization for the total purchase amount is sent to a payment entity 50 through a mobile communication device of the user (step 306). A result of the payment authorization is received at the point of sale device from the payment entity via the mobile communication device (step 308). The payment transaction is completed based on the result of the payment authoriza- 55 tion (step 310). If the payment transaction was authorized by the payment entity, then the sale of the items through the point of sale device is completed. Otherwise, if the payment transaction was not authorized by the payment entity, then the point of sale device terminates the payment transaction. 60

FIG. 4 illustrates an example payment transaction being made in a communication system 400 in accordance with one implementation. The communication system 400 includes a mobile communication device 402, a personal computer (PC) 404, an online store 406, and a core (or 65 datastore) 408. As indicated by interaction (1), a user (or customer), using a phone (e.g., mobile communication

device 402 or personal computer 404), browses an online store website (online store application 410) and finds an item that the customer wishes to purchase. This could also be a purchase made through a midlet application (POS midlet 412) residing on the mobile communication device 402. The user then goes to, e.g., a checkout of the online store 406 make a purchase. If the user has coupons in their mobile wallet the user can either manually apply the coupon or have the coupon automatically applied during the transaction and the transaction amount is updated. When it comes time to authorize the purchase, (in one implementation) the user is given an option to purchase with the mobile communication device 402. In one implementation, the mobile communication device 402 is an NFC-equipped phone (or NFC phone).

In interaction (2), when the user chooses to purchase with the mobile communication device 402, the online store application 410 sends the transaction information for authorization to the POS vendor plugin (e.g., MCD POS plugin 414). In one implementation, the POS vendor plugin is installed in the merchant's online store and enables the merchant to accepts MCD Blaze payments as an alternative form of payment, similar to accepting credit cards for payment. As shown by interaction (3), the POS vendor plugin formats, encrypts, and cryptographically signs the purchase authorization request which is sent via a secure SSL link (e.g., HTTPS, Bluetooth, IR, USB, or other suitable protocol) established by the browser/web application 416 back to the mobile communication device 402. As with the first scenario, all communications is over secure channels. (It may be required that the mobile wallet application be opened prior to beginning a phone online purchase.) The POS midlet 412 is a component of the mobile wallet application that executes PayPass or other payment authorization protocol between itself and the SE payment applications on the mobile communication device 402 (interaction (4)). The results of the request are sent back to the POS vendor plugin.

As shown by interaction (5), the POS midlet 412 then transaction. In response to a request from the user to 40 forwards the properly formatted authorization request to a payment entity (e.g., issuer authorization 418) for authorization. The results of the request are then sent back to the POS component of the mobile wallet. Through interaction (6), the POS midlet 412 then forwards the results back to the MCD POS plugin 414 to complete the purchase. The MCD POS plugin 414 then forwards the purchase transaction information to the management server 408 for later customer viewing (interaction (7)). As indicated by interaction (8), users (or customers) will then be able to query the management server 408 and immediately obtain purchase information, either by phone or PC.

One or more of method steps described above can be performed by one or more programmable processors executing a computer program to perform functions by operating on input data and generating output. Generally, the invention can take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment containing both hardware and software elements. In one implementation, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc. Furthermore, the invention can take the form of a computer program product accessible from a computerusable or computer-readable medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable medium can be any apparatus that can contain, store, com-

municate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device. The medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

FIG. 5 illustrates a data processing system 500 suitable for storing and/or executing program code. Data processing system 500 includes a processor 502 coupled to memory 15 elements 504A-B through a system bus 506. In other implementations, data processing system 500 may include more than one processor and each processor may be coupled directly or indirectly to one or more memory elements through a system bus. Memory elements 504A-B can 20 include local memory employed during actual execution of the program code, bulk storage, and cache memories that provide temporary storage of at least some program code in order to reduce the number of times the code must be retrieved from bulk storage during execution. As shown, 25 input/output or I/O devices 508A-B (including, but not limited to, keyboards, displays, pointing devices, etc.) are coupled to data processing system 500. I/O devices 508A-B may be coupled to data processing system 500 directly or indirectly through intervening I/O controllers (not shown). 30

In one implementation, a network adapter 510 is coupled to data processing system 500 to enable data processing system 500 to become coupled to other data processing systems or remote printers or storage devices through communication link 512. Communication link 512 can be a 35 private or public network. Modems, cable modems, and Ethernet cards are just a few of the currently available types of network adapters.

Although the present invention has been particularly described with reference to implementations discussed 40 above, various changes, modifications and substitutes are can be made. Accordingly, it will be appreciated that in numerous instances some features of the invention can be employed without a corresponding use of other features. Further, variations can be made in the number and arrange-45 ment of components illustrated in the figures discussed above.

What is claimed is:

 A method for processing a transaction, comprising: receiving, at a transaction server, a payment method that corresponds to a userID from a remote management server, wherein prior to receiving the payment method that corresponds to the userID from the remote management server, the remote management server

sends a list of products to a non-browser based application, wherein the non-browser based application is a mobile operating system platform based mobile application with a graphical user interface that is preinstalled or downloaded and installed on a mobile 60 device, wherein the graphical user interface includes a graphical icon, the mobile device including a mobile device display, a mobile device processor, a mobile device wireless radio transceiver configured to support voice and data interactions through a first 65 wireless communication channel, and a mobile device wireless fidelity (Wi-Fi) transceiver;

8

after sending the list of products to the non-browser based application, receives, from the non-browser based application an identification of one or more products selected from the list of products, wherein the non-browser based application receives the identification of the one or more products selected from the list of products through user input via the mobile device display;

after receiving the identification of the one or more products selected from the list of products, receives, from the non-browser-based application, a transaction purchase request including information relating to the identification of the one or more products, wherein the non-browser based application receives the transaction purchase request through the user input via the mobile device display of the mobile device;

after receiving the transaction purchase request, receives from the non-browser based application, information related to the userID and the information related to a password;

upon receipt of the information related to the userID and the information related to the password, authenticates the user; and

after authenticating the user, transmits the payment method that corresponds to the userID to the transaction server;

processing, at the transaction server, the transaction using the payment method; and

sending, from the transaction server, a transaction verification to the remote management server, wherein the transaction verification indicates that the transaction has processed and further wherein after receiving the transaction verification, the remote management server downloads the one or more products to the mobile

- 2. The method of claim 1, where the payment method includes information related to a credit card number, information related to a debit card number, or information related to a prepaid card number.
- 3. The method of claim 1, further wherein no sensitive data is stored on the mobile device.
- **4.** The method of claim **3**, wherein the sensitive data comprises at least one of information related to the payment method.
- **5**. The method of claim **1**, further wherein the information related to the password is information related to a personal identification number (PIN).
- 6. The method of claim 1, further, wherein the information related to the password is information related to biometric data
 - 7. The method of claim 1, further wherein after the transaction has processed, the remote management server sends a digital artifact to the mobile device.
 - 8. The method of claim 7 wherein the digital artifact is media, content, ticket, a receipt, advertisement or coupon.
 - 9. The method of claim 7, further wherein the nonbrowser based application displays the digital artifact while the mobile device maintains a connection to a wireless network; and

further comprises:

losing the connection of the mobile device to the wireless network while the non-browser based application displays the digital artifact; and

in an offline mode, after losing the connection, continuing to display the digital artifact within the non-browser based application.

- 10. The method of claim 9, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.
- 11. The method of claim 10, further wherein the digital ⁵ artifact is cached on the mobile device and accessible by the non-browser based application when there is no wireless network connection.
- 12. The method of claim 1, further wherein a non-browser based application generated screen receives input to zoom into an image associated with a product to be purchased which results in an updated image of the product to be purchased being displayed, wherein the non-browser based application receives the input to zoom into the image associated with the product to be purchased via the mobile device display of the mobile device.
- 13. The method of claim 1, further wherein the graphical user interface enables the interaction between the non-browser based application and the mobile device through the 20 graphical icon, wherein the non-browser based application receives the interaction via the mobile device display of the mobile device.
- **14**. The method of claim **1**, further wherein the non-browser based application is configured to use a structured ²⁵ format and further wherein the structured format means the non-browser based application can store and display a digital artifact in a organized and easily retrievable fashion.
- 15. A transaction server for processing a transaction, comprising:
 - a transaction server interface configured to:
 - receive a payment method that corresponds to a userID from a remote management server, wherein prior to receiving the payment method that corresponds to the userID from the remote management server, the remote management server;
 - sends a list of products to a non-browser based application, wherein the non-browser based application is a mobile operating system platform based mobile 40 application with a graphical user interface that is preinstalled or downloaded and installed on a mobile device, wherein the graphical user interface includes a graphical icon, the mobile device including a mobile device display, a mobile device processor, a 45 mobile device wireless radio transceiver configured to support voice and data interactions through a first wireless communication channel, and a mobile device wireless fidelity (Wi-Fi) transceiver;
 - after sending the list of products to the non-browser based application, receives, from the non-browser based application, an identification of one or more products selected from the list of products, wherein the non-browser based application receives the identification of the one or more products selected from the list of products through user input via the mobile device display;
 - after receiving the identification of the one or more products selected from the list of products, receives, from the non-browser based application, a transaction purchase request including information relating to the identification of the one or more products, wherein the non-browser based application receives the transaction purchase request through the user input via the mobile device display of the mobile device;

10

- after receiving the transaction purchase request, receives from the non-browser based application, information related to the userID and the information related to a password;
- upon receipt of the information related to the userID and the information related to the password, authenticates a user:
- after authenticating the user, transmits the payment method that corresponds to the userID to the transaction server; and
- send a transaction verification to the remote management server, wherein the transaction verification indicates that the transaction has processed and further wherein after receiving the transaction verification, the remote management server downloads the one or more products to the mobile device; and
- a transaction server processor that processes the transaction using the payment method.
- **16**. The transaction server of claim **15**, wherein the payment method includes information related to a credit card number, information related to a debit card number, or information related to a prepaid card number.
- 17. The transaction server of claim 15, further wherein no sensitive data is stored on the mobile device.
- 18. The transaction server of claim 17, wherein the sensitive data comprises at least one of information related to the payment method.
- 19. The transaction server of claim 15, further wherein the information related to the password is information related to a personal identification number (PIN).
- 20. The transaction server of claim 15, further wherein the information related to the password is information related to biometric data.
- 21. The transaction server of claim 15, further wherein after the transaction has processed, the remote management server sends a digital artifact to the mobile device.
- 22. The transaction server of claim 21, wherein the digital artifact is media, content, ticket, a receipt, advertisement or coupon.
- 23. The transaction server of claim 21, further wherein the non-browser based application displays the digital artifact while the mobile device maintains a connection to a wireless network; and

further comprises:

- losing the connection of the mobile device to the wireless network while the non-browser based application displays the digital artifact; and
- in an offline mode, after losing the connection, continuing to display the digital artifact within the non-browser based application.
- 24. The transaction server of claim 23, further wherein the non-browser based application monitors for access to the wireless network and automatically reconnects to the wireless network when the wireless network is available.
- 25. The transaction server of claim 24, further wherein the digital artifact is cached on the mobile device and accessible by the non-browser based application when there is no wireless network connection.
- 26. The transaction server of claim 15, further wherein a non-browser based application generated screen receives input to zoom into an image associated with a product to be purchased which results in an updated image of the product to be purchased being displayed, wherein the non-browser based application receives the input to zoom into the image associated with the product to be purchased via the mobile device display of the mobile device.

27. The transaction server of claim 15, further wherein the graphical user interface enables the interaction between the non-browser based application and the mobile device through the graphical icon, wherein the non-browser based application receives the interaction via the mobile device 5 display of the mobile device.

28. The transaction server of claim 15, further wherein the non-browser based application is configured to use a structured format and further wherein the structured format means the non-browser based application can store and 10 display a digital artifact in an organized and easily retrievable fashion.

* * * * *